

Rate Contract

For

Supply of Accessories for Diagnostic and Therapeutic Endoscopy

At

**All India Institute of Medical Sciences (AIIMS),
Jodhpur**

NIT No.	: Admin/RC/01/2022-AIIMS.JDH
NIT Issue Date	: 30th April, 2022
Last Date of Submission	: 31st May, 2022 up to 03:00 PM
Date of Opening	: 01st June, 2022 at 03:00 PM
Pre-Bid Meeting	: 17th May, 2022 at 03:00 PM

Tender documents may be downloaded from institute's web site www.aiimsjodhpur.edu.in (for reference only) and CPPP site <https://eprocure.gov.in/eprocure/app>



All India Institute of Medical Sciences, Jodhpur

Basni Phase – II, Jodhpur – 342 005, Rajasthan

Phone: 0291-2740741, Email: procurement@aiimsjodhpur.edu.in

Website: <http://www.aiimsjodhpur.edu.in>

All India Institute of Medical Sciences (AIIMS), Jodhpur, Rajasthan, an apex healthcare institute established by an Act of Parliament of India under aegis of Ministry of Health & Family Welfare, Government of India, invites Online bids in two bid system for Rate Contract for supply of Accessories for Diagnostic and Therapeutic Endoscopy. You are requested to quote your best offer along with the complete details of specifications, terms & conditions.

Annexure - I

General Instructions to Bidders:

1. Bids shall be submitted online only at CPPP website: <https://eprocure.gov.in/eprocure/app>.
2. The complete bidding process is online. Bidders should be in possession of valid digital Signature Certificate (DSC) of class II or III for online submission of bids. Prior to bidding DSC need to be registered on the website mentioned above. For any assistance for e-bidding process, if required, bidder may contact the helpdesk at 0291-2740741.
3. **Tenderer/Contractor/Bidders are advised to follow the instructions provided in the 'Instructions to the Contractors/Tenderer/Bidders for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at <https://eprocure.gov.in/eprocure/app>.**
4. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
5. Before formulating the bid and submitting the same to the purchaser, the bidder should read and examine all the terms, conditions, instructions, etc. contained in the Tender Document. Failure to provide and/or comply with the required information, instructions etc. incorporated in these Tender Documents may result in rejection of its Bid.
6. The rates quoted, approved and accepted by the Director, AIIMS shall be valid for **two years** from the date of **award of contract**. (Extendable on mutual agreement, if required).
7. **Submission of Tender:**
The tender shall be submitted online in two parts, viz., technical bid and financial bid. All the pages of bid being submitted must be signed and sequentially numbered by the bidder irrespective of nature of content of the documents before uploading.
The offers submitted by Telegram / Fax /Email shall not be considered. No correspondence will be entertained in this matter.

Annexure-II- Conditions of Contract

General Terms and Conditions

Subject: - **Notice Inviting bids for Rate Contract for Supply of Accessories for Diagnostic and Therapeutic Endoscopy for All India Institute of Medical Sciences, Jodhpur**

1. Parties:

The parties to the contract are the contractor (the tenderer to whom the work have been awarded) and the AIIMS through Administrative Officer, All India Institute of Medical Sciences, Jodhpur for and on behalf of the Director, AIIMS, Jodhpur.

2. "PRE – BID Meeting" with the intending bidders shall be held on 17th May, 2022 at 03:00 P.M. onwards at Conference Hall, AIIMS Jodhpur.

3. Proposal for rate contract may be submitted in the prescribed format and all columns may be filled up. Incomplete proposals and tenders received after due date shall not be entertained. The Institute shall not be responsible for any postal delay and delay in receipt of the offer. Any bids received by the Institute which does not fulfill the desired terms and conditions shall be rejected out rightly and no communication in this regard shall be sent. **Delayed / Late Bids will not be accepted, in any circumstances.**

4. Quotations qualified by such vague and indefinite expression such as "Subject to prior confirmation", "Subject to immediate acceptance" etc. will be treated as vague offers and rejected accordingly. Any conditional tender shall be rejected summarily.

5. Tenderer shall not be permitted to withdraw his offer or modify the terms and conditions thereof. In case the tenderer fails to observe and comply with stipulation made herein or backs out after quoting the rates, the aforesaid amount of earnest money will be forfeited.

6. The Manufacturers (OEMs) / principals offering for the Rate Contract may furnish the name and address of their local authorized distributor / dealer, so that the copies of orders can be endorsed to them for expeditious supply. In such cases where local dealers / stockiest has been nominated by the principal, the bills raised by them against our purchase order will be accepted.

7. Any addition and deletion of authorized dealership / distributorship shall be intimated to the undersigned immediately on authorization of a new party.

8. At any time prior to date of submission of tender, Tender Inviting Authority may, for any reason or decision, modify the terms & conditions of the tender document by a corrigendum displayed on the website of AIIMS Jodhpur (<http://www.aiimsjodhpur.edu.in>). In order to provide reasonable time to take the amendment into account in preparing their bid, Tender Inviting Authority may or may not, at his discretion, extend the date and time for submission of tenders.

9. In case of supply of goods made through valid authorized dealer, their name & mail address may be declared / indicated in the tender.

10. Authorization certificate in respect of foreign firms duly self-attested and showing validity period may be submitted.

11. DOCUMENTS COMPRISING THE BID:

The **Two Bid System**, i.e. “Techno – Commercial Bid” and “Price Bid” prepared by the bidder shall comprise the following:

Technical Bid: - To qualify in the Technical Bid the firm should have the minimum eligibility criteria as under and the firm in this regard must submit the following documents in support of their eligibility criteria: -

(a) Valid registration certificate of the firm of the Govt. / State Govt.

b) List of Items Quoted must be mentioned in separate excel sheet named “Technical Checklist” as per ANNEXURE - IV of Tender Enquiry Document.

c) Scanned copy of Tender Acceptance Form to be uploaded.

(a) Copy of constitution or legal status of the bidder manufacturer / Sole proprietorship / firm / agency etc.

(b) Manufacturer Authorization Certificate must be attached by Bidder.

d) Scanned Copy of undertakings and Other Documents as per NIT.

(a) Financial Status: - The average annual turnover from similar jobs, of the firm should not be less than Rs. 1 Crore, in the last three consecutive years. Copies of profit & loss account and balance sheets duly authenticate by a Chartered Accountant for the last three years should be enclosed.

(b) Copy of Income Tax Return Acknowledgement for last Three years.

(c) Copy of PAN Card

(d) Copy of GST registration certificate.

(e) Details of clients where similar services are presently provided by the tenderer separately for govt. and private clients.

(f) The bidder must have adequate experience of execution of similar work in Govt. offices / PSUs / Autonomous Bodies and other similar organizations. Necessary supporting documents like work orders, work completion certificate, payment certificate etc. for last three years to this effect must be submitted along with the offer.

(g) The concerned firm/company whose product has been declared as of spurious or adulterated quality and any criminal cases is filled and is pending in any court shall not be eligible to participate in the bidding process. Convicted firms/company shall also not be eligible to participate in the bid. Similarly, blacklisted / banned / debarred firms / company by any central / state govt. or its organization or autonomous bodies or central drug procurement agency is not eligible to participate in the bid.

(h) Brochure, original technical catalogue with detailed specification and picture of the product offered, if relevant.

Price Bid:

Price Schedule(s) as per BoQ format filled up with all the details including Make, Model etc. of the goods offered to be uploaded.

Schedule of price bid in the form of BOQ_XXXX.xls:

The below mentioned (Section X) price bid format is provided as BoQ_XXXX.xls along with this Tender Enquiry Document at <https://eprocure.gov.in/eprocure/app>. Bidders are advised to download this

BoQ_XXXX.xls as it is and quote their offer/rates in the permitted column and upload the same in the commercial bid. Bidder shall not tamper/modify downloaded price bid template in any manner. In case if the same is found to be tempered / modified in any manner, tender will be completely rejected out rightly.

12. Bid Currencies

The bidder supplying indigenous goods or already imported goods shall quote only in Indian Rupees (INR). Bids, where prices are quoted in any other way shall be treated as non - responsive and rejected.

13. Bid Prices

The Bidder shall indicate in the Price Schedule provided in BoQ all the specified components of prices shown therein including the unit prices on Free Delivery At Site basis, applicable GST, HSN Code, it proposes to supply against the requirement. The Bidders shall indicate MRP in the relevant column against each item of BoQ. The details about make & model, if applicable, may also be indicated. All the columns shown in the Price Schedule should be filled up as required.

In no case the quoted rates should be more than MRP at the time of submission of quotation. If subsequently during the currency of Rate Contract there is decreased in MRP, the bidder shall inform the purchaser promptly alongwith revised reduced rates on pro-rata basis. In case, if bidder quotes more than MRP and/or does not inform purchaser about reduction in MRP, it will be viewed seriously and appropriate administrative action will be taken including de-barring the firm.

14. Opening of Tender:

The tenderer is at liberty either himself or authorize not more than one representative to be present at the opening of the tender. The representative attending the opening of the tender on behalf of the tender should bring with him a letter of authority from the tenderer and proof of identification.

15. Validity of the bids:

The bids shall be valid for a period of 180 days from the date of opening of the tender. This has to be so specified by the tenderer in the commercial bid.

16. Right of acceptance:

The AIIMS, Jodhpur reserve the right to accept the whole or any part or portion of the bid; and the bidder shall provide the same at the rates quoted. The AIIMS Jodhpur reserve the right to reject any or all tenders / quotations or all offers received in response to the tender or cancel or withdraw the tender notice without assigning any reason thereof and also does not bind itself to accept the lowest quotation or any tender and no claim in this regard shall be entertained.

17. Firm Price

Prices quoted by the bidder shall remain firm and fixed during the period of the Rate Contract and not subject to variation on any account. Purchase Orders will be placed by Centers / Hospital / Departments / Store Sections against this Rate Contract till the period of Rate Contract. Statuary variation in GST will be applicable.

18. Alternative Models / Brands / Quality

Alternative Models / Brands / Quality are not permitted. The Bidder are required to quote Models/Brands/Quality of best quality meeting tender specifications. Wherever, a bidder quotes alternative Models / Brands / Quality, their bid will not be considered for that item.

19. Purchase Preference for Evaluation

The Purchaser reserves the right to give the price preference to small-scale sectors etc. and purchase preference to central public sector undertakings as per the instruction in vogue while evaluating, comparing and ranking the responsive Bids.

20. Purchase Preference to Local Suppliers

In pursuance of Government of India Order No. P-45021/2/2017-B.E.-II dated 15/06/2017 purchase preference shall be given to local suppliers in all procurements undertaken in the manner specified hereunder and the procurement shall be made as per terms and conditions contained in the said order.

- (a) In procurement of goods in respect of which the Nodal Ministry has communicated that there is sufficient local capacity and local competition, and where the estimated value of procurement is Rs. 50 lakhs or less, only local suppliers shall be eligible. If the estimated value of procurement of such goods is more than Rs. 50 lakhs, the provisions of sub-paragraph b or c, as the case may be, shall apply.
- (b) In the procurements of goods which are not covered by paragraph (a) above and which are divisible in nature, the following procedure shall be followed:
 - I) Among all qualified bids, the lowest bid will be termed as L1. If L1 is from a local supplier, the contract for full quantity will be awarded to L1.
 - II) If L1 bid is not from a local supplier, 50% of the order quantity shall be awarded to L1. Thereafter, the lowest bidder among the local suppliers will be invited to match the L1 price for the remaining 50% quantity subject to the local supplier's quoted price falling within the margin of purchase preference, and contract for that quantity shall be awarded to such local supplier subject to matching the L1 price. In case such lowest eligible local supplier fails to match the L1 price or accepts less than the offered quantity, the next higher local supplier within the margin of purchase preference shall be invited to match the L1 price for remaining quantity and so on, and contract shall be awarded accordingly. In case some quantity is still left uncovered on local suppliers, then such balance quantity may also be ordered on the L1 bidder.
- (c) In procurements of goods not covered by subparagraph (a) above and which are not divisible, and in procurement of services where the bid is evaluated on price alone, the following procedure shall be followed:
 - i) Among all qualified bids, the lowest bid will be termed as L1. If L1 is from a local supplier, the contract will be awarded to L1.
 - ii) If L1 is not from a local supplier, the lowest bidder among the local suppliers will be invited to match the L1 price subject to local supplier's quoted price falling within the margin of purchase preference, and the contract shall be awarded to such local supplier subject to matching the L1 price.

iii) In case such lowest eligible local supplier fails to match the L1 price, the local supplier with the next higher bid within the margin of purchase preference shall be invited to match the L1 price and so on and contract shall be awarded accordingly. In case none of the local suppliers within the margin of purchase preference matches the L1 price, then the contract may be awarded to the L1 bidder.

8. **Minimum local content:** The minimum local content shall ordinarily be 50% till the Nodal Ministry prescribes a higher or lower percentage.
9. **Margin of Purchase Preference:** The margin of purchase preference shall be 20%. The Local supplier whose quoted price falls in the margin of purchase preference desirous of claiming benefit of the Order No. P-45021/2/2017-B.E.-II dated 15/06/2017 shall submit an undertaking within 7 days of opening of financial bid, that he would be ready to supply the product at L1 price. In case of non-receipt of the same, he would not be given purchase preference.
10. The bidders are required to submit the following annexure in compliance of public procumbent (Preference to Make in India) order, 2017: i) Affidavit of self-certification regarding local content (to be provided on Rs. 100/- stamp paper) **Annexure - VI.**

21. Signing of Tender:

Individual signing the tender or other documents connected with contract must specify whether he sign as:

- (a) A sole proprietor of the concern or constituted attorney of such sole proprietor;
- (b) A partner of the firm, if it is a partnership firm in which case he must have authority to execute the contracts on behalf of the firm and to refer to arbitration disputes concerning the business of the partnership either by virtue of the partnership agreement or by a power of attorney duly executed by the partners of the firm.
- (c) Director or a principal officer duly authorized by the Board of Directors of the Company, if it is a company.

22. A person signing the tender form or any document forming part of the tender on behalf of another person should have an authority to bind such other person and if, on enquiry it appears that the person so signing had no authority to do so, AIIMS, Jodhpur may without prejudice, cancel the contract and hold the signatory liable for all costs, consequences and damages under the civil and criminal remedies available.

23. TECHNICAL EVALUATION:

- (a) Detailed technical evaluation shall be carried out by Purchase Committee pursuant to conditions in the tender document to determine the substantial responsiveness of each tender. For this clause, the substantially responsive bid is one that conforms to all the eligibility and terms and condition of the tender without any material deviation. The Institute's determination of bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence. The Institute shall evaluate the technical bids also to determine whether they are

complete, whether required sureties have been furnished, whether the documents have been properly signed and whether the bids are in order.

- (b) The technical evaluation committee may call the responsive bidders for discussion or presentation to facilitate and assess their understanding of the scope of work and its execution. However, the committee shall have sole discretion to call for discussion / presentation.
- (c) Financial bids of only those bidders who qualify the technical criteria will be opened provided all other requirements are fulfilled.
- (d) AIIMS Jodhpur shall have right to accept or reject any or all tenders without assigning any reasons thereof.

24. FINANCIAL EVALUATION:

- (a) The financial bid shall be opened of only those bidders who are found to be technically eligible. The financial bids shall be opened in presence of representatives of technically eligible bidders, who may like to be present. The Institute shall inform the date, place and time for opening of financial bid.
- (b) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is, the unit price shall prevail and the total price shall be corrected by the Institute. If there is a discrepancy between words and figures, the lesser amount shall be considered as valid. If the Supplier does not accept the correction of the errors, his bid shall be rejected.
- (c) The AIIMS Jodhpur does not bind itself to accept the lowest bid or any bid and reserves the right of accepting the whole or any part of the bid or portion of the job offered; and the bidder shall provide the same at the rates quoted. AIIMS Jodhpur, reserves the right to reject any or all offers received in response to tender or cancel or withdraw the tender notice without assigning any reason, whatsoever.

25. AWARD OF CONTRACT: PLACEMENT OF ORDER

- (a) The Institute shall consider placement of orders for jobs on those bidders whose offers have been found technical, commercially and financially acceptable. The Institute reserves the right to counter offer price(s) against price(s) quoted by any bidder. L1 will be decided on individual item basis.

26. The offers submitted by Telegram / Fax / Email shall not be considered. No correspondence will be entertained in this matter.

27. Delivery:

Delivery of goods shall be made by the supplier within 30 days of placing of purchase order, however, in case of emergent requirement he has to supply the required quantity of goods within 1 week of placing of order also. In few cases the items are to be delivered at a very short notice i.e. within 24 hours.

28. Liquidated Damages

Supply of material will have to be completed within 30 days or period mentioned in the purchased order. The liquidated damages charges @ 0.5% per week shall be imposed if supply made after expiry

of delivery period subject to maximum 10% of the total value of relevant goods. Quantum of liquidated damages assessed and levied by the purchaser shall be final and not challengeable by the supplier.

29. Risk Purchase

If successful tenderer fails to supply material within the stipulated delivery date or material supplied other than specification specified in our NIT, AIIMS Jodhpur reserves the right to terminate contract for that item(s), forfeiture of security deposit and to procure same or equivalent material from alternative sources at the vendor's risk, responsibility and cost. Any extra cost incurred in the procurement of the material from alternative source will be recovered from the Security Deposit / Bank Guarantee and Pending Bills of existing firm and if the value of the materials under risk purchase exceeds, the amount of Security Deposit and / or Bank Guarantee and Pending Bills, the same may be recovered if necessary by due legal process.

30. The Payment clause:

The bill in triplicate may be sent to this office for settlement after satisfactorily delivery of the material. The bill should have full particulars of the items(s).

No payment shall be made in advance nor shall the loan from any bank or financial institutions be recommended on the basis of the order of award of work.

The contractor shall submit the bill only after supply of the material to the satisfaction of the AIIMS Jodhpur, on receipt of a pre-receipted bill invoice from the Contractor the case of issuing sanction and passing of bill for payment will be initiated. No payment will be made for goods rejected.

31. Performance Security:

The bidder shall require to submit the performance security after receipt of award of notification, in the form of irrevocable Bank Guarantee (BG) / or Fixed Deposit Receipt (FDR) issued by any Scheduled Bank for an amount in multiplication of 10,000/- (Rupees Ten Thousand Only) per awarded item subject to minimum **Rs. 50,000/- (Rupees Fifty Thousand only)** and maximum **Rs. 3,00,000/- (Rupees Three Lakhs only)**.

The security deposit of successful bidders will be kept for the period of two and half year from the date of award of the contract and shall be refunded without any interest on it within 15 to 90 days after completion of the contract as per order, or after the expiry of contract on satisfactory completion of the same whichever is later.

The security deposit can be forfeited by the Institute in the event of any breach or negligence or non-observance of any condition of contract or for unsatisfactory performance or non-observance of any condition of the contract.

32. No interest on security deposit and earnest money deposit shall be paid by the Institute to the tenderer.

33. FORCE MAJEURE:

If, at any time during the subsistence of this contract, the performance in whole or in part by either party of any obligation under this contract is prevented or delayed by reasons of any war or hostility,

act of public enemy, civil commotion, sabotage, fire, floods, explosion, epidemics, quarantine restriction, strikers lockout or act of God (hereinafter referred to as events) provided notice of happening of any such eventuality is given by party to other within 21 days from the date of occurrence thereof, neither party shall by reason of such event be entitled to terminate this contract nor shall either party have any claim for damages against other in respect of such non-performance or delay in performance, and deliveries have been so resumed or not shall be final and conclusive.

Further, that if the performance in whole or in part of any obligation under this contract is prevented or delayed by reason of any such event for a period exceeding 60 days, either party may, at least option to terminate the contract.

34. Insolvency etc:

In the event of the firm being adjudged insolvent or having a receiver appointed for it by a court or any other order under the Insolvency Act made against them or in the case of a company the passing any resolution or making of any order for winding up, whether voluntary or otherwise, or in the event of the firm failing to comply with any of the conditions herein specified AIIMS, Jodhpur shall have the power to terminate the contract without any prior notice.

35. Breach of Terms and Conditions:

In case of breach of any terms and conditions as mentioned above, the Competent Authority, will have the right to cancel the work order/ job without assigning any reason thereof and nothing will be payable by AIIMS, Jodhpur in that event the security deposit shall also stand forfeited.

36. Subletting of Work:

The firm shall not assign or sublet the work/job or any part of it to any other person or party without having first obtained permission in writing of AIIMS, Jodhpur, which will be at liberty to refuse if it thinks fit. The tender is not transferable. Only one tender shall be submitted by one tenderer.

37. Right to call upon information regarding status of work:

The AIIMS, Jodhpur will have the right to call upon information regarding status of work / job at any point of time.

To assist in the analysis, evaluation and computation of the bids, the Purchase Committee of AIIMS, Jodhpur, may ask bidders individually for clarification of their bids. The request for clarification and the response shall be in writing but no change in the price or substance of the bid offered shall be permitted.

38. Fall Clause:

If at any time during the period of contract, the price of tendered items is reduced or brought down by any law or act of the Central or State Govt. or by the tenderer himself, the tenderer shall be morally and statutorily bound to inform AIIMS, Jodhpur immediately about such reduction in the contracted prices. The AIIMS, Jodhpur is empowered to unilaterally effect such reduction as is necessary in rates in case the tenderer fails to notify or fails to agree for such reduction of rates. In case of any enhancement in TAXES due to statutory Act of the Govt. after the date of submission of the tenders and during the tender period, the additional TAXES so levied will be allowed to be charged extra as separate item without any change in price structure of the drugs approved under the tender.

39. Arbitration:

If any conflict or difference arises concerning this agreement, its interpretation on payment to made there-under, the same shall be settled out by mutual consultation and negotiation. If attempts for conciliation do not yield any result within a period of 30 days, either of the parties may make a request to the other party for submission of the dispute for decision by an Arbitral Tribunal containing Sole Arbitrator to be appointed by the Director, AIIMS Jodhpur. Such requests shall be accompanied with a panel of names of three persons to act as the sole arbitrator. In case of such arbitrator refusing, unwilling or becoming incapable to act or his mandate having been terminated under law, another arbitrator shall be appointed in the same manner from among the panel of three persons to be submitted by the claimant. The provision of Arbitration and Conciliation Act, 1990 and the rule framed there under and in force shall be applicable to such proceedings.

40. Legal Jurisdiction:

The agreement shall be deemed to have been concluded in Jodhpur, Rajasthan and all obligations hereunder shall be deemed to be located at Jodhpur, Rajasthan and Court within Jodhpur, Rajasthan will have Jurisdiction to the exclusion of other courts.

41. Periodicity/ Duration:

The Rate Contract is initially for a period of two (02) years and may be extended till new Rate Contract gets final. AIIMS, Jodhpur shall, however, reserve the right to terminate the contract at any time without assigning any reason.

42. Other Conditions:

The successful firm will be required to do the work / job for a period of two years from the date of award the contract. AIIMS, Jodhpur shall, however, reserve the right to terminate the contract at any time without assigning any reason.

43. The items will have to be supplied at AIIMS, Jodhpur. No transportation/ cartage charges will be provided for the same.

44. All India Institute of Medical Sciences (AIIMS), Jodhpur shall be the sole authority to cancel or amend the order, as per requirement, and also to place order for supply of item beyond office hours/holidays/place of supply for which, no additional payment shall be made.

45. The tendering Firm/Agency/Company shall be bound by the details furnished by him/her to the All India Institute of Medical Sciences (AIIMS), Jodhpur while submitting the tender or at subsequent stage. Upon selection of the tendering Firm/Agency/Company, if at any stage, the documents furnished by him/her is found to be false or the quality of the articles or rates are found of poor quality/different specifications, it would be deemed to be a breach of terms of contract, the contract shall be cancelled at the discretion of competent authority and performance security shall be stand forfeited.

46. The firm should have availability of a responsible person on call on all working days between 09:00 Hrs to 18.00 Hrs.

47. Material shall be delivered at the AIIMS, Jodhpur with remaining shelf-life of at least 75% of the stipulated total shelf-life from the date of manufacturing of that product.
48. If the Local Authorized Dealer of any Manufacturing Company is participating in this Tender, additionally, he will be allowed to submit the Manufacturer's Authorization Certificate, Manufacturer's Companies duly certified Audited Accounts, Copy of Income Tax Return for Last Three Financial Years.
49. Order shall be issued for tentative annual requirement on actual need basis. Bills in triplicate for the items supplied by the selected firm(s), should be raised for payment. Payment shall be released after it is ensured that the items/quantity and quality of items supplied are to the entire satisfaction of this office and accepted. If any item is found to be defective, or not of the desired quality, the same shall be replaced immediately, for which no extra payment shall be made by AIIMS, Jodhpur.
50. The selected tendering Firm/Agency/Company shall also provide the name and mobile number of a key person, who can be contacted at any time, even beyond the office hours on holidays. The person should be capable of taking orders and making arrangement for supply of the desired items even on short notice to AIIMS, Jodhpur.
51. In case the quality of goods supplied are not in conformity with the standard given in tender and as per the samples supplied or the supplies are found defective at any stage these goods shall immediately will be taken back by the supplier and will be replaced with the tender quality goods, without any delay. The Purchase Committee reserves all right to reject the goods if the same are not found in accordance with the required description / specifications and liquidates damages shall be charged.
52. The Specification of the item needed is mentioned in Technical Bid (Annexure - VII). The payment would be made for actual supply taken and no claim in this regard should be entertained.
53. If a tendering Firm/Agency/Company decides to withdraw from the bidding before the financial bids are opened, the AIIMS, Jodhpur shall forfeit the EMD deposited with the technical bid.
54. Full description & specifications, make / brand and name of the manufacturing firm must be clearly mentioned in the tender failing which the tender will not be considered. The tendered must also mention whether the goods are imported / indigenous. Descriptive literature / catalogues must be attached with the tender in original failing which tender may be ignored.
55. The rate quoted by firm should be final and written in ink or typed against each item and should not be overwritten.
56. The AIIMS, Jodhpur reserves the right to place an order for supply of any items mentioned in the Financial Bid or otherwise, to any other firm(s) in emergency/unavoidable situation.

57. Disclaimer:

The near relatives of employees of AIIMS, Jodhpur are prohibited from participation in this tender.

The near relative for this purpose are defined as:

- (a) Members of a Hindu Undivided Family.
- (b) Their spouses
- (c) The one related to the other in the manner as father, son(s), Son's wife (daughter-in-law), daughter(s) and daughter's husband (sons-in-law) brother (s) and brother's wife, sister(s) and sister's husband, brother(s)-in-law.

58. The Purchase Committee of AIIMS, Jodhpur shall go into all aspects including cost factors of Consumables and then decide for awarding of the tender, by quoting lower rates in respect of items, a firm does not become entitled to awarding the contract in its favor of those item(s). In order to get selection / consideration in the panel of two or three vendors for awarding of contract (in case the contract is to be awarded to more than one vendor), the criteria of selection for awarding contract will be calculating / comparing the rate of items consumed by the AIIMS, Jodhpur throughout the year and as per the requirement in view of quality, as deemed fit by the Purchase Committee. The firm has to provide samples for the items for evaluation of Purchase Committee when required. The committee will reject the quotations of the bidders whose quotation will not found of quality required by AIIMS, Jodhpur. AIIMS, Jodhpur reserves the right to accept/ reject any quotation either in part or full without assigning any reason thereof, or award the contract to different supplier(s), for different item(s), if feasible after considering the credentials, manufacturing, capability, quality and distribution rights of the item(s). The firm are, therefore, requested to attach their credentials in regard to supply of items and experience in the field, distribution rights and their annual turnover.

Special Conditions:

- (a) Freight, insurance charges, if any will be borne by the supplier, Similarly shortage, pilferage in transit will be sole responsibility of the supplier and the same will be intimated to the supplier on receipt of goods by the purchaser for resupply. The defective supply will have to be replaced by the supplier within 10 days without additional freight / transport charge.
- (b) GST and other Govt. levies will be paid extra as applicable by the supplier.
- (c) Delivery of goods will be taken at the risk and cost of the supplier and on F.O.R. basis to the Institute from railway / road transport.
- (d) Payment of the bill will be made after receipt of the goods in satisfactory condition and inspection by the concern Committee.
- (e) No revision in rate (on higher side) will be accepted during contract period.
- (f) Order will be placed as per requirement, irrespective of value of the order.
- (g) Supply should be made in full against the order and shortage will be procured from other supplier on the risk and cost of the original supplier.
- (h) Supply should be made from the latest batch of production with maximum life period & original packing.
- (i) While submitting the tender document, the tenderer should sign on each page of the tender document.
- (j) The tenderer should enclose a signed copy of the terms & conditions stipulated for award of the contract, conveying his acceptance of the same.

- (k) AIIMS Jodhpur reserves the right to conclude more than one rate contract for the same item.
- (l) AIIMS Jodhpur has the option to renegotiate the price with the rate contract holder.
- (m) AIIMS Jodhpur reserves the right to cancel rate contract for any or all items without assigning any reason thereof.

Inspection:

- (a) AIIMS, Jodhpur shall have the right to inspect and/or to test the goods to confirm their conformity to the NIT Specifications at no extra cost to the AIIMS, Jodhpur.
- (b) AIIMS, Jodhpur right to inspect, test and, where necessary, reject the Goods after the goods arrival at the final destination shall in no way be limited or waived by reason of the Goods having previously been inspected, tested and passed by AIIMS, Jodhpur prior to the goods shipment.
- (c) The Director, AIIMS Jodhpur shall be the final authority to reject full or any part of the supply which is not conforming to the specification and other terms and conditions.
- (d) No payment shall be made for rejected Stores. Rejected items must be removed by the Bidders within two (02) weeks of the date of rejection at their own cost and replaced immediately. In case these are not removed, these will be auctioned at the risk and responsibility of the suppliers without any further notice.

Sample/Demonstration:

The tenderers are required to submit samples of the quoted items (without indicating price, clear marking of firm / agency name in each of item) when asked by the Institute, for quality evaluation, **failing which their bids/offer shall be rejected** and in case all the expenses will be borne by the tenderer. Purchase will be done only after the approval of the quality of the product by the Competent Authority.

The firms are intimated that they should get ready for demonstration and only one-week time will be provided for arrangement of demonstration and no request for extending time for demonstration will be entertained. Failure to demonstrate, their offer will be summarily rejected.

Documents:

- (a) All pages of the Tender should be numbered and indexed.
- (b) The bidder shall provide in its tender the required as well as the relevant documents like technical data, literature, drawings etc. to establish that the goods and services offered in the tender fully confirm to the goods and services specified by the AIIMS, Jodhpur in the tender documents. For this purpose, the bidder shall also provide a clause-by-clause commentary on the technical specifications and other technical details incorporated by the AIIMS, Jodhpur in the tender documents to establish technical responsiveness of the goods and services offered in its tender duly indicating relevant page numbers in the product literature.
- (c) The bidder shall provide a list of major Government and Private Institutions where its relevant bid item has been supplied during last one year.

Deputy Director (Admin)

FORMAT FOR MANUFACTURER'S AUTHORISATION

Dated:

To,
The "Director",
All India Institute of Medical Sciences (AIIMS) Jodhpur
Industrial Area, Basni, Phase - IInd, Jodhpur (Raj.)

Reference: NIT No. Admn/RC/___/2021-AIIMS.JDH, Dated: __/__/____ for Tender for Supply of
Accessories for Diagnostic and Therapeutic Endoscopy at AIIMS Jodhpur.

Subject: Manufacturer Authorization Certificate

Dear Sir,

Ref. Your NIT No _____, dated _____

We, _____ who are
proven and reputable manufacturers / importer of _____
(name and description of the Items/Category offered in the Quotation) having factories at
_____, hereby
authorize Messrs. _____ (name and address of the agent) to submit a
Quotation, process the same further, against your requirement as contained in the above referred Tender
Form for the above items manufactured by us.

We further confirm that no supplier or firm or individual other than Messrs.
_____ (name and address of the above
agent) is authorized to submit a tender, process the same further against your requirement as contained
in the above referred Quotation Form for the above items manufactured by us.

We also hereby confirm that we would be responsible for the satisfactory execution of supply placed on
the authorized agent.

We also confirm that the price quoted by our agent shall not exceed than that which we would have
quoted directly.

Yours faithfully,

[Signature with date, name and designation]

For and on behalf of Messrs. _____

[Name, address & contact detail of the manufacturer]

Note:-

1. This letter of authorization should be on the letter head of the manufacturing firm and should be signed by a person competent and having the power of attorney to legally bind the manufacturer.
2. Original letter may be enclosed with Quotation Form during submission in the sealed cover.

NON BLACKLISTING CERTIFICATE

[To be submitted on letterhead]

I/We hereby certify that the [Name of the company / firm] has not been ever blacklisted/debarred by any Central / State Government / Public Undertaking / Institute on any account.

I/We also certify that firm will be supplied the item as per the specification given by AIIMS Jodhpur and also abide all the terms and conditions stipulated in Contract.

I/We also certify that the information given in bid is true and correct in all aspects and in any case at a later date it is found that any details provided are false and incorrect, contract given to the concern firm or participation may be summarily terminated at any stage, the firm will be blacklisted and AIIMS Jodhpur may imposed any action as per NIT rules.

Date :	Name :
Place :	Business Address :
	Signature of Bidder :
	Seal of the Bidder :

CERTIFICATE OF NO DEVIATION

[To be given on letter head]

NIT No.:

I/We, M/s _____ hereby certify that notwithstanding any contrary indication / conditions elsewhere in our offer documents, I/We have neither set any terms and conditions nor there is any deviation taken from the conditions of AIIMS Jodhpur's tender specification, either technical or commercial, and I/We agree to all the terms and conditions mentioned in AIIMS Jodhpur's tender specification with associated amendments & clarification

[Signatures of the Bidder with Name, Designation & Company's Seal]

CERTIFICATE OF PRICE JUSTIFICATION

[To be given on letter head]

NIT No.:

I/We, M/s. _____ certify that the rates provided are our best rates and we have not given these materials to any Government Department/PSU/Institution for lesser than these rates in last one year.

SIGNATURE AND STAMP OF THE BIDDER

BANK GUARANTEE FORM FOR BID SECURITY

Whereas _____ (Name and address of the Bidder) (*hereinafter called the "Bidders"*) has submitted its Bid dated _____ for the supply of _____ (*hereinafter called the "Bid"*)

against the purchaser's ATE No. _____
 Know all persons by these presents that we
 having our registered office at _____
 (*Hereinafter called the "Bank"*)
 are bound unto AIIMS, Jodhpur
 (*hereinafter called the "Purchaser"*)

in the sum of _____ for which payment will and truly to be made to the said Purchaser, the Bank binds itself, its successors and assigns by these presents. Sealed with the Common Seal of the said Bank this _____ day of _____ 20 _____.

The conditions of this obligation are:

- 1) If the Bidder withdraws or amends, impairs or derogates from the bid in any respect within the period of validity of this Bid.
- 2) If the Bidder having been notified of the acceptance of his Bid by the Purchaser during the period of its validity:
 - a. If the bidder fails or refuses to furnish the performance security for the due performance of the Rate Contract / Purchase Orders or
 - b. If the bidder fails or refuses to accept / execute the Contract / Purchase orders or
 - c. If it comes to notice at any time, that the information / documents furnished in its Bid are false or incorrect or misleading or forged

We undertake to pay the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or more the three conditions, specifying the occurred condition(s).

This guarantee will remain in force upto _____ (*insert date of additional sixty days after Bid Validity*) and any demand in respect thereof should reach the Bank not later than the above date.

.....
 (Signature with date of the authorized officer of the Bank)

.....
 (Name and designation of the Officer)

.....
 (Seal, name & address of the Bank and address of the Branch)

BANK GUARANTEE FORM FOR PERFORMANCE SECURITY

Whereas _____ (Name and address of the Bidder) (*hereinafter called the "the Supplier"*)

has undertaken, in pursuance of NIT No. _____ dated _____ valid from _____ to _____ for supply _____ (*insert description of goods*),

(*Hereinafter called "the Contract"*),

to AIIMS Jodhpur
(Hereinafter called "the Purchaser")

AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a scheduled commercial bank recognized by you for the sum specified therein as security for compliance with its obligations in accordance with the contract;

AND WHEREAS we have agreed to give the supplier such a bank guarantee;

NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of _____ (*insert Amount of the Performance Security in words and figures*), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

This guarantee will remain in force upto _____ (*insert last date of currency of Contract plus Warrant Period (If applicable) plus additional Ninety Days*) and any demand in respect thereof should reach the Bank not later than the above date.

.....
(Signature with date of the authorised officer of the Bank)

.....
Name and designation of the officer

.....

.....
Seal, name & address of the Bank and address of the Branch

TENDER ACCEPTANCE FORM

To

The Director

All India Institute of Medical Sciences
Jodhpur (Raj.)

Ref. Your NIT No.: _____ due for opening on _____.

We, the undersigned have examined the above mentioned Tender Enquiry Document, including amendment / corrigendum (if any), the receipt of which is hereby confirmed. We now offer to supply and deliver in conformity with your above referred document for the sum as shown in the Price Schedules (BoQ) uploaded herewith and made part of this bid. If our bid is accepted, we undertake to supply the items for which Rate Contract has been concluded, in accordance with the delivery schedule specified in the Schedule specified in the schedule of Requirements.

We further confirm that, if our bid is accepted, we shall provide you with a Performance Security of required amount in an acceptable form as mentioned in your NIT. in terms of, read with modification.

We agree to keep our bid valid for acceptance as required in your NIT Document, read with modification, or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this bid up to the aforesaid period and this bid may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal Rate Contract is executed, this bid read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We further understand that you are not bound to accept the lowest or any bid you may receive against your above-referred advertised tender enquiry.

We confirm that we do not stand deregistered/banned/blacklisted by Central / State Govt. / Ministries / Departments.

We confirm that we fully agree to the terms and conditions specified in above mentioned Tender Enquiry Document, including amendment / corrigendum if any.

We hereby certify that if at any time, information furnished by us is proved to be false or incorrect, we are liable for any action as deemed fit by the purchaser in addition to forfeiture of the Bid Security / Performance Security.

Name: _____

Business Address _____

Place: _____

Date: _____

Annexure - III Contract Form

TENDER FORM - 1 - TECHNICAL INFORMATION AND UNDERTAKING.

(Tenderer may use separate sheet wherever required)

S. No.	Details of the Firm / Bidder	Page No.	Remarks
1.	Name & Address of the Tenderer/ Concern		
2.	Whether the Firm is located in Jodhpur (Rajasthan). (Yes/No)		
3.	State clearly whether it is Sole proprietor or Partnership firm or a company or a Government Department or a Public Sector Organization		
5.	Whether Bidders have quoted for each and every item mentioned in Annexure - IV (Yes/No) (If NO, then please attach a list of quoted items with make and complete specification along with the Technical Bid without indicating price)		
6.	List of Major Customer may be given on a separate sheet and proof of satisfactory supply, if any		
7.	Manufacturer Authorization Certificate		
8.	Non Blacklisting Certificate		
9.	Certificate for No Deviation		
10.	Certificate for Price Justification		
11.	Detail of Income Tax Return for 3 years		
12.	GST Registration Number (Enclose copy)		
13.	Tender Acceptance Form		
14.	Drug License (If applicable on any item given in technical bid)		
15.	Market Standing Certificate		
16.	WHO GMP Certificate		
17.	Quality Assurance Certification (If applicable for any item)		
18.	Have you previously supplied these items to any government / private organization? If yes, attach the relevant proof. (Also provide an affidavit that you have not quoted the price higher than previously supplied any government institute)		
19.	Authenticated proof of turnover of the firm:		
20.	Permanent Account Number		
21.	Whether copies of authenticated balance sheet for the past three years enclosed		
22.	Name and Mobile Number of a Key person, who can be contacted at any time. The person should be capable of taking orders and making arrangement for supply of the desired items.		
23.	Any other information important in the opinion of the tenderer		

- Page number/serial number may be given to each and every page of Tender Documents and photocopies of the documents attached. Mention Page number, wherever the copy(ies) of the document(s) are kept.
- In case of non-fulfilment of any of the above information/ document(s), the Tender will be summarily rejected without giving any notice.

(Dated Signature of the Tenderer with stamp of firm)

Dated:

Place:

Undertaking

1. That I/we have carefully studied all the terms & conditions of NIT and shall abide by it.
2. That I/We shall supply the items of requisite quality.
3. That I/We undertake that the information given in this tender are true and correct in all respect and I/We hold the responsibility for the same.
4. That I/We undertake that sample of items will be kept ready for inspections by the AIIMS, Jodhpur. I/We shall be responsible for the cancellation of tender if samples are not up to mark.

(Dated Signature of the Tenderer with stamp of firm)

Date:

Place:

ANNEXURE - IV
LIST OF QUOTED ITEMS

S. No.	Tender Ref. No.:	Item Name	Specification	Make
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				

(Dated Signature of the Tenderer with stamp of firm)

Date:

Place:

Annexure - V

Calculation of Local Content

Name of Manufacture	Calculation by Manufacturer (Cost per unit of product)			
Cost Component	Cost (Domestic Component) A	Cost (Imported Component) B	Total Cost (INR/ US \$) C=a+b	Percentage of Local Content D=(a/c)*100
I.				
II.				
III. Total Cost (Excluding tax and duties)				

Note:-

I. Cost (Domestic Component): Sum of the costs of all inputs which go into the product (including duties and taxes levied on procurement of inputs except those for which credit/ set-off can be taken) which have not been imported directly or through a domestic trader or an intermediary.

II. Cost (Imported Component): Sum of the costs of all inputs which go into the product (including duties and taxes levied on procurement of inputs except those for which credit/ set-off can be taken).

Annexure - VI**Format for Affidavit of Self Certification regarding Local Content
(To be provided on Rs. 100/- Stamp Paper)**

I _____ S/o.D/o,W/o _____,
Resident of _____ do hereby solemnly affirm and
declare as under.

That I will agree to abide by the terms and conditions of the policy of Government of India issued vide order no. P-45021/2/2017-B.E.-II dated 15/06/2017.

That the information furnished hereinafter is correct to best of my knowledge and belief and I undertake to produce relevant records before the procuring entity or any authority so nominated by the Government of India for the purpose of assessing the local content.

That the local content for all inputs which constitute the said drugs has been verified by me and I am responsible for the correctness of the claims made therein.

That in the event of the domestic value addition of the product mentioned herein is found to be incorrect and not meeting the prescribed value-addition norms, based on Government of India for the purpose of assessing the local content, action will be taken against me as per Order No. P-45021/2/2017-B.E.-II dated 15.06.2017.

I agree to maintain the following information in the Company's record for a period of 8 years and shall make this available for verification to any statutory authorities:

- i) Name and details of the Domestic Manufacturer (Registered Officer, Manufacturing unit location, nature of legal entity)
- ii) Date on which this certificate is issued.
- iii) Medicine for which the certificate is product.
- iv) Procuring entity to whom the certificate is furnished.
- v) Percentage of local content claimed.
- vi) Name and contact details of the unit of the manufacturer.**
- vii) Sale Price of the product.
- viii) Ex-Factory Price of the product.
- ix) Freight, insurance and handling.
- x) Total Bill of Material.
- xi) List and total cost value of inputs used for manufacture of the medicine certificates from suppliers, if the input is not in-house to be attached.
- xii) List and cost of inputs which and imported, directly or indirectly.

For and on behalf of

(Name of firm/ entity)

Authorized signatory (To be duly authorized by the Board of Director)

Annexure - VII

Technical Bid

List of Accessories for Diagnostic and Therapeutic Endoscopy

S. No.	Item Name	Specification	Recommended Make
1.	Single use large capacity biopsy forceps with needle for upper Endoscope	Working length: 160 cm Minimum working channel: 2.8 mm Distal assembly design Should be able to acquire 4-5 biopsies in a single pass Micro-Mesh teeth to facilitate a clean-cut tissue with minima tearing and crush artifact Coated sheath Pivoting angle more than 130% for tangential access Positioning Markers on the outer sheath for position ascertainment	All can apply
2.	Single use large capacity biopsy forceps with needle for colonoscope	Working length: 240 cm Minimum working channel: 2.8 mm Distal assembly design - should be able to acquire 4-5 biopsies in a single pass; Micro-Mesh teeth to facilitate a clean cut tissue with minima tearing and crush artifact; coated sheath; pivoting angle more than 130% for tangential access	All can apply
3.	Single-Use Standard Capacity Biopsy Forceps with needle for upper Endoscope	Working length: 160 cm Minimum working channel: 2.8 mm Distal assembly design - should be able to acquire 4-5 biopsies in a single pass; Micro-Mesh teeth to facilitate a clean cut tissue with minima tearing and crush artifact; coated sheath; pivoting angle more than 130% for tangential access	All can apply
4.	Single-Use Standard Capacity Biopsy Forceps with needle for lower GI use	Working length; 240 cm Minimum working channel: 2.8 mm Distal assembly design - should be able to acquire 4-5 biopsies in a single pass; Micro-Mesh teeth to facilitate a clean cut tissue with minima tearing and crush artifact; coated sheath; pivoting angle more than 130% for tangential access	All can apply
5.	Single-Use Paediatric Biopsy Forceps for upper GI use	Working length 155 cm Minimum working channel: 2 mm Jaw (opening diameter) 1.8 mm Ribbed coated sheath to aid insertion Fenestrated cups for larger biopsies Unique swinging jaw mechanism to aid tangential biopsies	All can apply
6.	Single use jumbo size biopsy forceps for colonoscope	Working length 230 cm Minimum working channel: 3.2 mm	All can apply
7.	Reusable oval cup with needle biopsy forceps for upper GI use	Needle for improved anchorage Elongated cups for deeper biopsies Fenestrated cups for larger biopsies	All can apply

S. No.	Item Name	Specification	Recommended Make
		Minimum working channel: 2.8 mm Minimum working length: 150 cm	
8.	Reusable oval cup with needle biopsy forceps for lower GI use	Needle for improved anchorage Elongated cups for deeper biopsies Fenestrated cups for larger biopsies Minimum working channel: 2.8 mm Minimum working length: 230 cm	All can apply
9.	Reusable round cup biopsy forceps for upper GI use	Fenestrated cups for larger biopsies Minimum tissue damage Rotatable versions for accurate positioning 150 cm length at least	All can apply
10.	Reusable round cup biopsy forceps for lower GI use	Fenestrated cups for larger biopsies Minimum tissue damage Rotatable versions for accurate positioning 230 cm length at least	All can apply
11.	Reusable round cup biopsy forceps for upper GI use in pediatric scopes	Needle for improved anchorage Elongated cups for deeper biopsies Fenestrated cups for larger biopsies 155 cm at least Minimum working Channel requirement 2 mm	All can apply
12.	Endoscopic variceal multiple band ligation device Set	Each set should have the following: Each kit should include barrel with ligation bands and trigger cord, loading catheter, precision control handle and irrigation adapter Minimum working channel: 2.8 mm Non Latex material; clear ligating barrel with rear mounted bands; single strand deployment; square band design for high retention With scope diameter of 8.5mm to 9.8 mm, All bands should be mounted on a single thread Number of bands per barrel: At least 6 Trigger cord length: 120 cm at least	Boston, Cook, Olympus
13.	Endoscopic variceal ligation Band with loading catheter	Should include the barrel with loaded bands and loading catheter Minimum working channel: 2.8 mm Non Latex material; clear ligating barrel with rear mounted bands; single strand deployment; square band design for high retention; compatible With scope diameter of 8.5mm to 9.8 mm, All bands should be mounted on a single thread Number of bands per barrel: At least 6 Pack should contain the following: EVL band cartridge, Loading catheter, disposable cover for band applicator	All can apply
14.	Single use injection therapy catheter needle	Needle gauge: 21G Working length: 240 cm Maximum needle extension length: 4/6 mm Locking mechanism at proximal end	Hospiline, Shaili Endoscopy, Devon, Medorrah

S. No.	Item Name	Specification	Recommended Make
15.	Single use injection therapy catheter needle	Needle gauge: 23G Working length: 240 cm Maximum needle extension length: 4/6 mm Locking mechanism at proximal end	Hospiline, Shaili Endoscopy, Devon, Medorrah
16.	Single use endoscopic hemoclips	Clip size - 9 mm Rotatable Sterile cartridge housed clips Jaw angle 135* Short tail	All can apply
17.	Single use endoscopic hemoclips	Clip size - 11 mm Rotatable Sterile cartridge housed clips Jaw angle 90* Short tail	All can apply
18.	Reusable hemoclip applicator for single use endoscopic hemoclips	Single use clip fixing device for multiple clipping Fast and easy clip reloading (push-pull action) Clips reloadable during one clinical case Rotation function for easy targeting Compatible with different clip types (9mm and 11 mm) Clip applicator Length: 165 cm at least Minimum working channel - 2.8 mm	All can apply
19.	Reusable hemoclip applicator for reloadable endoscopic hemoclips	Single use clip fixing device for multiple clipping Fast and easy clip reloading (push-pull action) Clips reloadable during one clinical case Rotation function for easy targeting Compatible with different clip types (9mm and 11 mm) Clip applicator Length: 230 cm Minimum working channel - 2.8 mm	All can apply
20.	Single use endoscopic hemoclips	Clip size – 13 mm Rotatable Sterile cartridge housed clips Jaw angle 135* Short tail	All can apply
21.	Single use endoscopic hemoclips	Clip size – 16 mm Rotatable Sterile cartridge housed clips Jaw angle 90* Short tail	All can apply
22.	Reusable hemoclip applicator for reloadable endoscopic hemoclips	Single use clip fixing device for multiple clipping Fast and easy clip reloading (push-pull action) Clips reloadable during one clinical case Rotation function for easy targeting Compatible with different clip types (13mm and 16 mm) Clip applicator Length: 230 cm Minimum working channel - 2.8 mm	All can apply

S. No.	Item Name	Specification	Recommended Make
23.	Reusable hemoclip applicator for single use endoscopic hemoclips	Single use clip fixing device for multiple clipping Fast and easy clip reloading (push-pull action) Clips reloadable during one clinical case Rotation function for easy targeting Compatible with different clip types (13mm and 16mm) Clip applicator Length: 165 cm at least Minimum working channel - 2.8 mm	All can apply
24.	Single use preloaded rotatable endoscopic hemoclips	Working length: at least 160 cm Clip opening: 13 mm MRI conditional , Individual single use clip with exterior jaws angle 90,90,135 degree Secure locking mechanism upon deployment Tactile feedback to confirm hemostasis before deployment Rotation control knob to allow 1:1 technician controlled rotation Braided catheter to allow 1:1 physician controlled rotation	All can apply
25.	Single use preloaded rotatable endoscopic hemoclips	Working length: at least 160 cm Clip opening: 16 mm MRI conditional , Individual single use clip with exterior jaws angle 90,90,135 degree Secure locking mechanism upon deployment Tactile feedback to confirm hemostasis before deployment Rotation control knob to allow 1:1 technician controlled rotation Braided catheter to allow 1:1 physician controlled rotation	All can apply
26.	Single use preloaded rotatable endoscopic hemoclips	Working length: at least 230 cm Clip opening: 11 mm MRI conditional , Individual single use clip with exterior jaws angle 90,90,135 degree Secure locking mechanism upon deployment Tactile feedback to confirm hemostasis before deployment Rotation control knob to allow 1:1 technician controlled rotation Braided catheter to allow 1:1 physician controlled rotation	All can apply
27.	Single use preloaded rotatable endoscopic hemoclips	Working length: at least 230 cm Clip opening: 13 mm MRI conditional , Individual single use clip with exterior jaws angle 90,90,135 degree Secure locking mechanism upon deployment Tactile feedback to confirm hemostasis before deployment Rotation control knob to allow 1:1 technician controlled rotation	All can apply

S. No.	Item Name	Specification	Recommended Make
		Braided catheter to allow 1:1 physician controlled rotation	
28.	Single use preloaded rotatable endoscopic hemoclips	Working length at least 230 cm Clip opening: 16 mm MRI conditional , Individual single use clip with exterior jaws angle 90,90,135 degree Secure locking mechanism upon deployment Tactile feedback to confirm hemostasis before deployment Rotation control knob to allow 1:1 technician controlled rotation Braided catheter to allow 1:1 physician controlled rotation	All can apply
29.	N-Butyl cyanoacrylate glue for variceal injection	1 ml injection	All can apply
30.	Single use electrosurgical hemostatic forceps	To support ESD with fast and reliable hemostasis Anti-slip construction to securely grasp bleeding points Opening Width: 5 mm Working length: 165 cm Energy: Monopolar Min. Working channel: 2.8mm	All can apply
31.	Single use electrosurgical hemostatic forceps	To support ESD with fast and reliable hemostasis Anti-slip construction to securely grasp bleeding points Opening Width: 4 mm, Working length: 230 cm Energy: Monopolar Min. Working channel: 3.2mm	All can apply
32.	Single-Use Oval Electrosurgical Snares	Working length: at least 150 cm Loop diameter: 15 mm Wide opening oval snare Thick braided wires for maximum coagulation and control Integral handle with measurement markings	Olympus, Boston, Cook
33.	Single-Use Oval Electrosurgical Snares	Working length: at least 150 cm Loop diameter: 25 mm Wide opening oval snare Thick braided wires for maximum coagulation and control Integral handle with measurement markings	Olympus, Boston, Cook
34.	Single-Use Oval Electrosurgical Snares	Working length: at least 150 cm Loop diameter: 30 mm Wide opening oval snare Thick braided wires for maximum coagulation and control Integral handle with measurement markings	Olympus, Boston, Cook
35.	Single-Use Oval Electrosurgical Snares	Working length: 230 cm Loop diameter: 15 mm	Olympus, Boston, Cook

S. No.	Item Name	Specification	Recommended Make
		Wide opening oval snare Thick braided wires for maximum coagulation and control Integral handle with measurement markings	
36.	Single-Use Oval Electrosurgical Snares	Working length: 230 cm Loop diameter: 25 mm Wide opening oval snare Thick braided wires for maximum coagulation and control Integral handle with measurement markings	Olympus, Boston, Cook
37.	Single-Use Oval Electrosurgical Snares	Working length: 230 cm Loop diameter: 30 mm Wide opening oval snare Thick braided wires for maximum coagulation and control Integral handle with measurement markings	Olympus, Boston, Cook
38.	Single-Use hexagonal Electrosurgical Snares	Hexagonal shape Ability to retain loop stability and shape after multiple cuts 0.3 mm thin wire with optimal stiffness Coated wire Hybrid hot and cold cutting ability Size: 15 mm Working channel 2.8 mm	All can apply
39.	Single use preloaded nylon endoloop with applying device	Working length: at least 230 cm	All can apply
40.	Single use Nylon loop for endoscopic use	3 cm in size	All can apply
41.	Reusable Applying device for endoscopic application of nylon loop	Working length 230 cm at least Compatible with nylon loop	All can apply
42.	Applying device for endoscopic application of nylon loop	Working length 150 cm at least Compatible with nylon loop	All can apply
43.	Handle compatible with loop applying device	Should be compatible with loop applying device	All can apply
44.	Reusable 3 prong grasping forceps	Reusable Working length: at least 160 cm For polyp and foreign body retrieval Ideal for larger polyps Minimum channel diameter: 2.8 mm	All can apply
45.	Reusable 3 prong grasping forceps	Reusable Working length: at least 230 cm For polyp and foreign body retrieval Ideal for larger polyps Minimum channel diameter: 2.8 mm	All can apply
46.	Single use 3 prong grasping forceps	Working length: at least 160 cm For polyp and foreign body retrieval Ideal for larger polyps	All can apply

S. No.	Item Name	Specification	Recommended Make
		Minimum channel diameter: 2.8 mm	
47.	Single use 3 prong grasping forceps	Working length: at least 230 cm For polyp and foreign body retrieval Ideal for larger polyps Minimum channel diameter: 2.8 mm	All can apply
48.	Reusable and rotatable alligator jaw forceps	Working length: at least 160 cm Opening width: 10 mm or more diameter	All can apply
49.	Reusable and rotatable alligator jaw forceps	Working length: at least 160 cm Opening width: 13 mm or more diameter	All can apply
50.	Reusable and rotatable alligator jaw forceps	Working length: at least 160 cm Opening width: 15 mm or more diameter	All can apply
51.	Reusable and rotatable rat toothed forceps	Working length: at least 160 cm Opening width: 10 mm or more diameter	All can apply
52.	Reusable and rotatable rat toothed forceps	Working length: at least 160 cm Opening width: 13 mm or more diameter	All can apply
53.	Reusable and rotatable rat toothed forceps	Working length: at least 160 cm Opening width: 15 mm or more diameter	All can apply
54.	Reusable and rotatable alligator jaw with rat tooth forceps	Working length: at least 160 cm Opening width: 10 mm or more diameter	All can apply
55.	Reusable and rotatable alligator jaw with rat tooth forceps	Working length: at least 160 cm Opening width: 13 mm or more diameter	All can apply
56.	Reusable and rotatable alligator jaw with rat tooth forceps	Working length: at least 160 cm Opening width: 15 mm or more diameter	All can apply
57.	Straight Distal transparent cap for endoscope	Outer diameter: 12.4 mm Soft design for improved insertability of endoscope To support endoscopic submucosal dissection Side hole for draining of fluid Length from distal end of endoscope: 4 mm	All can apply
58.	Straight Distal transparent cap for colonoscope	Compatible with scopes available at AIIMS Jodhpur	All can apply
59.	Bite Block/ Mouth Guard	Bite block with and without straps (adult)	All can apply
60.	Bite Block/ Mouth Guard	Bite block with and without straps (paediatrics)	All can apply
61.	TTS Balloon For Colonic Stricture Dilatation	Size: 8-10 mm Multi diameter balloon - three Multi diameter balloon - three distinct sizes at three distinct pressure Balloon made of a non-compliant material Rectilinear Shoulders Rounded shoulders of balloon for endoscopic visualization and evaluation during procedure	Boston, cook, olympus
62.	TTS Balloon For Colonic Stricture Dilatation size	Size: 10-12 mm Multi diameter balloon - three distinct sizes at three distinct pressure Balloon made of a non-compliant material Rectilinear Shoulders Rounded shoulders of balloon for endoscopic visualization and evaluation during procedure	Boston, cook, olympus

S. No.	Item Name	Specification	Recommended Make
63.	TTS Balloon For Colonic Stricture Dilatation size	Size: 12-15 mm Multi diameter balloon - three distinct sizes at three distinct pressure Balloon made of a non-compliant material Rectilinear Shoulders Rounded shoulders of balloon for endoscopic visualization and evaluation during procedure	Boston, cook, olympus
64.	TTS Balloon For Colonic Stricture Dilatation size	Size: 15-18 mm Multi diameter balloon - three distinct sizes at three distinct pressure Balloon made of a non-compliant material; Rectilinear Shoulders Rounded shoulders of balloon for endoscopic visualization and evaluation during procedure	Boston, cook, olympus
65.	TTS Balloon For Oesophageal Stricture Dilatation size	Size: 6-8 mm Multi diameter balloon - three distinct sizes at three distinct pressure Balloon made of a non-compliant material Rectilinear Shoulders Rounded shoulders of balloon for endoscopic visualization and evaluation during procedure	Boston, cook, olympus
66.	TTS Balloon For Oesophageal Stricture Dilatation size	Size: 8-10 mm Multi diameter balloon - three distinct sizes at three distinct pressure Balloon made of a non-compliant material Rectilinear Shoulders Rounded shoulders of balloon for endoscopic visualization and evaluation during procedure	Boston, cook, olympus
67.	TTS Balloon For Oesophageal Stricture Dilatation size	Size: 10-12 mm Multi diameter balloon - three distinct sizes at three distinct pressure Balloon made of a non-compliant material Rectilinear Shoulders Rounded shoulders of balloon for endoscopic visualization and evaluation during procedure	Boston, cook, olympus
68.	TTS Balloon For Oesophageal Stricture Dilatation size	Size: 12-15 mm Multi diameter balloon - three distinct sizes at three distinct pressure Balloon made of a non-compliant material Rectilinear Shoulders Rounded shoulders of balloon for endoscopic visualization and evaluation during procedure	Boston, cook, olympus
69.	TTS Balloon For Oesophageal Stricture Dilatation	Size: 15-18 mm Multi diameter balloon - three distinct sizes at three distinct pressure Balloon made of a non-compliant material Rectilinear Shoulders Rounded shoulders of balloon for endoscopic visualization and evaluation during procedure	Boston, cook, olympus

S. No.	Item Name	Specification	Recommended Make
70.	Achalasia Balloon dilator	Pneumatic Achalasia dilatation balloon with 5 RO positioning markers 30 mm diameter Balloon length 10cm Wire guided balloon Atraumatic Soft tip to reduce risk of trauma	All can apply
71.	Achalasia Balloon dilator	Pneumatic Achalasia dilatation balloon with 5 RO positioning markers 35 mm diameter Balloon length 10cm Wire guided balloon	All can apply
72.	Achalasia Balloon dilator	Pneumatic Achalasia dilatation balloon with 5 RO positioning markers 40 mm diameter Balloon length 10cm Wire guided balloon	All can apply
73.	Metallic guidewire, Savary type with spring tip (Stainless steel)	Length - 200 cm	All can apply
74.	Metallic guidewire, Savary type with spring tip (Stainless steel)	Length - 250 cm	All can apply
75.	Metallic guidewire, Savary type with spring tip (Stainless steel)	Length - 360 cm	All can apply
76.	Nasojejunal Tube	Polyurethane material 14 F Wire guided 150 cm length	All can apply
77.	Achalasia/CRE balloon inflation pump	Integrated inflation / lithotripsy device For monitored inflation of dilation balloons and for the crushing of biliary calculi Single-use syringe with pressure monitoring gauge assembly compatible with the inflation device to be quoted separately	All can apply
78.	Single-Use Syringe with pressure monitoring Gauge Assembly	Compatible with the balloon inflation pump	All can apply
79.	Endoscope cleaning brush	Long flexible cleaning brush 200-230 cms Compatible with endoscope available at AIIMS Jodhpur	All can apply
80.	Percutaneous endoscopic gastrostomy (PEG) set	Size: 24 fr Each set should include, fenestrated drape, 150 cm looped insertion wire, cold snare, silicone feeding tube, gauze pads, scissors, hemostat, bolster, tube clamp, universal adaptor, bolus adaptor, twist lock, cable tie, patient care manual, water soluble lubricant, 22 gage x 1½" needle, 25 gage x 5/8" needle, povidone ointment, xylocaine 1%, 5 ml glass vial, syringe	Boston, Cook, Freka
81.	PEG replacement tube	Balloon capacity: 20 ml Feeding tube French size: 24 fr	Boston, Cook, Freka

S. No.	Item Name	Specification	Recommended Make
82.	Esophageal fully covered metal stent	Size: 10 cm Multiple wire braided construction Silicone Covering The Teflon Coated Polyester Removal Suture The 19 French or less low profile delivery system Endoscopic Transition Zone designed to aid in stent placement accuracy Coaxial delivery system designed to result in 1:1 stent deployment	Boston, Hanaro, Cook, taewoong
83.	Esophageal fully covered metal stent	Size: 12 cm Multiple wire braided construction Silicone Covering The Teflon Coated Polyester Removal Suture The 19 French or less low profile delivery system Endoscopic Transition Zone designed to aid in stent placement accuracy Coaxial delivery system designed to result in 1:1 stent deployment	Boston, Hanaro, Cook, taewoong
84.	Esophageal fully covered metal stent	Size: 15 cm Multiple wire braided construction Silicone Covering The Teflon Coated Polyester Removal Suture The 19 French or less low profile delivery system Endoscopic Transition Zone designed to aid in stent placement accuracy Coaxial delivery system designed to result in 1:1 stent deployment	Boston, Hanaro, Cook, taewoong
85.	Esophageal partially covered stent	Size: 10 cm Multiple wire braided construction Silicone Covering The Teflon Coated Polyester Removal Suture The 19 French or less low-profile delivery system Over the wire stent placement under fluoro and endoscopy guidance Endoscopic Transition Zone designed to aid in stent placement accuracy Coaxial delivery system designed to result in 1:1 stent deployment	All can apply
86.	Esophageal partially covered stent	Size: 12 cm Multiple wire braided construction Silicone Covering The Teflon Coated Polyester Removal Suture The 19 French or less low profile delivery system Over the wire stent placement under fluoro and endoscopy guidance Endoscopic Transition Zone designed to aid in stent placement accuracy Coaxial delivery system designed to result in 1:1 stent deployment	All can apply
87.	Esophageal partially covered stent	Size: 15 cm	All can apply

S. No.	Item Name	Specification	Recommended Make
		Multiple wire braided construction Silicone Covering The Teflon Coated Polyester Removal Suture The 19 French or less low profile delivery system Over the wire stent placement under fluoro and endoscopy guidance Endoscopic Transition Zone designed to aid in stent placement accuracy Coaxial delivery system designed to result in 1:1 stent deployment	
88.	Esophageal fully covered metal stent	Size: 10 cm Multiple wire braided construction Silicone Covering The 19 French or less low profile delivery system Over the wire stent placement under fluoro and endoscopy guidance Endoscopic Transition Zone designed to aid in stent placement accuracy Coaxial delivery system designed to result in 1:1 stent deployment	All can apply
89.	Esophageal fully covered metal stent	Size: 12 cm Multiple wire braided construction Silicone Covering The 19 French or less low profile delivery system Over the wire stent placement under fluoro and endoscopy guidance Endoscopic Transition Zone designed to aid in stent placement accuracy Coaxial delivery system designed to result in 1:1 stent deployment	All can apply
90.	Esophageal fully covered metal stent	Size: 15 cm Multiple wire braided construction Silicone Covering The 19 French or less low profile delivery system Over the wire stent placement under fluoro and endoscopy guidance Endoscopic Transition Zone designed to aid in stent placement accuracy Coaxial delivery system designed to result in 1:1 stent deployment	All can apply
91.	Esophageal partially covered stent	Size: 10 cm Multiple wire braided construction Silicone Covering The 19 French or less low profile delivery system Endoscopic Transition Zone designed to aid in stent placement accuracy Coaxial delivery system designed to result in 1:1 stent deployment	Boston/Cook/Hanaro/ taewoong
92.	Esophageal partially covered stent	Size: 12 cm Multiple wire braided construction	Boston/Cook/Hanaro/ taewoong

S. No.	Item Name	Specification	Recommended Make
		Silicone Covering The 19 French or less low profile delivery system Endoscopic Transition Zone designed to aid in stent placement accuracy Coaxial delivery system designed to result in 1:1 stent deployment	
93.	Esophageal partially covered stent	Size: 15 cm Multiple wire braided construction Silicone Covering The 19 French or less low profile delivery system Endoscopic Transition Zone designed to aid in stent placement accuracy Coaxial delivery system designed to result in 1:1 stent deployment	Boston/Cook/Hanaro/taewoong
94.	Uncovered Antral/Duodenal self-expanding metal stent	Size: 12 cm Stent diameter: 22mm Flare diameter: 27 mm Delivery system diameter: 10 Fr or less	Boston/Cook/Hanaro/taewoong
95.	Uncovered Antral/Duodenal self-expanding metal stent	Size: 6 cm Stent diameter: 22mm Flare diameter: 27 mm Delivery system diameter: 10 Fr or less	Boston/Cook/Hanaro/taewoong
96.	Uncovered Antral/Duodenal self-expanding metal stent	Size: 9 cm Stent diameter: 22mm Flare diameter: 27 mm Delivery system diameter: 10 Fr or less	Boston/Cook/Hanaro/taewoong
97.	Removable stent system for bleeding esophageal varices	Removable stent for treatment of refractory esophageal variceal bleed Self-expandable nitinol stent covered by plastic membrane Preloaded in ready to use Stent diameter 25 mm Nominal length 135 mm Delivery system outer diameter 28/20Fr MRI compatible 1.5T & 3T	
98.	Rapid urease test kit	Based on selective urease testing	All can apply
99.	Over the scope clip	Features an over-the-scope endoscopic clip designed to encircle, lift, close, and heal tissue defects Attaches to the outside of the endoscope Provides an open and free instrument channel for optimal endoscope suction and utilization of through-the-scope devices Deploys via a "push of the thumb", one hand actuation GI (gastrointestinal) clip lays flat against the tissue once deployed	All can apply

S. No.	Item Name	Specification	Recommended Make
		Labeled magnetic resonance (MR) conditional – a patient can be safely scanned in an MR system with static magnetic field of 1.5. And 3 Tesla	
100.	Foreign body retrieval device with net	Size: 4 x 5 cm at least Length: 160 cm at least Minimum channel: 2 mm at least	All can apply
101.	Foreign body retrieval device with net	Size: 4 x 5 cm at least Length: 230 cm Minimum channel: 2 mm at least	All can apply
102.	Catheter for delivery of hemostatic powder	Minimum accessory channel requirement: 2.5 mm Length: 150 cm at least	All can apply
103.	Haemostatic powder	Hemostatic powder for endoscopic spray	All can apply
104.	Biliary straight stent with single flap at both ends(Amsterdam type)	Size: 7 Fr x 7 cm	Boston, Cook, Indovasive, Hospiline
105.	Biliary straight stent with single flap at both ends(Amsterdam type)	Size: 7 Fr x 10 cm	Boston, Cook, Indovasive, Hospiline
106.	Biliary straight stent with single flap at both ends(Amsterdam type)	Size: 7 Fr x 12 cm	Boston, Cook, Indovasive, Hospiline
107.	Biliary straight stent with single flap at both ends(Amsterdam type)	Size: 7 Fr x 15 cm	Boston, Cook, Indovasive, Hospiline
108.	Biliary straight stent with single flap at both ends(Amsterdam type)	Size: 7 Fr x 5 cm	Boston, Cook, Indovasive, Hospiline
109.	Biliary straight stent with single flap at both ends(Amsterdam type)	Size: 10 Fr x 7 cm	Boston, Cook, Indovasive, Hospiline
110.	Biliary straight stent with single flap at both ends(Amsterdam type)	Size: 10 Fr x 10 cm	Boston, Cook, Indovasive, Hospiline
111.	Biliary straight stent with single flap at both ends(Amsterdam type)	Size: 10 Fr x 12 cm	Boston, Cook, Indovasive, Hospiline
112.	Biliary straight stent with single flap at both ends(Amsterdam type)	Size: 10 Fr x 15 cm	Boston, Cook, Indovasive, Hospiline
113.	Biliary straight stent with single flap at both ends(Amsterdam type)	Size: 10 fr x 5 cm	Boston, Cook, Indovasive, Hospiline
114.	Biliary double pigtail plastic stent (made of polyethylene)	Size: 7Fr x 3 cm	Boston, Cook, Indovasive, Hospiline
115.	Biliary double pigtail plastic stent	Size: 7Fr x 5 cm	Boston, Cook, Indovasive, Hospiline,

S. No.	Item Name	Specification	Recommended Make
116.	Biliary double pigtail plastic stent	Size: 7Fr x 7 cm	Boston, Cook, Indovasive, Hospiline
117.	Biliary double pigtail plastic stent	Size: 7Fr x 10 cm	Boston, Cook, Indovasive, Hospiline
118.	Biliary double pigtail plastic stent	Size: 7Fr x 12 cm	Boston, Cook, Indovasive, Hospiline
119.	Biliary double pigtail plastic stent	Size: 7Fr x 15 cm	Cook, indovasive, boston, Hospiline
120.	Biliary double pigtail plastic stent	Size: 10Fr x 3 cm	Cook, indovasive, boston, Hospiline
121.	Biliary double pigtail plastic stent	Size: 10Fr x 5 cm	Cook, indovasive, boston, Hospiline
122.	Biliary double pigtail plastic stent	Size: 10Fr x 7 cm	Cook, indovasive, boston, Hospiline
123.	Biliary double pigtail plastic stent	Size: 10Fr x 10 cm	Cook, indovasive, boston, Hospiline
124.	Biliary double pigtail plastic stent	Size: 10Fr x 12 cm	Cook, indovasive, boston, Hospiline
125.	Biliary double pigtail plastic stent	Size: 10Fr x 15 cm	Cook, indovasive, boston, Hospiline
126.	Biliary stent with flare (Tannenbaum type)	Size: 10 Fr x 7 cm Duodenal end- 7 mm flare Biliary end 15 mm flare Single central drainage hole Material: Teflon	Boston, cook, Indovasive, Hospiline
127.	Biliary stent with flare (Tannenbaum type)	Size: 10 Fr x 10 cm Duodenal end- 7 mm flare Biliary end 15 mm flare Single central drainage hole Material: Teflon	Boston, cook, Indovasive, Hospiline
128.	Single pigtail biliary stent	Size: 7 Fr x 7 cm	Boston, cook, Indovasive, Hospiline
129.	Single pigtail biliary stent	Size: 7 Fr x 10 cm	Boston, cook, Indovasive, Hospiline
130.	Single pigtail biliary stent	Size: 5 Fr x 5 cm	Boston, cook, Indovasive, Hospiline
131.	Single pigtail biliary stent	Size: 5 Fr x 7 cm	Boston, cook, Indovasive, Hospiline
132.	Single pigtail biliary stent	Size: 7 Fr x 5 cm	Boston, cook, Indovasive, Hospiline
133.	Single pigtail biliary stent	Size: 7 Fr x 12 cm	Boston, cook, Indovasive, Hospiline
134.	Pancreatic stent	Size: 3 Fr x 5 cm	Boston, cook, Indovasive, Hospiline
135.	Pancreatic stent	Size: 5 Fr x 5 cm	Boston, cook, Indovasive, Hospiline
136.	Pancreatic stent	Size: 5 Fr x 7 cm	Boston, cook, Indovasive, Hospiline

S. No.	Item Name	Specification	Recommended Make
137.	Pancreatic stent	Size: 5 Fr x 10 cm	Boston, cook, Indovasive, Hospiline
138.	Pancreatic stent	Size: 7 Fr x 5 cm	Boston, cook, Indovasive, Hospiline
139.	Pancreatic stent	Size: 7 Fr x 7 cm	Boston, cook, Indovasive, Hospiline
140.	Pancreatic stent	Size: 7Fr x 10 cm	Boston, cook, Indovasive, Hospiline
141.	Pancreatic stent	Size: 7 Fr x 12 cm	Boston, cook, Indovasive, Hospiline
142.	Pancreatic stent	Size: 10 fr x 7 cm	Boston, cook, Indovasive, Hospiline
143.	Pancreatic stent	Size: 10 fr x 10 cm	Boston, cook, Indovasive, Hospiline
144.	Pancreatic stent	Size: 10 Fr x 12 cm	Boston, cook, Indovasive, Hospiline
145.	Biliary bougie dilation catheter, soehendra type	Dilatation catheter with tapered tip and radiopaque band Catheter length - 200 cms Catheter size 6-4Fr Taper length 3 cm Wire guide diameter - 0.035" Minimum accessory channel - 2.8 mm	All can apply
146.	Biliary bougie dilation catheter, soehendra type	Dilatation catheter with tapered tip and radiopaque band Catheter length - 200 cms Catheter size 7-4Fr Taper length 3 cm Wire guide diameter - 0.035" Minimum accessory channel - 2.8 mm	All can apply
147.	Biliary bougie dilation catheter, soehendra type	Dilatation catheter with tapered tip and radiopaque band Catheter length - 200 cms Catheter size 8.5-5Fr Taper length 3 cm Wire guide diameter - 0.035" Minimum accessory channel - 3.2 mm	All can apply
148.	Biliary bougie dilation catheter, soehendra type	Dilatation catheter with tapered tip and radiopaque band Catheter length - 200 cms Catheter size 9-6Fr Taper length 3 cm Wire guide diameter - 0.035" Minimum accessory channel - 3.7 mm	All can apply
149.	Biliary bougie dilation catheter, soehendra type	Dilatation catheter with tapered tip and radiopaque band Catheter length - 200 cms Catheter size 10-6Fr Taper length 3 cm	All can apply

S. No.	Item Name	Specification	Recommended Make
		Wire guide diameter - 0.035" Minimum accessory channel - 3.7 mm	
150.	Biliary bougie dilation catheter, soehendra type	Dilatation catheter with tapered tip and radiopaque band Catheter length - 200 cms Catheter size 11.5-7Fr Taper length 3 cm Wire guide diameter - 0.035" Minimum accessory channel - 4.2 mm	All can apply
151.	Cytology brush wire-guided for biliary system	RX type Wire guided Double lumen Compatible with 0.035"guide wire Sterile and disposable Intended for single use only	Boston, cook, olympus
152.	Cytology Brush- Non wire guided for biliary system	Sterile and disposable Intended for single use only Brush bristles designed for maximum tissue acquisition	Boston, cook, olympus
153.	Single use Stone extraction basket- Wire guided	Conventional four-wire design Wire-guided Compatible with emergency lithotripter Integrated C-Hook and V-Marking Basket wire: hard Basket size: 22mm	Boston, cook, olympus
154.	Single use Stone extraction basket- Non Wire guided	Conventional four-wire design Compatible with emergency lithotripter Basket wire: hard Basket size: 22mm	Boston, cook, olympus
155.	Reusable Stone extraction basket	Conventional four-wire design Compatible with emergency lithotripter Basket wire: hard Basket size: 22mm or more	All can apply
156.	Triple lumen sphincterotome	Triple Lumen; 20- 35 mm cut wire; off centric monofilament cut wire Steerable tip with rotatable handle Merged lumen technology 5.5 F tip size Handle break to keep bow memory	Olympus, cook, boston
157.	Triple lumen sphincterotome	Triple Lumen; 20- 35 mm cut wire; off centric monofilament cut wire Steerable tip with rotatable handle Merged lumen technology 3.9F tip size Handle break to keep bow memory	Olympus, cook, boston
158.	Triple lumen sphincterotome	Triple Lumen; 20- 35 mm cut wire; off centric monofilament cut wire Steerable tip with rotatable handle Merged lumen technology	Olympus, cook, boston

S. No.	Item Name	Specification	Recommended Make
		4.4 F tip size Handle break to keep bow memory	
159.	Triple lumen sphincterotome	Triple Lumen; 20- 35 mm cut wire; off centric monofilament cut wire Steerable tip with rotatable handle Merged lumen technology 4.9 F tip size Handle break to keep bow memory	Olympus, cook, boston
160.	ERCP Contour Cannula	Double /Triple lumen cannula with radio Opaque marker (standard/tapered/ball Tip) compatible with .035"guide wire	All can apply
161.	Wire-guided Retrieval Basket with a plastic inner sheath and metal outer sheath	3cm size Can be used for performing mechanical lithotripsy using a inflation device Device engineered to facilitate pushability, tactile feel and guidewire access in the bile duct Flexible and sturdy, flexi-stiff catheter design to bend with biliary anatomy and maintain excellent pushability and tactile sensation Metal alloy basket material Distal side-port guidewire channel Side-port to lead basket past stones and help retrieve stones Injection with wire in place to allow cholangiography without device exchange	All can apply
162.	Hybrid guide wire	Nitinol guidewire with hydrophilic tip and stiff shaft 0.035" diameter 450-480 cms length Hydrophilic tip of 5 Cm length Endoglide coating	Boston, cook, olympus
163.	Hybrid guide wire	Nitinol guidewire with hydrophilic tip and stiff shaft with .025" diameter and 450-480 cms length	Boston, cook, olympus
164.	Hybrid guide wire	Nitinol guidewire with hydrophilic tip and stiff shaft with .018" diameter and 450-480 cms length	Boston, cook, olympus
165.	Needle Knife cannulotome	Triple lumen Pre curved catheter Adjustable cutting wire, Compatible with guide wire .035" Working channel 2.8mm	Olympus, cook, boston
166.	One axis Stent introduction system	Compatible with 3.7 mm working channel or more With four radiopaque bands 5 cm apart distally For insertion of 10f stent	All can apply
167.	Biliary stent pusher 7Fr	Pushing catheter, PC-7fr 170cm catheter length	All can apply

S. No.	Item Name	Specification	Recommended Make
168.	Triple lumen Biliary stone extraction balloon	Excellent balloon durability Over-the-wire design Each balloon can be inflated to one of three diameters: 8.5 mm, 11.5 mm and 15 mm Clearly marked syringes that enable precise inflation of each balloon without checking the markings on the syringe Integrated C-Hook, V-Sheath (for over-the-wire type) and V-Marking	Boston, cook, olympus
169.	Triple lumen Biliary stone extraction balloon	Excellent balloon durability Over-the-wire design Each balloon can be inflated to one of three diameters: 15 mm, 18 mm and 20 mm Clearly marked syringes that enable precise inflation of each balloon without checking the markings on the syringe Integrated C-Hook, V-Sheath (for over-the-wire type) and V-Marking	Boston, cook, olympus
170.	Biliary balloon dilator	Excellent pushability A low profile 4Fr tip to reduce the risk of tissue trauma Radiopaque markers for accurate positioning 4mm diameter Balloon length: 4cm 260 cm length	Olympus, Boston, Cook
171.	Biliary balloon dilator	Excellent pushability A low profile 4Fr tip to reduce the risk of tissue trauma Radiopaque markers for accurate positioning 6mm diameter 180 cm length Balloon length: 4 cm	Olympus, Boston, Cook
172.	Biliary balloon dilator	Excellent pushability A low profile 4Fr tip to reduce the risk of tissue trauma Radiopaque markers for accurate positioning 8mm diameter 260 cm length Balloon length: 4cm	Olympus, Boston, Cook
173.	Nasobiliary drainage catheter	7fr/250 cm Polyurethane material Radioopaque	Devon, Indovasive, cook
174.	Nasobiliary drainage catheter	10 Fr/250 cm Polyurethane material Radioopaque	Devon, Indovasive, cook
175.	Fully covered Biliary Self expanding metal stent	Looped and flared stent ends to help reduce the risk of tissue trauma and stent migration Closed cell construction and silicon covering to help resist tissue in-growth Platinol Wire	Boston, Hanaro, Cook, taewoong

S. No.	Item Name	Specification	Recommended Make
		<p>construction to help aid placement in tortuous anatomies</p> <p>Radial force to maintain stent patency and resist migration</p> <p>Reconstrainable up to 80% of deployment to aid in repositioning</p> <p>Four fluoroscopy markers and transition zone designed to help aid in stent placement accuracy</p> <p>Delivery catheter: 8.5 fr</p> <p>10Fr size</p> <p>Length: 6cm</p>	
176.	Fully covered Biliary Self expanding metal stent	<p>Looped and flared stent ends to help reduce the risk of tissue trauma and stent migration</p> <p>Closed cell construction and silicon covering to help resist tissue in-growth</p> <p>Platinol Wire construction to help aid placement in tortuous anatomies</p> <p>Radial force to maintain stent patency and resist migration</p> <p>Reconstrainable up to 80% of deployment to aid in repositioning</p> <p>Four fluoroscopy markers and transition zone designed to help aid in stent placement accuracy</p> <p>Delivery catheter: 8.5 fr</p> <p>10Fr size</p> <p>Length: 8 cm</p>	Boston, Hanaro, Cook, taewoong
177.	Fully covered Biliary Self expanding metal stent	<p>Looped and flared stent ends to help reduce the risk of tissue trauma and stent migration</p> <p>Closed cell construction and silicon covering to help resist tissue in-growth</p> <p>Platinol Wire construction to help aid placement in tortuous anatomies</p> <p>Radial force to maintain stent patency and resist migration</p> <p>Reconstrainable up to 80% of deployment to aid in repositioning</p> <p>Four fluoroscopy markers and transition zone designed to help aid in stent placement accuracy</p> <p>Delivery catheter: 8.5 fr</p> <p>10Fr size</p> <p>Length: 10 cm</p>	Boston, Hanaro, Cook, taewoong
178.	Uncovered Biliary self-expanding metal stent	<p>Looped and flared stent ends to help reduce the risk of tissue trauma and stent migration</p> <p>Closed cell construction to help resist tissue in-growth</p> <p>Platinol Wire construction to help aid placement in tortuous anatomies</p> <p>Radial force to maintain stent patency and resist migration</p>	Boston, Hanaro, Cook, taewoong

S. No.	Item Name	Specification	Recommended Make
		<p>Reconstrainable up to 80% of deployment to aid in repositioning</p> <p>Four fluoroscopy markers and transition zone designed to help aid in stent placement accuracy</p> <p>Delivery catheter: 8 fr</p> <p>Size: 10Fr</p> <p>Length: 6cm</p>	
179.	Uncovered Biliary self-expanding metal stent	<p>Looped and flared stent ends to help reduce the risk of tissue trauma and stent migration</p> <p>Closed cell construction to help resist tissue in-growth</p> <p>Platinol Wire construction to help aid placement in tortuous anatomies</p> <p>Radial force to maintain stent patency and resist migration</p> <p>Reconstrainable up to 80% of deployment to aid in repositioning</p> <p>Four fluoroscopy markers and transition zone designed to help aid in stent placement accuracy</p> <p>Delivery catheter: 8 fr</p> <p>Size: 10Fr</p> <p>Length: 8cm</p>	Boston, Hanaro, Cook, taewoong
180.	Uncovered Biliary self-expanding metal stent	<p>Looped and flared stent ends to help reduce the risk of tissue trauma and stent migration</p> <p>Closed cell construction to help resist tissue in-growth</p> <p>Platinol Wire construction to help aid placement in tortuous anatomies</p> <p>Radial force to maintain stent patency and resist migration</p> <p>Reconstrainable up to 80% of deployment to aid in repositioning</p> <p>Four fluoroscopy markers and transition zone designed to help aid in stent placement accuracy</p> <p>Delivery catheter: 8 fr</p> <p>Size: 10Fr</p> <p>Length: 10cm</p>	Boston, Hanaro, Cook, taewoong
181.	Electrosurgical Cystoenterostomy needle knife	<p>Size: 6fr</p> <p>Length: 165 cm</p>	All can apply
182.	Electrosurgical Cystoenterostomy needle knife	<p>Size: 8.5 fr</p> <p>Length: 165 cm</p>	All can apply
183.	Electrosurgical Cystoenterostomy needle knife	<p>Size: 10 fr</p> <p>Length: 165 cm</p>	All can apply
184.	EUS FNAC needle	<p>Size: 19 fr</p>	Cook, boston, olympus
185.	EUS FNAC needle	<p>Size: 22fr</p>	Cook, boston, olympus

S. No.	Item Name	Specification	Recommended Make
186.	EUS FNAC needle	Size: 25fr	Cook, boston, olympus

Annexure - VIII

FINANCIAL BID

BoQ may be uploaded as per instructions given in **Tender Enquiry Document**.

Annexure-IX

The bidder should submit related undertaking for Restrictions on procurement from bidders from a county or countries, or a class of countries under Rule 144 (XI) of the General Financial Rules 2017 in compliance of office OM no. 6/18/2019-PPD dated 23rd July 2020. Ministry of Finance Department of Expenditure, Public Procurement Division on the basis of following Certificate given below, on the company letter head duly signed by authorized signatory for this tender.

Certificate for Tender

Tender no.:- _____
NIT name: - _____

'We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; and solemnly certify that we are not from such a country or, if from such a country, we are registered with the Competent Authority (copy enclosed). We hereby certify that we fulfil' all requirement in this regard and are eligible to be considered.'

AND

We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such a country; and solemnly certify that we are not from such a country or, if from such a country, we are registered with the Competent Authority (copy enclosed) and we shall not subcontract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. We hereby certify that we fulfil all requirement in this regard and are eligible to be considered.'

It is to declare that if, our bid/offer is accepted by the purchaser, as per undertaking given by us as per aforementioned points on the basis of certificate are found to be false, in such case this would be a ground for immediate termination of our bid/offer and further legal action in accordance with the law to be initiating on us by the procuring entity i.e. AIIMS, Jodhpur.

[Signature with date, name and designation]

For and on behalf of M/s _____

[Name & address of the manufacturers]