

Invitation of quotation
for
Supply of Binocular Microscopes
At

All India Institute of Medical Sciences, Jodhpur

Inquiry No.: : Admin/Gen/36-17/2019-AIIMS.JDH

Inquiry Issue Date : 22nd February, 2020

Last Date of Submission : 28th February, 2020 at 05:00 PM.



All India Institute of Medical Sciences, Jodhpur

Basni Phase - II, Jodhpur – 342005, Rajasthan

Telefax: 0291- 2740741, email: procurement@aiimsjodhpur.edu.in

www.aiimsjodhpur.edu.in

**Invitation of quotation for Supply of Binocular Microscopes at
AIIMS Jodhpur**

Sealed Quotations are hereby invited by the undersigned on behalf of the Director, AIIMS Jodhpur for Supply of Binocular Microscopes for the Institute as per terms & conditions mentioned below. The filled quotations along with all the required document must reach in the office of the undersigned on or before 28.02.2020 05.00 PM. The Envelope containing the quotation would please be sealed and super scribed as under:-

**“QUOTATION FOR SUPPLY OF Binocular Microscopes AGAINST
INQUIRY NO. ADMN/GEN/36-17/2019-AIIMS.JDH” DUE ON 28.02.2020
05.00 PM”**

1. Terms & Conditions:

- A) The quotations received after this deadline & unsealed shall not be entertained under any circumstances whatsoever. In case of postal delay this Institute will not be responsible. **The offer Submitted Fax/Email shall not be considered and no correspondence will be entertained in this matter.**
- B) Quotations must be in the enclosed prescribed Performa on the letter head of the firm duly signed by the Proprietor/ Partner/ Director or their authorized representative, In case of signing of quotation by the authorized representative letter of authorization must be attached with the quotation. Quotation must be dropped in “**Quotation Box**” located in Administration Block of AIIMS, Jodhpur.
- C) Rates must be quoted in **Indian rupees** and as per the format specified taxes extra if any must be written separately.
- D) Rates must be quoted FOR basis (including Freight charges, Insurance, installation etc.)
- E) No overwriting or cutting is permitted in the rate. If found, the quotation shall be summarily rejected.
- F) The rates quoted must be valid for 60 days minimum from the date of opening of the quotation and silence of any tendered on this issue shall be treated as agreed with this condition.
- G) Becoming L1 will not be the criteria for awarding of purchase order unless the rates are reasonable & justified.
- H) RTGS/NEFT details need to be furnished by the supplier with the quotation on the letter head of supplier/firm/agency.
- I) The firm/agency may satisfy the following conditions and attach self-attested copy of the same with the quotation:
- Firm shall be registered with the Government of Rajasthan / Central Government.
 - The firm shall have valid GST/Other taxes and IT PAN.
 - **The firm should not be black listed by any Govt. Agency/Dept.**

INQUIRY NO. Admin/Gen/36-17/2019-AIIMS.JDH

- J) Quotations qualified by such vague and indefinite expressions such as “subject to prior confirmation”, “subject to immediate acceptance” etc. will be treated as vague offers and rejected accordingly. Any conditional quotation shall be rejected summarily.
- K) **Delivery Period** – within 30 days from Purchase order.
- L) **Liquidated Damage:** - If the supplier fails to deliver the material on or before the stipulated date, then a penalty at the rate of 0.5 % per week of the total order value shall be levied subject to maximum of 10% of the total order value.
- M) **Payment Terms:** Payment will be only after satisfactorily delivery / commissioning of material and after inspection by the AIIMS Jodhpur.
- N) **Disputes:** -In the event of any dispute or disagreement arising between the contractors and any other department of AIIMS Jodhpur with regards to the interpretation of “Terms & Conditions” of this inquiry, the same shall be referred to the Director, AIIMS Jodhpur whose decision will be final and binding upon the contractor.
- O) AIIMS, Jodhpur reserves the right to increase or decrease quantity and / or amount of work. Decision of Quantity of material in the AIIMS, Jodhpur will be final in this regard.
- P) AIIMS, Jodhpur reserves the right to reject any quotation or part or the whole of inviting quotation process without assigning any reason. Decision of the AIIMS, Jodhpur will be final in this regard.

2. Special Terms & Conditions:

- A) **Bidder must quote the product as per specification provided in Annexure 1.**
- B) **Catalog must be attached with quotation for technical evaluation.**
- C) **The supplier may be asked to arranging demonstration of their equipment for which rates have been quoted, to the AIIMS Jodhpur, if required. The expenditure incurred for demonstrating the items will be borne by the supplier.**

Administrative Officer

Encl.: Annexure 1 (Specification)
Annexure 2 (Format of price bid)

Annexure 1

S. No.	Particular	Specifications	Qty																						
1.	Binocular Microscopes	<table border="1"> <tr> <td data-bbox="391 324 608 488">Head:</td> <td data-bbox="612 324 1362 488">Siedentopf, Binocular Digital observation head, inclined at 30° and rotatable by 360°. Diopter adjustment on the left eyepiece. Inter-pupillary adjustment of 48-75 mm.</td> </tr> <tr> <td data-bbox="391 488 608 562">Observation Modes:</td> <td data-bbox="612 488 1362 562">Brightfield.</td> </tr> <tr> <td data-bbox="391 562 608 600">Eyepiece:</td> <td data-bbox="612 562 1362 600">Widefield eyepieces WF10X/20 with field number 20.</td> </tr> <tr> <td data-bbox="391 600 608 674">Nosepiece:</td> <td data-bbox="612 600 1362 674">Quadruple revolving nosepiece, with click Stop, rotation on ball bearings.</td> </tr> <tr> <td data-bbox="391 674 608 972">Objectives:</td> <td data-bbox="612 674 1362 972">Infinity-corrected E-Plan Achromatic Objectives: IOS 4X, N.A. 0,10, W.D. 18 mm. IOS 10X, N.A. 0,25, W.D. 7 mm. IOS 40X, N.A. 0,65, W.D. 0,53 mm. IOS 100X, N.A. 1,25, W.D. 0,13 mm (oil immersion). All objectives should be treated with anti-fungal treatment.</td> </tr> <tr> <td data-bbox="391 972 608 1227">Stage:</td> <td data-bbox="612 972 1362 1227">Anti-scratch Double layer with mechanical sliding stage. Size of stage- 150x133mm, X-Y movement range of 75x50mm. Holder for one slide. Belt drive in X direction. Vernier scale on X-Y axes with accuracy of 0,1mm.</td> </tr> <tr> <td data-bbox="391 1227 608 1339">Focusing System:</td> <td data-bbox="612 1227 1362 1339">Coaxial coarse and fine focusing mechanism (graduated, 0.002mm) with upper stop. Adjustable tension of coarse focusing knob.</td> </tr> <tr> <td data-bbox="391 1339 608 1630">Illumination:</td> <td data-bbox="612 1339 1362 1630">Light source X-LED type with white LED; light intensity control using a knob on left side of the frame. LED power 3.6W, comparable to a 50W halogen bulb. Colour temperature: 6300K. LED average lifetime approximately: 50.000h. Voltage: external power supply 100/240Vac, 50/60Hz, output: 6Vdc 1A. Maximum required power: 7W.</td> </tr> <tr> <td data-bbox="391 1630 608 1704">Condenser:</td> <td data-bbox="612 1630 1362 1704">NA1.25 Abbe condenser, sliding-in, centre-able, up-down adjustment by rack and pinion mechanism.</td> </tr> <tr> <td data-bbox="391 1704 608 1742">Dimensions:</td> <td data-bbox="612 1704 1362 1742">Height: 370 mm, Width: 235 mm, Depth: 290 mm</td> </tr> <tr> <td data-bbox="391 1742 608 1780">Weight:</td> <td data-bbox="612 1742 1362 1780">6.5 kgs.</td> </tr> </table>	Head:	Siedentopf, Binocular Digital observation head, inclined at 30° and rotatable by 360°. Diopter adjustment on the left eyepiece. Inter-pupillary adjustment of 48-75 mm.	Observation Modes:	Brightfield.	Eyepiece:	Widefield eyepieces WF10X/20 with field number 20.	Nosepiece:	Quadruple revolving nosepiece, with click Stop, rotation on ball bearings.	Objectives:	Infinity-corrected E-Plan Achromatic Objectives: IOS 4X, N.A. 0,10, W.D. 18 mm. IOS 10X, N.A. 0,25, W.D. 7 mm. IOS 40X, N.A. 0,65, W.D. 0,53 mm. IOS 100X, N.A. 1,25, W.D. 0,13 mm (oil immersion). All objectives should be treated with anti-fungal treatment.	Stage:	Anti-scratch Double layer with mechanical sliding stage. Size of stage- 150x133mm, X-Y movement range of 75x50mm. Holder for one slide. Belt drive in X direction. Vernier scale on X-Y axes with accuracy of 0,1mm.	Focusing System:	Coaxial coarse and fine focusing mechanism (graduated, 0.002mm) with upper stop. Adjustable tension of coarse focusing knob.	Illumination:	Light source X-LED type with white LED; light intensity control using a knob on left side of the frame. LED power 3.6W, comparable to a 50W halogen bulb. Colour temperature: 6300K. LED average lifetime approximately: 50.000h. Voltage: external power supply 100/240Vac, 50/60Hz, output: 6Vdc 1A. Maximum required power: 7W.	Condenser:	NA1.25 Abbe condenser, sliding-in, centre-able, up-down adjustment by rack and pinion mechanism.	Dimensions:	Height: 370 mm, Width: 235 mm, Depth: 290 mm	Weight:	6.5 kgs.	03 Nos.
Head:	Siedentopf, Binocular Digital observation head, inclined at 30° and rotatable by 360°. Diopter adjustment on the left eyepiece. Inter-pupillary adjustment of 48-75 mm.																								
Observation Modes:	Brightfield.																								
Eyepiece:	Widefield eyepieces WF10X/20 with field number 20.																								
Nosepiece:	Quadruple revolving nosepiece, with click Stop, rotation on ball bearings.																								
Objectives:	Infinity-corrected E-Plan Achromatic Objectives: IOS 4X, N.A. 0,10, W.D. 18 mm. IOS 10X, N.A. 0,25, W.D. 7 mm. IOS 40X, N.A. 0,65, W.D. 0,53 mm. IOS 100X, N.A. 1,25, W.D. 0,13 mm (oil immersion). All objectives should be treated with anti-fungal treatment.																								
Stage:	Anti-scratch Double layer with mechanical sliding stage. Size of stage- 150x133mm, X-Y movement range of 75x50mm. Holder for one slide. Belt drive in X direction. Vernier scale on X-Y axes with accuracy of 0,1mm.																								
Focusing System:	Coaxial coarse and fine focusing mechanism (graduated, 0.002mm) with upper stop. Adjustable tension of coarse focusing knob.																								
Illumination:	Light source X-LED type with white LED; light intensity control using a knob on left side of the frame. LED power 3.6W, comparable to a 50W halogen bulb. Colour temperature: 6300K. LED average lifetime approximately: 50.000h. Voltage: external power supply 100/240Vac, 50/60Hz, output: 6Vdc 1A. Maximum required power: 7W.																								
Condenser:	NA1.25 Abbe condenser, sliding-in, centre-able, up-down adjustment by rack and pinion mechanism.																								
Dimensions:	Height: 370 mm, Width: 235 mm, Depth: 290 mm																								
Weight:	6.5 kgs.																								

Note: - The supplier may be asked to arranging demonstration of their equipment for which rates have been quoted, to the AIIMS Jodhpur, if required. The expenditure incurred for demonstrating the items will be borne by the supplier.

[On the letterhead of firm]

ANNEXURE "2"
PRICE BIDFORM

To,
Administrative Officer,
AIIMS, Jodhpur.

Dear Sir,

1. I/We Submitted the quotation for Enquiry No. "QUOTATION FOR SUPPLY OF Binocular Microscopes AT AIIMS AGAINST THE INQUIRY NO. Admn/Gen/36-17/2019-AIIMS.JDH" DUE ON 28.02.2020 05.00 PM for Supply of Binocular Microscopes at AIIMS Jodhpur".
2. I/We thoroughly examined, understood and accepted terms & conditions given in the enquiry document, failing which my quotation will be rejected out rightly.
3. I/We hereby offer to supply at the following rates.

S. No	Particular	Qty.	Quoted Make	Price/Unit Exclusive of GST (INR)	GST/ Other Taxes	Price/ Unit Inclusive of GST (INR)	Total Cost Inclusive of GST (INR)	MRP
1.	Binocular Microscopes Specification :- As per Annexure – 1.	03 Nos.						

Note:-

1. The Bidder must quote only single Make & Model.
2. The bidder must quoted their quotation only in above said format on the letter of firm otherwise quotation will be REJECTED.
3. Catalog must be attached with quotation for technical evaluation.
4. The supplier may be asked to arranging demonstration of their equipment for which rates have been quoted, to the AIIMS Jodhpur, if required. The expenditure incurred for demonstrating the items will be borne by the supplier.

Date _____

(Name) _____

Place _____

Name of Firm/Company/Agency _____

GSTIN No.: _____

Bank Name:- _____

Bank Account No.: _____

IFSC Code:- _____

Branch Name: _____

Phone No. _____

Email: _____

(Signature of Authorized Person) _____

Seal: _____