# Tender

# For

# Autopsy Equipment

# At

# All India Institute of Medical Sciences, Jodhpur

NIT Issue Date	:	September 09, 2013
Pre-Bid Meeting	:	September 18, 2013 at 11:00 AM.
Last Date of Submission	:	September 30, 2013 at 03:00 PM.
NIT No.	:	Admin/General/263/2013-AIIMS.JDH



All India Institute of Medical Sciences, Jodhpur Basni Phase - II, Jodhpur – 342005, Rajasthan Telephone: 0291- 2740532, email: <u>aoadmin@aiimsjodhpur.edu.in</u> <u>www.aiimsjodhpur.edu.in</u> All India Institute of Medical Sciences (AIIMS), Jodhpur, Rajasthan, an apex healthcare institute being established by Parliament of India under aegis of Ministry of Health & Family Welfare, Government of India, invites sealed tenders for supply & installation of the following items at the institute. You are requested to quote your best offer along with the complete details of specifications, terms & conditions.

S.No.	Item Description	Quantity
1.	Electro Hydraulic Autopsy Table	1
2.	Wall mount autopsy station left sink	1
3.	Dead body weighing scale	1
4.	Oscillating Autopsy Saw & Bone dust collector	1
5.	Autopsy Cart	1

#### ANNEXURE 'A'

(Refer Specifications Details as per Annexure-'B')

Quotation should be sealed and superscribed with tender number and address to:

### "Administrative Officer All India Institute of Medical Sciences, Jodhpur Basni, Phase-II Jodhpur-342005, Rajasthan".

The sealed quotations should reach the Institute, latest by September 30, 2013 at 03:00 PM and it will be opened on same day at 04:00 PM in the Project Cell, Residential Complex, AIIMS, Jodhpur of the Institute in the presence of the bidder(s) or their authorized representative(s), who will be present at the scheduled date and time.

#### Terms & Conditions:

#### 1. Earnest Money Deposit:

Earnest money by means of a Bank Demand Draft/ Pay Order of Rs 75,000/- (Rs. Seventy Five Thousands only) may be enclosed with the quotation (Technical Bid). It is also clarified that the quotations received without earnest money will be summarily rejected. The pay Order/DD may be prepared in the name of "All India Institute of Medical Sciences, Jodhpur".

The bidder shall be required to submit refundable amount as Earnest Money Deposit (EMD) and a non-refundable tender fee of Rs.1000.00 for each NIT by way of demand drafts only as mentioned in Annexure 'A'. The demand drafts shall be drawn in favour of **"All India Institute of Medical Sciences, Jodhpur"**. The demand drafts for earnest money deposit must be enclosed in the envelope containing the technical bid.

The EMD of the successful bidder shall be returned after the successful completion of contract / order and for unsuccessful bidder(s) it would be returned after award of the contract. Bid(s) received without demand drafts of EMD shall be liable for rejection.

The firms who are registered with National Small Industries Corporation (NSIC) / OR Small Scale Industrial (SSI) are exempted to submit the EMD (Copy of registration must be provided along with).

2. Preparation and Submission of Tender :

The tender should be submitted in two parts i.e. Technical Bid and Financial Bid. The Technical Bid and the Financial Bid should be sealed by the bidder in two separate Covers "**Technical Bid for Tender for Supply of Autopsy Equipment**" and "**Financial Bid for Tender for Supply of Autopsy Equipment**". Both Sealed Envelopes should be kept in a main/ bigger envelope superscribed as "**Tender for Supply of Autopsy Equipment** "

- **3. Rate:** Rates should be quoted in Indian Rupees (INR) on DOOR Delivery Basis at AIIMS, Jodhpur, Rajasthan, Inclusive of all the Charges, with break-ups as:
  - Basic Cost.
  - VAT /CST as applicable.
  - Total Cost (F.O.R at AIIMS Jodhpur).
- **4. Validity:** The quoted rates must be valid for a period for 120 days from the date of closing of the tender. The overall offer for the assignment and bidder(s) quoted price shall remain unchanged during the period of validity. If the bidder quoted the validity shorter than the required period, the same will be treated as unresponsive and it may be rejected.

In case the tenderer withdraws, modifies or change his offer during the validity period, bid is liable to be rejected and the earnest money deposit shall be forfeited without assigning any reason thereof. The tenderer should also be ready to extend the validity, if required, without changing any terms, conditions etc. of their original tender.

**5. Delivery & Installation**: All the goods ordered shall be delivered & installed within 30 days from the date of issue of purchase order. All the aspects of safe delivery, installation and commissioning shall be the exclusive responsibility of the supplier.

If the supplier fails to delivered, installation and commissioning of the goods on or before the stipulated date, then a penalty at the rate of 1 % per week of the total order value shall be levied subject to maximum of 10% of the total order value. The successful tenderer will also provide required training for supplied items at AIIMS, Jodhpur.

The goods should be manufactured after adoption of latest technology.

#### 6. Guaranty / Warranty Period

The Tenderer must quote for 3 years onsite service warranty (Including all Spares, Accessories and Labour) from the date of completion of the satisfactory installation.

#### 7. Signing of tender :

The tenderer should sign and affix his firm's stamp at each page of the tender and all its annexure as the acceptance of the offer made by tenderer will be deemed as a contract and no separate formal contract will be drawn. NO PAGE SHOULD BE REMOVED/ DETACHED FROM THIS NOTICE INVITING TENDER.

#### 8. Opening of Tender:

The tenderer is at liberty to present either him or authorize not more than one representative to be present at the opening of the tender. The representative present at the opening of the tender on behalf of the tenderer should bring with him a letter of authority from the tenderer and proof of identification.

#### 9. Sample :

**i.** AIIMS Jodhpur reserves the right to ask the tenderers for submitting the sample of each item for which rates have been quoted, technically qualified bidders may be asked to submit samples along with their quoted items nos. and their firm name without indicating any prices before opening of Financial Bid to AIIMS, Jodhpur for Inspection.

ii. The sample must confirm to specification given in the tender form.

iii. Failure to submit sample on specified date & time will result in rejection of the tender.

#### 10. Quantity :

The quantity of item given in the tender is tentative, which may be increased or decreased as per the institute's requirement.

**11. Uptime guarantee**: The firm should provide uptime guarantee of 95%.

#### 12. Downtime penalty Clause:

The principals or their authorized service providers are required to submit a certificate that they have satisfactory service arrangements and fully trained staff available to support the uptime guarantee.

**13. Performance Security:** The supplier shall require to submit the performance security in the form of irrevocable Bank Guarantee (BG) / or Fixed Deposit Receipt (FDR) issued by any Nationalised Bank for an amount equal to the 10% of the order value and should be kept valid for a period of 60 days beyond completion of all the contractual obligation.

#### 14. Right of acceptance:

AIIMS, Jodhpur reserve the right to accept or reject any or all tenders /quotations without assigning any reason there of and also does not bind itself to accept the lowest quotation or any tender.

Any failure on the part of the tenderer to observe the prescribed procedure and any attempt to canvass for the work will prejudice the tenderer's quotation or any tender.

#### 15. Payment Term:

- 90% payment of the total order value shall be released after the successful installation/ commissioning of the ordered goods against the submission of the inspection report.
- Balance 10% of the order value shall be released after the submission of the performance security.

#### **16.** Right to call upon information regarding status of work:

The AIIMS, Jodhpur will have the right to call upon information regarding status of work/ job at any point of time.

#### 17. Arbitration:

If any difference arises concerning this agreement, its interpretation on payment to be made thereunder, the same shall be settled out by mutual consultation and negotiation. If attempts for conciliation do not yield any result within a period of 30 days, either of the parties may make a request to the other party for submission of the dispute for decision by an Arbitral Tribunal containing Sole Arbitrator to be appointed by the Secretary, Department of Legal Affairs. Such requests shall be accompanied with a panel of names of three persons to act as the sole arbitrator. In case of such arbitrator refusing, unwilling or becoming incapable to act or his mandate having been terminated under law, another arbitrator shall be appointed in the same manner from among the panel of three persons to be submitted by the claimant.

The provision of Arbitration and Conciliation Act, 1990 and the rule framed there under and in force shall be applicable to such proceedings. Bidder shall submit a copy of the tender document and addenda thereto, if any, with each page of this document should be signed

and stamped to confirm the acceptance of the entire terms & conditions as mentioned in the tender enquiry document.

- **18.** Signed & stamped compliance sheet of the technical specification of the goods with technical printed literature must be enclosed with the bid.
- **19.** After due evaluation of the bid(s) Institute will award the contract to the lowest evaluated responsive tenderer.
- **20.** Conditional bid will be treated as unresponsive and it may be rejected.
- **21.** The Institute reserves the right to accept in part or in full or reject any or more quotation(s) without assigning any reasons or cancel the tendering process and reject all quotations at any time prior to award of contract, without incurring any liability, whatsoever to the affected bidder or bidder(s).
- 22. Printed Catalogue has to be provided along with model no. Failure to provide catalogue will result in disqualification.
- 23. The Bidder will have to provide a list of 20 installations in last 3 years, five of which should be in Central Government institute.
- 24. Applicable Law:
  - The contract shall be governed by the laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such Commercial dealings / processing.
  - Any disputes are subject to exclusive jurisdiction of Competent Court and Forum in Jodhpur, Rajasthan, India only.
  - The Arbitration shall be held in accordance with the provisions of the Arbitration and Conciliation Act, 1996 and the venue of arbitration shall be at Jodhpur. The decision of the Arbitrator shall be final and binding on both the partied.
  - Force Majeure: Any delay due to Force Majeure will not be attributable to the supplier.

"Pre –Bid Meeting" with the intending bidders shall be held on 18<sup>th</sup> September 2013 from 11:00 A.M. onwards at AIIMS, Jodhpur.

### Annexure-B

### Computerised Brief Pulse Autopsy Equipment should have following Specifications.

Sr	Specification Of the Item	Qty
No.		Qiy
1	<ul> <li>Electro Hydraulic Autopsy Table</li> <li>1) Construction type 304 Stainless steel with large radius inside corners for easy clean-up</li> <li>2) Mounted on central support column</li> <li>3) Remote controlled 2 button height adjustable system from 750 mm to 1000 mm</li> <li>4) Double bowl sink</li> <li>5) Regulated sprinkler system for table surface, ensures continuous self-cleaning.</li> <li>6) "Reverse-flow" Hydro aspirator with build in vacuum breaker.</li> <li>7) Splash roof electrical outlets provided.</li> <li>8) 4 piece perforated body support grid plates.</li> <li>9) Hand shower.</li> <li>10) Down-draft ventilation cone system incorporated for minimization of odors if attached to external ventilation source.</li> <li>11) Access door for central column.</li> <li>12) Wooden head rest.</li> <li>13) Wrist operated stainless steel faucet with hot and cold flow control valves.</li> <li>14) Optional hands free flow device can be attached to the faucet.</li> <li>15) Plumbing provision for usage of the hot &amp;cold water.</li> <li>16) Table length 104" width 30" approx.</li> <li>17) Engraved management scale on one side for easy measurement of cadaver.</li> <li>18) Manufactured without rivets, bolts or other devices on the work surface so that it remains smooth and prevents cumulation of bacteria.</li> </ul>	1
2	<ul> <li>Wall mount autopsy station <ol> <li>Working space perforated grid plates.</li> <li>Steel construction with heliarc welded scams and joints, ground and polished to a smooth finish.</li> <li>Aspirator with reverse flow for additional waste removal</li> <li>Aspirator able to relieve suction clogging by providing reverse pressure of water.</li> <li>Hot and cold water fixture with convenient goose – neck faucet and wrist blade handles.</li> <li>Spray hose assembly provided with cold water control value, nozzle and at least 10 feet of flexible hose pipe.</li> <li>Dissection area is relevant above a sloped surface that drains directly into the sink.</li> </ol> </li> </ul>	1

	<ul> <li>8) Large instrument drawer.</li> <li>9) Easy to clean and maintain sanitation.</li> <li>10) Large single compartment sink with rapid and positive drainage.</li> <li>11) Autopsy cart latch locking mechanism with slide latch which can be accessed from either side of the autopsy cart.</li> <li>12) The autopsy cart will be able to overhang so that all the fluid and</li> </ul>	
	drainage is allowed into the sink. 13) Fluorescent light over the dissecting area. 14) Dimension – length: 80 to 90 inches 15) Height : 45 to 65 inches from the floor level 16) 220-230 v and Hz AC	
3	<ol> <li>Dead Body Weighing Scale         <ol> <li>Complete SS platform for easy cleaning and anti-staining</li> <li>Platform size 2100 mm x 600 mm approx.</li> <li>To weigh a maximum of 200 kg. Accuracy 20 gms.</li> <li>SS 304 grade construction.</li> <li>Rechargeable battery backup pack provided for usage in power failure</li> <li>TARE function provided</li> <li>Imported load cells for enduring performance</li> <li>Digital display</li> </ol> </li> </ol>	1
4	<ul> <li>Oscillating Autopsy Saw With Bone Extraction Set <ol> <li>Strong motor with at least 13,000 RPM.</li> <li>Power 230 volts 50 Hz AC</li> <li>Light weight, efficient, durable.</li> <li>High speed oscillation 12000-21000 OPM.</li> <li>Speed control facility to adjust the speed of saw blade</li> <li>Include 2 deep cutting blades &amp; 10 sector and segment blades operation.</li> <li>Hand piece with safety flange permitted firm grip and stay cool during.</li> <li>Set of screw wrench for exchange of saw blade.</li> <li>Motor is provided with long service cord with plug.</li> <li>Notor and hand piece is integrated.</li> <li>Suction Performance : 1.380 Watts.</li> <li>Air flow rate : 57 I/min.</li> <li>Vacuum : 235 mbar.</li> <li>Nain Supply : 230 Volt, 50 Hz.</li> <li>Container Volume : 35 Liter.</li> <li>Noise level 63 db.</li> <li>Weight 9.5 kg.</li> </ol> </li> </ul>	1

<ul> <li>6) Swivel and brakes of all caster can be locked simultaneously from one position</li> <li>7) One caster swivel can be locked</li> <li>8) The removable cart is fabricated of 16 gauze 304 stainless steel with satin finish</li> <li>9) Top recessed and dimpled toward the drain hole</li> <li>10) A drain is provided</li> <li>11) Cart frame is made of 25-30 mm heavy gauze with stainless steel tubing</li> <li>12) Removal cart top length -1875 -2125 inches</li> <li>13) Width – 750-875 inches</li> <li>14) Cart height – 750- 1150 inches (adjustable) on one side</li> </ul>
---

### Annexure-C

## Inviting of sealed quotations for Supply, Installation and Commissioning of Autopsy Equipment at AIIMS, Jodhpur.

### **TECHNICAL BID**

Name of Firm/Contractor/Supplier	
Complete Address &	
Telephone No.	
Name of Proprietor/Partner/Managing	
Director/Director.	
Phone & Mobile No.	
Name and address of service centre	
near by Jodhpur.	
Whether the firm is a registered firm	
Yes/No (attached copy of certificate)	
PAN No. (enclose the attested copy of	
PAN Card)	
Service Tax No. (enclose the attested	
copy of Service Tax Certificate)	
VAT No. (enclose the attested copy of	
VAT Certificate)	
Whether the firm has enclosed the	
Tender Fees	
Whether the firm has enclosed the	
Bank Draft/Pay Order/Banker's cheque	
as Earnest Money Deposit as per	
Annexure 'A'	
Whether the Firm/Agency has signed	
each and every page of Tender/NIT	
Any other information, if necessary	

Authorized signatory of the bidder with seal.

## Annexure-D Financial Bid

(To be submitted on the letterhead of the company / firm separately for item) A.

S.No.	Item Description	Quantity	Rate Per Unit	Vat /Tax	Total Amount
1.	Electro Hydraulic Autopsy Table	1			
2.	Wall mount autopsy station left sink	1			
3.	Dead body weighing scale	1			
4.	Oscillating Autopsy Saw & Bone dust collector	1			
5.	Autopsy Cart	1			

- 1. I/We have gone through the terms & conditions as stipulated in the tender enquiry document and confirm to accept and abide the same.
- 2. No other charges would be payable by the Institute.

(Authorized signatory of the bidder with seal)