Invitation of quotation

for

Heated Humidified High Flow Nasal Cannula System

At

All India Institute of Medical Sciences, Jodhpur

Inquiry No.: : Admin/Gen/03-12/2018-AIIMS.JDH

Inquiry Issue Date : 27th February, 2019

Last Date of Submission : 05th March, 2019 at 05:00 PM.



All India Institute of Medical Sciences, Jodhpur

Basni Phase - II, Jodhpur – 342005, Rajasthan Telefax: 0291- 2740741, email: <u>procurement@aiimsjodhpur.edu.in</u> www.aiimsjodhpur.edu.in

Invitation of quotation for Heated Humidified High Flow Nasal Cannula System at AIIMS Jodhpur

Sealed Quotations are hereby invited by the undersigned on behalf of the Director, AIIMS Jodhpur for Heated Humidified High Flow Nasal Cannula System for the Institute as per terms & conditions mentioned below. The filled quotations along with all the required document must reach in the office of the undersigned on or before 05.03.2019 05.00 PM. The Envelope containing the quotation would please be sealed and super scribed as under:-

"QUOTATION FOR HEATED HUMIDIFIED HIGH FLOW NASAL CANNULA SYSTEM AGAINST INQUIRY NO. ADMN/GEN/03-12/2018-AIIMS.JDH" DUE ON 05.03.2019 05.00 PM"

1. Terms & Conditions:

- A) The quotations received after this deadline & unsealed shall not be entertained under any circumstances whatsoever. In case of postal delay this Institute will not be responsible. The offer Submitted Fax/Email shall not be considered and no correspondence will be entertained in this matter.
- B) Quotations must be in the enclosed prescribed Performa on the letter head of the firm duly signed by the Proprietor/ Partner/ Director or their authorized representative, In case of signing of quotation by the authorized representative letter of authorization must be attached with the quotation. Quotation must be dropped in "Quotation Box" located in Administration Block of AIIMS, Jodhpur.
- C) Rates must be quoted in **Indian rupees** and as per the format specified taxes extra if any must be written separately.
- D) Rates must be quoted FOR basis (including Freight charges, Insurance, installation etc.)
- E) No overwriting or cutting is permitted in the rate. If found, the quotation shall be summarily rejected.
- F) The rates quoted must be valid for 60 days minimum from the date of opening of the quotation and silence of any tendered on this issue shall be treated as agreed with this condition.
- G) Becoming L1 will not be the criteria for awarding of purchase order unless the rates are reasonable & justified.
- H) RTGS/NEFT details need to be furnished by the supplier with the quotation on the letter head of supplier/firm/agency.
- I) The firm/agency may satisfy the following conditions and attach self-attested copy of the same with the quotation:
 - Firm shall be registered with the Government of Rajasthan / Central Government.
 - The firm shall have valid GST/Other taxes and IT PAN.
 - The firm should not be black listed by any Govt. Agency/Dept.

- J) Quotations qualified by such vague and indefinite expressions such as "subject to prior confirmation", "subject to immediate acceptance" etc. will be treated as vague offers and rejected accordingly. Any conditional quotation shall be rejected summarily.
- K) **Delivery Period** within 30 days from Purchase order.
- L) **Liquidated Damage:** If the supplier fails to deliver the material on or before the stipulated date, then a penalty at the rate of 0.5 % per week of the total order value shall be levied subject to maximum of 10% of the total order value.
- M) **Payment Terms:** Payment will be only after satisfactorily delivery / commissioning of material and after inspection by the AIIMS Jodhpur.
- N) **Disputes:** -In the event of any dispute or disagreement arising between the contractors and any other department of AIIMS Jodhpur with regards to the interpretation of "Terms & Conditions" of this inquiry, the same shall be referred to the Director, AIIMS Jodhpur whose decision will be final and binding upon the contractor.
- O) AIIMS, Jodhpur reserves the right to increase or decrease quantity and / or amount of work. Decision of Quantity of material in the AIIMS, Jodhpur will be final in this regard.
- P) AIIMS, Jodhpur reserves the right to reject any quotation or part or the whole of inviting quotation process without assigning any reason. Decision of the AIIMS, Jodhpur will be final in this regard.

2. **Special Terms & Conditions:**

- A) Bidder must quote the product as per specification provided in Annexure 1.
- B) Catalog must be attached with quotation for technical evaluation.
- C) The Bidder must submit the GSTIN Registration and PAN Card self-attested copy with the quotation.
- D) The supplier may be asked to arranging demonstration of their equipment for which rates have been quoted, to the AHMS Jodhpur, if required. The expenditure incurred for demonstrating the items will be borne by the supplier.

Administrative Officer

Encl.: Annexure 1 (Specification)

Annexure 2 (Format of price bid)

Annexure 1

Device should have integrated flow generator to deliver flows from 2 to 60 liters. Integrated Air/Oxygen blending and Fio2 monitoring from 21 to 100% Oxygen sensor does not require in field calibration Visual and audible alarm indication for tube disconnects leaks, tube blockages and water out hardware fault with error Codes. Audible power failure alarm. Device should have thermal disinfection mode to minimize contamination Heated tube for sterilization of device should be provided Certification –USFDA Device should have two years of replacement warranty from Manufacturer Machine should be installed on Mounting Tray and Pole with Castor C& IV Hook 2. Infant Nasal Cannula Cannula Pediatric Nasal Cannula The Circuit should have integrated temperature sensor with no need of external probes, cables or adapter	Qty.
AIRVO 2 (Heated Humidified High flow Nasal Cannula System) 1. Device should have thermal disinfection mode to minimize contamination Heated tube for sterilization of device should be provided Certification –USFDA Device should have two years of replacement warranty from Manufacturer Machine should be installed on Mounting Tray and Pole with Castor C& IV Hook 2. Infant Nasal Cannula With wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro 3. Pediatric Nasal Cannula With wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro The Circuit should have integrated temperature sensor with no need of external probes, cables or adapter	
1. AIRVO 2 (Heated Humidified High flow Nasal Cannula System) Nasal Cannula System) Pediatric Nasal Cannula Cannula 1. AIRVO 2 (Heated Humidified High flow Nasal Cannula System) Visual and audible alarm indication for tube disconnects leaks, tube blockages and water out hardware fault with error Codes. Audible power failure alarm. Device should have thermal disinfection mode to minimize contamination Heated tube for sterilization of device should be provided Certification – USFDA Device should have two years of replacement warranty from Manufacturer Machine should be installed on Mounting Tray and Pole with Castor C& IV Hook 2. Infant Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro The Circuit should have integrated temperature sensor with no need of external probes, cables or adapter	
Cheated Humidified High flow Nasal Cannula System Device should have thermal disinfection mode to minimize contamination Heated tube for sterilization of device should be provided Certification – USFDA	
Device should have thermal disinfection mode to minimize contamination Heated tube for sterilization of device should be provided Certification –USFDA Device should have two years of replacement warranty from Manufacturer Machine should be installed on Mounting Tray and Pole with Castor C& IV Hook 2. Infant Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro 3. Pediatric Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro The Circuit should have integrated temperature sensor with no need of external probes, cables or adapter	ith 01
Heated tube for sterilization of device should be provided Certification –USFDA Device should have two years of replacement warranty from Manufacturer Machine should be installed on Mounting Tray and Pole with Castor C& IV Hook 2. Infant Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro 3. Pediatric Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro The Circuit should have integrated temperature sensor with no need of external probes, cables or adapter	
Device should have two years of replacement warranty from Manufacturer Machine should be installed on Mounting Tray and Pole with Castor C& IV Hook 2. Infant Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro 3. Pediatric Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro The Circuit should have integrated temperature sensor with no need of external probes, cables or adapter	
from Manufacturer Machine should be installed on Mounting Tray and Pole with Castor C& IV Hook 2. Infant Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro 3. Pediatric Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro The Circuit should have integrated temperature sensor with no need of external probes, cables or adapter	
Machine should be installed on Mounting Tray and Pole with Castor C& IV Hook 2. Infant Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro Pediatric Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro The Circuit should have integrated temperature sensor with no need of external probes, cables or adapter	
Machine should be installed on Mounting Tray and Pole with Castor C& IV Hook 2. Infant Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro Pediatric Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro The Circuit should have integrated temperature sensor with no need of external probes, cables or adapter	
with Castor C& IV Hook 2. Infant Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro 3. Pediatric Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro The Circuit should have integrated temperature sensor with no need of external probes, cables or adapter	
2. Cannula Hydrocolloid Adhesive Pads on Velcro Pediatric Nasal Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro The Circuit should have integrated temperature sensor with no need of external probes, cables or adapter	
Cannula Hydrocolloid Adhesive Pads on Velcro Pediatric Nasal Nasal Cannula with wiggle pads and should have Hydrocolloid Adhesive Pads on Velcro The Circuit should have integrated temperature sensor with no need of external probes, cables or adapter	06
The Circuit should have integrated temperature sensor with no need of external probes, cables or adapter	Pcs.
Cannula Hydrocolloid Adhesive Pads on Velcro The Circuit should have integrated temperature sensor with no need of external probes, cables or adapter	04
with no need of external probes, cables or adapter	Pcs.
Patient The Circuit pack should have a humidifier chamber with	05
4. Breathing dual float technology making it auto water fill chamber	Pcs.
Circuit The Circuit should have spiral heating fine wire inside	
the circuit to gently and accurately deliver and humidified gases.	
5 Oxygen inlet	01
extension tube	Pcs.
6. Air Filter -	02 Pcs.

Note:-

• The supplier may be asked to arranging demonstration of their equipment for which rates have been quoted, to the AIIMS Jodhpur, if required. The expenditure incurred for demonstrating the items will be borne by the supplier.

[On the letterhead of firm] ANNEXURE "2" PRICE BIDFORM

\cap

Administrative Officer,

System at AIIMS Jodhpur".

CANNULA SYSTEM AT AIIMS AGAINST THE INQUIRY NO. Admn/C		
quotation for Enquiry No. "QUOTATION FOR HEATED HUMIDIFIED HIGH I		
1. I/We	Submitted	the
Dear Sir,		
Minus, Jounpur.		

2. I/We thoroughly examined, understood and accepted terms & conditions given in the enquiry document, failing which my quotation will be rejected out rightly.

AIIMS.JDH" DUE ON 05.03.2019 05.00 PM for Heated Humidified High Flow Nasal Cannula

3. I/We hereby offer to supply at the following rates.

S. No	Particular	Qty	Quote Make	Price/Unit Exclusive of GST (INR)	GST/ Other Taxes	Price/ Unit Inclusive of GST (INR)	MRP
1.	AIRVO 2 (Heated Humidified High flow Nasal Cannula System)	01 Pcs.					
2.	Infant Nasal Cannula	06 Pcs.					
3.	Pediatric Nasal Cannula	04 Pcs.					
4.	Patient Breathing Circuit	05 Pcs.					
5.	Oxygen inlet extension tube	01 Pcs.					
6.	Air Filter	02 Pcs.					
	Total Amount In Figure						
(Inclus	sive of all Taxes and Other Cha	rges)					
	Total Amount In Word						
(Inclus	sive of all Taxes and Other Chai	rges)					

Note:

- 1. The Bidder must quote only single Make & Model.
- 2. The bidder must quoted their quotation only in above said format on the letter of firm otherwise quotation will be REJECTED.
- 3. Catalog must be attached with quotation for technical evaluation.
- 4. The Bidder must submit the GSTIN Registration and PAN Card self-attested copy with the quotation.
- 5. The supplier may be asked to arranging demonstration of their equipment for which rates have been

Date		
lace		
	(Signature of Authorized Person)	
	(Name)	
	Name of Firm/Company/Agency	
	Phone No	
	Email:	