Invitation of quotation for Supplying electric Cables for CT at Trauma, AIIMS-Jodhpur.

Inquiry No.
Inquiry Issue Date
Last Date of Submission

AIIMS/Jodh./E.E. (E)./Q.N./2020/08 (second call) 29 Sept 2020 03 Oct 2020 at 03:00 PM



All India Institute of Medical Sciences, Jodhpur

Basni Phase - II, Jodhpur – 342005, Rajasthan Telefax: 0291- 2012978 <u>www.aiimsjodhpur.edu.in</u>

Work of the second



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, JODHPUR अखिल भारतीय आयुर्विज्ञान संस्थान, जोधपुर

Inquiry No. AIIMS/Jodh. /E.E. (E)./Q.N./2020/08 (second call)

Dated: 29 Sept 2020

QUOTATION NOTICE

Sealed Quotations are invited from the vendors/supplier/contractor on behalf of the Director, AIIMS Jodhpur for Supplying electric Cables for CT at Trauma, AllMS-Jodhpur, On or before 03 Oct 2020 up to 3:00 PM.

General Terms and Conditions:

- The quotations received after 03 Oct 2020 or unsealed shall not be entertained under any circumstances whatsoever. In case of postal delay, this Institute will not be responsible. The offer Submitted by/through Fax/Email shall not be considered and no correspondence will be entertained in this matter.
- Quotations must be in the enclosed prescribed format duly signed by the Proprietor/Partner/Director or their Authorized Representative, in case of signing of quotation by the authorized representative letter of authorization must be attached with the quotation. Quotation must be dropped in "Quotation Box" located in Administration Block of AIIMS, Jodhpur. Quotation must be in a sealed envelope super scribed with inquiry number.
- 3. Rates must be quoted in "Indian Rupees" and as per the format specified taxes extra if any must be written separately.
- Rates must be quoted FOR basis (including Freight charges, Insurance, installation etc.) 4.
- No overwriting or cutting is permitted in the rate. If found, the quotation shall be summarily rejected. 5.
- The rates quoted must be valid for 90 days minimum from the date of opening of the quotation. 6.
- L1 will be decided on composite basis. Becoming L1 will not be the criteria for awarding of work unless the rates are reasonable & justified.
- RTGS/NEFT details need to be furnished by the supplier with the quotation on the Annexure A. 8.
- Quotations qualified by such vague and indefinite expressions such as "subject to prior confirmation", "subject to immediate acceptance" etc. will be treated as vague offers and rejected accordingly. Any conditional quotation shall be rejected summarily.
- 10. The time allowed for carrying out the above work is 15 days from date of issue of work order.
- 11. If the supplier/vendor/contractor fails to carry out the above work on or before the stipulated date, then a penalty at the rate of 0.5 % per week of the total order value shall be levied subject to maximum of 10% of the total order value.
- 12. Payment Terms: Payment will be only after satisfactory completion of work / supply of material within stipulated time and after inspection by the AIIMS Jodhpur on producing GST Invoice.
- 13. Disputes: In the event of any dispute or disagreement arising between the contractors and any other department of AIIMS Jodhpur with regards to the interpretation of "Terms & Conditions" of this inquiry, the same shall be referred to the Director, AIIMS Jodhpur whose decision will be final and binding upon the contractor.
- 14. AIIMS, Jodhpur reserves the right to increase or decrease quantity and /or amount of work. Decision of Quantity of work in the AIIMS, Jodhpur will be final in this regard.
- 15. AllMS, Jodhpur reserves the right to reject any quotation or part or the whole of inviting quotation process without assigning any reason. Decision of the AIIMS, Jodhpur will be final in this regard.

Special Terms & Conditions:

Bidder must quote rate in Price Bid Form provided in Annexure A.

Executive Engineer (Electrical)

ANNEXURE "A" **Price Bid Form**

To,

The Executive Engineer (Electrical), AllMS, Jodhpur.

Dear Sir,

1.	I/We M/s
	(E)./Q.N./2020/08 (second call) at AIIMS Jodhpur".

- 2. I/We thoroughly examined, understood and accepted terms & conditions given in the enquiry document, failing which 3. I/We hereby offer to supply at the following rates.

No.	Detaile				
	Providing XLPE insulated & P.V.C. sheathed cable of 1.1kV grade with Aluminium Un armound the 1.1kV grade with 1.1kV grad	Unit	Qty.	Rate	Amount
L	cable etc anductor				
a	Make: Havell's / Poycab / RRKable / Finolex / Gloster. 1Core x 1000.0 Sq.mm				
b	1Core x 630.0 Sq.mm	Meter	30.00		
2	Supplying heavy duty single compression brass gland SIBG type, heavy duty aluminium lugs etc for following size of 1.1kVolt grade as required of size. Make: Comex/ Comet / Jainson	Meter	10.00		
a	Heavy duty single compression brass gland SIBG				
<u> </u>	1Core x 1000.0 Sq.mm	Each	6.00		
ii	1Core x 630.0 Sq.mm	Each	2.00		
b ·	Heavy duty aluminium lugs (Pin / ring type)	-4311	2.00		
<u>i</u>	1Core x 1000.0 Sq.mm	Each	6.00		
ii	1Core x 630.0 Sq.mm Supply following sizes of powder coated perforated	Each	2.00		
3	M.S. cable trays including horizontal and vertical bends, reducers tees, cross members and other accessories as required with M.S. suspenders, fastners, supports etc. as required of Make: Profab/ Pilco/ Needo				
а	225mm x 50mm x 1.6mm	Meter	40.00		-
4	Supply wall mounted dust & vermin proof compartmentalised cubical panel made out of CRCA sheet, required hardwares, duly treated for derusting in 7 tank process with dephosphating and with powder coating on both side of panel in desired shade. The panel having PU/ Neoprene rubber gasket of not less than 3mm thickness, separate detachable gland plate M.S. base channel, hinged doors with locking arrangement for all equipments & switchgears. Thickness of sheet shall not be less than 1.6 mm up to 600 mm length / width of any compartment and be of 2.0 mm above 600 mm. Load bearing structure shall be of 2.0 mm thick sheet supported by base M.S. channel if required. Side walls compartments having bolted type doors with & without detachable extension type structure. (only outer area on all sides shall be measured)	Sq. Mtrs.	3.80		

i	Supplying & fixing in above cubical panel Copper bus bar by means of SMC / DMC type insulator, high tensile nuts and bolts spring washers in required shape and size and colour coding with heat shrinkable PVC sleeves					
а	Electrolytic grade Copper bus bar (50x15mm)	Kg.	26.60		-	
6	Supplying & Fixing of 110/220 V, LED (22.5 mm dia) Indicating lamp with Integral circuit, terminal block, including connection etc. as required of Make: Schneider / L&T / Seimens	1.3	20.00			
a	Red colour	Each	1.00		_	
b	Yellow colour	Each	1.00			
С	Green colour	Each	1.00			
7	Supplying quick make and quick break 4 POLE, 800 Amp, 50 kA, adjustable O/L & adjustable S/C setting, Ics = 100 % Icu With Microprocessor based release current limiting MCCB having following current rating, short circuit breaking capacity at 440/415 V, 50 Hz; O/L & S/C settings and conforming to IS 60947-2 / IEC 60947-2 with front face and centralised adjustable, line load interchangeability, having positive isolation capability, provision for UVR, shunt trip, earth fault trip, push (test) to trip etc. as required of Make: Schneider / L&T / Seimens / ABB / Legrand	Each	1.00			
_	Total Amount (Exclusive GST)					
-	GST @ 18 %					
Total (Inclusive of GST)						

Date	
Place	

Signature of Authorised Person:	
Name of the Firm/Agency:	
Phone No:	
Firm GST No:	
Bank Account No. :-	
IFSC Code:	
Seal:	