

**RATE CONTRACT**  
**for**  
**SUPPLY OF CONSUMABLES**  
**for**  
**DEPARTMENT OF ANAESTHESIOLOGY AND ICU**  
**at**  
**ALL INDIA INSTITUTE OF MEDICAL SCIENCES (AIIMS),**  
**JODHPUR**

<b>NIT No.</b>	<b>:</b>	<b>Admin/RC/08/2022-AIIMS.JDH</b>
<b>NIT Issue Date</b>	<b>:</b>	<b>12-Apr-2023 (Wednesday) (03:00 PM)</b>
<b>Last Date of Submission</b>	<b>:</b>	<b>11-May-2023 (Thursday) (03:00 PM)</b>
<b>Date of Opening</b>	<b>:</b>	<b>12-May-2023 (Friday) (03:00 PM)</b>
<b>Pre-Bid Meeting</b>	<b>:</b>	<b>20-Apr-2023 (Thursday) (03:00 PM Onwards)</b>

Tender documents may be downloaded from institute's web site [www.aiimsjodhpur.edu.in](http://www.aiimsjodhpur.edu.in)  
(for reference only) and CPPP site <https://eprocure.gov.in/eprocure/app>



**All India Institute of Medical Sciences, Jodhpur**  
Basni Phase – II, Jodhpur – 342 005, Rajasthan  
Phone: 0291-2740741, Email: [procurement@aiimsjodhpur.edu.in](mailto:procurement@aiimsjodhpur.edu.in)  
Website: <http://www.aiimsjodhpur.edu.in>

All India Institute of Medical Sciences (AIIMS), Jodhpur, Rajasthan, an apex healthcare institute established by an Act of Parliament of India under aegis of Ministry of Health & Family Welfare, Government of India, invites Online bids in two bid system for Rate Contract for *Consumables for Anaesthesiology & ICU* Items. You are requested to quote your best offer along with the complete details of specifications, terms & conditions.

### **General Instructions to Bidders:**

1. Bids shall be submitted online only at CPPP website: <https://eprocure.gov.in/eprocure/app>
2. The complete bidding process is online. Bidders should be in possession of valid digital Signature Certificate (DSC) of class II or III for online submission of bids. Prior to bidding DSC need to be registered on the website mentioned above. For any assistance for e-bidding process, if required, bidder may contact to the helpdesk at **0291-2740741**.
3. Tenderers / Contractors / Bidders are advised to follow the instructions provided in the 'Instructions to the Contractors / Tenderer / Bidders' for the e-submission of the bids online through the Central Public Procurement Portal for e-Procurement at <https://eprocure.gov.in/eprocure/app>.
4. Bid documents may be scanned with 100 dpi with black and white option, which helps in reducing size of the scanned document.
5. Before formulating the bid and submitting the same to the purchaser, the bidder should read and examine all the terms, conditions, instructions, etc. contained in the Tender Document. Failure to provide and/or comply with the required information, instructions etc. incorporated in these Tender Documents may result in rejection of its Bid.
6. The rates quoted, approved and accepted by the Director, AIIMS shall be valid for **Two Years** from the date of **AWARD OF CONTRACT**. (Extendable on mutual agreement, if required).
7. Bidders are requested to quote their prices on a firm & fixed basis for the entire period of the Contract. Bids of the firms received with prices quoted on variable basis shall be rejected without assigning any reasons and no communication in this regard shall be made.
8. The concerned Firm / Company whose product has been declared as of spurious or adulterated quality and any criminal cases is filled and is pending in any court shall not be eligible to participate in the bidding process. Convicted firms/company shall also not be eligible to participate in the bid. Similarly, Blacklisted / Banned / Debarred/ Bankrupt / Being Wound Up Firms / Company by any Central Government / State Government / Autonomous Bodies / Central Drug Procurement Agency is not eligible to participate in the bid.
9. Bidder must note that all the pages of bid document being submitted must be signed and sequentially numbered by the bidder irrespective of nature of content of the documents before

uploading. All pages of the Tender must be numbered and indexed. Only one tender shall be submitted by one tenderer.

10. The bidder shall provide in its tender the required as well as the relevant documents like technical data, literature, drawings etc. to establish that the goods and services offered in the tender fully confirm to the goods and services specified by the AIIMS, Jodhpur in the tender documents. For this purpose, the bidder shall also provide a clause-by-clause commentary on the technical specifications and other technical details incorporated by the AIIMS, Jodhpur in the tender documents to establish technical responsiveness of the goods and services offered in its tender duly indicating relevant page numbers in the product literature.
11. Signed & stamped compliance sheet of the technical specification of the goods with technical printed literature must be enclosed with the bid. Descriptive literature / catalogues must be attached with the tender in original failing which tender may be ignored.

12. **SUBMISSION OF TENDER:**

The tender shall be submitted online in two part, viz., **Technical Bid (Annexure-I)** and **Financial Bid** (in attached **BOQ in CPP Portal**).

The offers submitted by Telegram/Fax/email/Hard Copy shall not be considered. No correspondence will be entertained in this matter.

I. **TECHNICAL BID -**

The following documents are to be furnished by the bidder along with **Technical Bid** as per the tender document:

- i. Valid **Registration Certificate** of the firm of the Govt. / State Govt.
- ii. Copy of **Constitution** or **Legal Status** of the Bidder / Manufacturer / Sole Proprietorship /Firm / Agency etc.
- iii. Duly filled format of **Technical Bid** as per **Annexure-I**.
- iv. Duly signed **Tender Acceptance Form** as per **Annexure-II**.
- v. Duly signed copy of “**List of Quoted Items**” as per **Annexure-IV**.
- vi. Scanned Copy of all the undertakings and other Documents as per NIT.
- vii. Only **Original Manufacturer** and **Authorized Dealer / Marketer** (provided **Manufacturer Authorization Certificate** attached by bidder as per **Annexure-III**) are eligible for bidding
- viii. **Financial Status:** - Bidder must have an average annual turnover of **₹ 10 Crores (Ten Crores)** during the last 3 financial years (**2019-20, 2020-21 & 2021-22**) for similar products (Copies of **Profit & Loss Account and Balance Sheets** of Last Three Financial Years (**2019-20, 2020-21 & 2021-22**) duly authenticate by a Chartered Accountant should be enclosed).
- ix. Copy of **Income Tax Return** for last Three Financial Years (**2019-20, 2020-21, 2021-22**).

- x. Copy of **PAN Card**.
- xi. Copy of **GSTIN Registration Certificate**.
- xii. Detailed list of Major clients (Government and Private Institutions) where item(s) are presently provided by the tenderer or supplied during last 03 (Three) Years (2019-20, 2020-21 & 2021-22).
- xiii. The firm should not be blacklisted in the past by any government/ Private institution and there is no Vigilance/CBI case pending against the firm supplier. In this regards bidder must submit the attached ***Non Blacklisting Certificate*** as per ***Annexure-V***.
- xiv. Brochure, original technical catalogue with detailed specification and picture of the product offered, if relevant.
- xv. The bidder must upload required Quality Assurance Certifications (If applicable for any item) /documents in techno-commercial bid for each items along with item no. i.e., self- attested copies of CE/USFDA/ISO/BSP/USP/WHO/GMP/BIS as mentioned in the specification of particular tender items, failing which the offer for such items will be rejected.
- xvi. Mandate form.

**II. FINANCIAL BID - Bidder must submit the Financial Bid in attached BOQ in CPP Portal.**

**Note: -**

1. Price should be quoted as per S. No. inclusive of all item/components/accessory in that particular S. No.
2. L1 will be decided on the basis of whole price quoted for that particular Serial No. irrespective of their components/Specification.
3. Schedule of price bid in the form of BOQ\_XXXX.xls: The Price Bid format is provided as BoQ\_XXXX.xls along with this Tender Enquiry Document at <https://eprocure.gov.in/eprocure/app>. Bidders are advised to download this BoQ\_XXXX.xls as it is and quote their offer / rates in the permitted column and upload the same in the commercial bid. Bidder shall not tamper / modify downloaded price bid template in any manner. In case if the same is found to be tempered / modified in any manner, tender will be completely rejected out rightly.

## General Terms and Conditions

**Subject: - Notice Inviting bids for Rate Contract for supply of Consumables for Department of Anaesthesiology and ICU at All India Institute of Medical Sciences, Jodhpur.**

**1. PARTIES:**

The parties to the contract are the contractor (the tenderer to whom the work have been awarded) and the AIIMS through Administrative Officer, All India Institute of Medical Sciences, Jodhpur for and on behalf of the Director, AIIMS, Jodhpur.

**2. Pre-Bid Meeting**" with the intending bidders shall be held at *Conference Hall, Medical College Building, AIIMS Jodhpur*. All the prospective bidders are requested to submit their representations in hardcopy & email on [procurement.aiimsjodhpur@gmail.com](mailto:procurement.aiimsjodhpur@gmail.com) or [procurement@aiimsjodhpur.edu.in](mailto:procurement@aiimsjodhpur.edu.in) on or before the said date. Representations received thereafter will not be considered further. The envelope containing the representation/ E-mail Subject should super-scribed as under: - "Representations w.r.t. Rate Contract for supply of *Consumables for Department of Anaesthesiology and ICU* at AIIMS, Jodhpur (NIT No. - Admin/RC/08/2022-AIIMS.JDH dated 12-Apr-2023)".

**3.** Proposal for rate contract may be submitted in the prescribed format and all columns may be filled up. Incomplete proposals and tenders received after due date shall not be entertained. The Institute shall not be responsible for any postal delay and delay in receipt of the offer. Any bids received by the Institute which does not fulfill the desired terms and conditions shall be rejected out rightly and no communication in this regard shall be sent. **Delayed / Late Bids will not be accepted, in any circumstances.**

**4.** Quotations qualified by such vague and indefinite expression such as "SUBJECT TO PRIOR CONFIRMATION" or "SUBJECT TO IMMEDIATE ACCEPTANCE" etc. will be treated as vague offers and rejected accordingly. Any conditional bid shall be rejected summarily.

**5.** Tenderer shall not be permitted to withdraw his offer or modify the terms and conditions thereof. In case the tenderer fails to observe and comply with stipulation made herein or backs out after quoting the rates, the aforesaid amount of earnest money will be forfeited.

**6.** No Bidder(s) shall be allowed at any time on any ground whatsoever to claim revision of or modification in the rates quoted by him. Clerical error, typographical error etc. committed by the Bidder(s) in the tender forms will not be considered after opening of the Bids. Conditions such as "SUBJECT TO AVAILABILITY" or "SUPPLY WILL BE MADE AS AND WHEN SUPPLIES ARE RECEIVED" etc. will not be considered under any circumstances and the Bids of those who have given such conditions shall be treated as incomplete and for that reason, shall be summarily rejected.

**7.** The Manufacturers (OEMs) / Principals offering for the Rate Contract may furnish the name and address of their local authorized distributor / dealer, so that the copies of orders can be endorsed to them for expeditious supply. In such cases where local dealers / stockiest has been nominated

by the principal; the bills raised by them against our purchase order will be accepted.

8. The supply of goods made through valid authorized dealer, their Name & Mail Address may be declared / indicated in the tender. Any addition and deletion of authorized dealership/distributorship shall be intimated to the undersigned immediately on authorization of a new party.
9. At any time prior to date of submission of tender, Tender Inviting Authority may for any reason or decision, modify the terms & conditions of the tender document by a corrigendum displayed on the website of AIIMS Jodhpur (<http://www.aiimsjodhpur.edu.in>). In order to provide reasonable time to take the amendment into account in preparing their bid, Tender Inviting Authority may or may not, at his discretion, extend the date and time for submission of tenders.
10. Authorization certificate in respect of Foreign Firms duly self-attested and showing **VALIDITY PERIOD** may be submitted.

11. **SPECIFICATION:**

The Contractor must confirm in writing that the goods supplied by them shall be as per specification of goods mentioned in **Annexure-XIII** and in case of any variation, the contract shall be liable to be cancelled immediately. The Security cum Performance Guarantee will also be forfeited. Bids which are not meeting the bid specifications are not permitted and will be rejected. Full description & specifications, make / brand and name of the manufacturing firm must be clearly mentioned in the tender failing which the tender will not be considered. The tenderer must also mention whether the goods are imported / indigenous. Descriptive literature / catalogues must be attached with the tender in original failing which tender may be ignored.

12. **BID CURRENCIES**

The bidder supplying indigenous goods or already imported goods shall quote only in **Indian Rupees (INR)**. Bids, where prices are quoted in any other way shall be treated as non - responsive and rejected.

13. **BID PRICES**

- i. The Bidder shall indicate in the Price Schedule provided in BoQ all the specified components of prices shown therein including the unit prices on Free Delivery at Site basis, applicable GST, HSN Code, it proposes to supply against the requirement. The Bidders shall indicate MRP in the relevant column against each item of BoQ. The details about make & model, if applicable, may also be indicated. All the columns shown in the Price Schedule should be filled up as required.
- ii. In no case, the quoted rates should be more than MRP at the time of submission of quotation. If subsequently during the currency of Rate Contract there is decreased in MRP, the bidder shall inform the purchaser promptly along with revised reduced rates on pro-rata basis. In case, if bidder quotes more than MRP and/or does not inform purchaser about reduction in MRP, it will be viewed seriously and appropriate administrative action will be taken including de-barring the firm.

- iii. The rate quoted by firm should be final and written in ink or typed against each item and should not be overwritten.

#### 14. **VALIDITY OF THE BIDS:**

- i. The quoted rates must be valid for a period for 180 days from the date of closing of the tender. The overall offer for the assignment and bidder(s) quoted price shall remain unchanged during the period of validity. If the bidder quoted the validity shorter than the required period, the same will be treated as unresponsive and it may be rejected.
- ii. In case the tenderer withdraws, modifies or change his offer during the validity period, bid is liable to be rejected and the earnest money deposit shall be forfeited without assigning any reason thereof. The tenderer should also be ready to extend the validity, if required, without changing any terms, conditions etc. of their original tender.

#### 15. **RIGHT OF ACCEPTANCE:**

The AIIMS, Jodhpur reserve the right to accept the whole or any part or portion of the bid; and the bidder shall provide the same at the rates quoted. The AIIMS Jodhpur reserve the right to reject any or all tenders / quotations or all offers received in response to the tender or cancel or withdraw the tender notice without assigning any reason thereof and also does not bind itself to accept the lowest quotation or any tender and no claim in this regard shall be entertained. The Institute reserves the right to accept in part or in full or reject any or more tender(s) without assigning any reasons or cancel the tendering process and reject all tender(s) at any time prior to award of contract, without incurring any liability, whatsoever to the affected bidder or bidder(s).

#### 16. **FIRM PRICE:**

- i. Prices quoted by the bidder shall remain firm and fixed during the period of the Rate Contract and not subject to variation on any account. Purchase Orders will be placed by Centers / Hospital / Departments / Store Sections against this Rate Contract till the period of Rate Contract. Statuary variation in GST will be applicable.
- ii. The Bidder(s) must quote rates including freight, insurance, cartage, labor charges etc. on Door Delivery basis at AIIMS, Jodhpur
- iii. Bids of the firms received with prices quoted on variable basis shall be rejected without assigning any reasons and no communication in this regard shall be made.
- iv. No escalation in rates on any account will be permitted during the contract period.

#### 17. **ALTERNATIVE MODELS / BRANDS / QUALITY**

Alternative Models / Brands / Quality are not permitted. The Bidder are required to quote Models/Brands/Quality of best quality meeting tender specifications. Wherever, a bidder quotes alternative Models / Brands / Quality, there bid will not be considered for that item.



**18. SAMPLE /DEMONSTRATION:**

- i. The tenderers may be asked/required to submit samples of the quoted items (without indicating price, clear marking of firm / agency name in each of item) ***when required by the Institute***, for quality evaluation, failing which their bids/offer shall be rejected and in case all the expenses will be borne by the tenderer. Purchase will be done only after the approval of the quality of the product by the Competent Authority. Samples should be submitted separately at **Central Store, AIIMS Jodhpur**.
- ii. The firms are intimated that they should be ready for demonstration as per requirement of items and only ***ONE-WEEK*** time will be provided for arrangement of demonstration, if required, and no request for extending time for demonstration will be entertained. Failure to demonstration will result in rejection of offer.

**19. SIGNING OF TENDER:**

Individual signing the tender or other documents connected with contract must specify whether he/she signs as:

- i. A sole proprietor of the concern or constituted attorney of such sole proprietor;
- ii. A partner of the firm, if it is a partnership firm in which case he must have authority to execute the contracts on behalf of the firm and to refer to arbitration disputes concerning the business of the partnership either by virtue of the partnership agreement or by a power of attorney duly executed by the partners of the firm.
- iii. Director or a principal officer duly authorized by the Board of Directors of the Company, if it is a company.
- iv. A person signing the tender form or any document forming part of the contract on behalf of another person shall be deemed to warranty, that he has authority to bind such other person. If, on enquiry it appears that the person so signing had no authority to do so, AIIMS, Jodhpur may without prejudice, cancel the contract and hold the signatory liable for all costs, consequences and damages under the civil and criminal remedies available.

**20. TECHNICAL EVALUATION:**

- i. Detailed technical evaluation shall be carried out by Purchase Committee pursuant to conditions in the tender document to determine the substantial responsiveness of each tender. For this clause, the substantially responsive bid is one that conforms to all the eligibility and terms and condition of the tender without any material deviation. The Institute's determination of bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence. The Institute shall evaluate the technical bids also to determine whether they are complete, whether required sureties have been furnished, whether the documents have been properly signed and whether the bids are in order.
- ii. The Technical Evaluation Committee may call the responsive bidders for discussion or presentation to facilitate and assess their understanding of the scope of work and its execution. However, the committee shall have sole discretion to call for discussion / presentation.

- iii. Financial bids of only those bidders who qualify the technical criteria will be opened provided all other requirements are fulfilled.
- iv. AIIMS Jodhpur shall have right to accept or reject any or all tenders without assigning any reasons thereof.

## 21. FINANCIAL EVALUATION:

- i. The financial bid shall be opened of only those bidders who are found to be technically eligible.
- ii. Arithmetical errors shall be rectified on the following basis:
  - a. If there is a discrepancy between the **Unit Price and Total Price** (which is obtained by multiplying the unit price by the quantity), then the **Unit Price** shall prevail and the total price shall be corrected accordingly.
  - b. If there is a discrepancy between **Words and Figures**, the **Lesser Amount** shall be considered as valid.
  - c. If the Supplier **does not accept the correction** of the errors, his **bid shall be rejected**.
- iii. After due evaluation of the bid(s) AIIMS, Jodhpur will award the contract to the lowest evaluated responsive tenderer. **L-1** will be decided on individual item basis.
- iv. Conditional bid will be treated as unresponsive and will be rejected.
- v. Bidder must quote the **Financial Bid** as specified in **BOQ**.
- vi. AIIMS Jodhpur, reserves the right to reject any or all offers received in response to tender or cancel or withdraw the tender notice without assigning any reason, whatsoever.

22. To assist in the analysis, evaluation and computation of the bids, the Purchase Committee of AIIMS, Jodhpur, may ask bidders individually for clarification of their bids. The request for clarification and the response shall be in writing but no change in the price or substance of the bid offered shall be permitted.

23. The Purchase Committee of AIIMS, Jodhpur shall go into all aspects including cost factors of Consumables and then decide for awarding of the tender, by quoting lower rates in respect of items, a firm does not become entitled to awarding the contract in its favor of those item(s). In order to get selection / consideration in the panel of two or three vendors for awarding of contract (in case the contract is to be awarded to more than one vendor), the criteria of selection for awarding contract will be calculating / comparing the rate of items consumed by the AIIMS, Jodhpur throughout the year and as per the requirement in view of quality, as deemed fit by the Purchase Committee. The firm has to provide samples for the items for evaluation of Purchase Committee if required. The committee will reject the quotations of the bidders whose quotation will not found of quality required by AIIMS, Jodhpur. AIIMS, Jodhpur reserves the right to accept / reject any quotation either in part or full without assigning any reason thereof, or award the contract to different supplier(s), for different item(s), if feasible after considering the credentials, manufacturing, capability, quality and distribution rights of the item(s). The firm are, therefore,

requested to attach their credentials in regard to supply of items and experience in the field, distribution rights and their annual turnover.

**24. AWARD OF CONTRACT:**

The Institute shall consider placement of orders for jobs to those bidders whose offers have been found **Technically** and **Financially Acceptable**. The Institute reserves the right to counter offer price(s) against price(s) quoted by any bidder. **L1** will be decided on individual item basis.

**25. PURCHASE PREFERENCE TO LOCAL SUPPLIERS:**

In pursuance of Government of India's *Order No. P-45021/2/2017-PP (BE-II) dated 16-Sep-2020 (as amended from time to time)* and **F. No.: Z. 28018/67/2017-EPW dated 24-Jun-2020 (revised)**, purchase preference shall be given to local suppliers in all procurements undertaken in the manner specified hereunder and the procurement shall be made as per terms and conditions contained in the said order.

**26. MINIMUM LOCAL CONTENT:**

The minimum local content shall as per Government of India's *Order No. P-45021/2/2017-PP (BE-II) dated 16-Sep-2020 (as amended from time to time)* and **F. No.: Z. 28018/67/2017-EPW dated 24-Jun-2020 (revised)**, till the Nodal Ministry prescribes a higher or lower percentage.

**27. MARGIN OF PURCHASE PREFERENCE:**

The **Margin of Purchase Preference** shall be **20%**. The Local supplier whose quoted price falls in the **Margin of Purchase Preference** desirous of claiming benefit of the *Order No. P-45021/2/2017-PP (BE-II) dated 16-Sep-2020 (as amended from time to time)*, shall submit an undertaking **within 7 days** of opening of Financial Bid, that he would be ready to supply the product at **L1 price**. In case of non- receipt of the same, he would not be given **Purchase Preference**.

28. The bidders are required to submit the following annexure in compliance of public procurement (Preference to *Make in India*) order, 2017.

i) Affidavit of self-certification regarding local content (to be provided on ₹ 100/- stamp paper) (*Annexure-X*).

29. All other terms & conditions will be as per the Department of Industrial Policy and Promotion (DIPP)'s *Order No. P-45021/2/2017-PP (BE-II) dated 16-Sep-2020 (as amended from time to time)* and as per Manual for Procurement of Goods i.e. **GFR-2017** etc.

**30. SIGNING THE CONTRACT:**

The successful bidder shall be required to execute the Contract Agreement accepting all terms and conditions stipulated herein on a non-judicial stamp paper of Rs. 500/- (Rs. Five Hundred only) along with performance security within fifteen days of the issue of the Letter of notification of award. In the event of failure on the part of the successful bidder to sign the Contract within the period stipulated above, the EMD shall be forfeited and the acceptance of BID shall be considered as cancelled.

**31. PERFORMANCE SECURITY:**

- i. The Successful bidder will be required to submit the performance security in the form of Fixed Deposit Receipt or Bank Guarantee from any Nationalized Bank duly pledged in the name of the "All India Institute of Medical Sciences, Jodhpur" payable at Jodhpur within 15 days from the award of contract for an amount in multiplication of ₹ 20,000/- (**Rupees Twenty Thousand Only**) per awarded item subject to Minimum ₹ 2,00,000/- (**Rupees Two Lacs only**) and Maximum ₹ 5,00,000/- (**Rupees Five Lacs only**). (*Annexure-VIII*)
- ii. The security deposit of successful bidders should be valid for the period of Two and half Year from the date of award of the contract and shall be refunded without any interest on it after 60 days from completion of the contractor's performance obligations under the contract as per order, or after the expiry of contract on satisfactory completion of the same whichever is later.
- iii. The security deposit can be forfeited by the Institute in the event of any breach or negligence or non-observance of any condition of contract or for unsatisfactory performance of the contract.
- iv. In case, the successful bidder shows inability at any stage, after the contract is finalized and awarded for whatsoever reason(s), to honor the contract, the EMD/Performance Security deposited would be forfeited.
- v. No interest on security deposit and earnest money deposit shall be paid by the Institute to the tenderer.

**32. EMD/BID SECURITY:**

- i. EMD Payment: The bidder shall be required to submit the Earnest Money Deposit (EMD) for an amount of ₹ 2,00,000/- (**Rupees Two Lacs Only**) by way of Demand Drafts or Bank Guarantee only. The demand drafts or Bank Guarantee shall be drawn in favour of "All India Institute of Medical Sciences, Jodhpur". The EMD of the successful bidder shall be returned after the successful submission of Bank Guarantee / Security Deposit and for unsuccessful bidder(s) it would be returned after award of the contract. The demand drafts or Bank Guarantee for EMD must be delivered to AIIMS, Jodhpur on or before last date / time of Bid Submission. The Hard Copy of original document in respect of earnest money deposit etc. must be delivered to the AIIMS, Jodhpur on or before last date/time of Bid Submission as mentioned above. The bid without EMD will be summarily rejected. amount of ₹ 2,00,000/- (**Rupees Two Lacs Only**) by way of Demand Drafts or Bank Guarantee.
- ii. In case, EMD is submitted by way of Bank Guarantee, it should remain valid for 45 days beyond bid validity period. Bank Guarantee should be payable at Jodhpur only.
- iii. Tenderer shall not be permitted to withdraw his offer or modify the terms and conditions thereof. In case the tenderer fails to observe and comply with stipulation made herein or backs out after quoting the rates, the aforesaid amount of earnest money will be forfeited.

- iv. The Tenders without Earnest Money will be summarily rejected.
- v. The Firm who are registered with National Small Industries Corporation (NSIC) / or Small Scale Industries (SSI) / MSMEs are exempted to submit the EMD (Copy of registration must be provide along with Technical Bid).
- vi. No Claim shall lie against the AIIMS in respect of erosion in the value or interest on the amount of EMD.
- vii. The EMD, in case of successful bidders shall be returned after submission of performance security and in case of unsuccessful Bidders shall be retained by the Purchaser, upto a maximum period of 30 days after award of contract. No interest will be payable by the AIIMS authorities on the EMD.

### 33. CONTRACT PERIOD:

The rate contract is initially for a period of **Two (02) years** and may be extended till new Rate Contract gets final subject to satisfaction of the All India Institute of Medical Sciences (AIIMS), Jodhpur and on mutual consent of both the parties subject to the condition/ rules framed by the Government of India from time to time.

34. The successful Tenderer shall also provide the name and Contact no of a key person, who can be contacted at any time, even beyond the office hours & on holidays also. The person should be capable of taking orders and making arrangement for supply of the desired items even on short notice to AIIMS, Jodhpur.

### 35. DELIVERY:

- i. Orders shall be issued for tentative annual requirement on actual need basis as and when required. The items will have to be supplied at AIIMS, Jodhpur on “Free Delivery at Site” basis. No transportation/ cartage /Freight/insurance charges will be provided for the same. The goods are to be supplied by F.O.R. destination and all the transit loss / expenses whatsoever, will be borne by the supplier/firm. All the aspects of safe delivery shall be the exclusive responsibility of the supplier.
- ii. All India Institute of Medical Sciences (AIIMS), Jodhpur shall be the sole authority to cancel or amend the order, as per requirement, and also to place order for supply of item beyond office hours/holidays/place of supply for which, no additional payment shall be made.
- iii. Delivery of goods shall be made by the supplier **within 14 days** of placing of purchase order, however, in case of emergent requirement he has to supply the required quantity of goods **within 1 week** of placing of order also. In few cases the items are to be delivered at a very short notice i.e. **within 24 hours**.
- iv. The tenderers must quote rates including freight, insurance, cartage, labor charges etc. on Door Delivery basis at AIIMS, Jodhpur.

- v. GST and other Govt. levies will be paid extra as applicable by the supplier.
- vi. Supply should be made in full against the order and shortage will be procured from other supplier on the risk and cost of the original supplier.

**36. LIQUIDATED DAMAGES:**

Supply of material will have to be completed within the stipulated period mentioned in the purchased order. The **Liquidated Damages Charges @ 0.5% Per Week** shall be imposed, if supply made after expiry of delivery period subject to maximum 10% of the total value of relevant goods. Quantum of liquidated damages assessed and levied by the purchaser shall be final and not challengeable by the supplier.

**37. RISK PURCHASE:**

If successful tenderer fails to supply material within the stipulated delivery date or material supplied other than specification specified in our NIT, AIIMS, Jodhpur reserves the right to **Terminate the Contract** for that item(s), **Forfeiture of Security Deposit** and to procure the same or equivalent material from alternative sources at the vendor's risk, responsibility and cost. Any extra cost incurred in the procurement of the material from alternative source will be recovered from the Security Deposit / Bank Guarantee and Pending Bills of existing firm and if the value of the materials under risk purchase exceeds, the amount of Security Deposit and / or Bank Guarantee and Pending Bills, the same may be recovered if necessary by due legal process.

**38. QUALITY OF GOODS:**

- i. In case the quality of goods supplied are not in conformity with the standard given in tender and as per the samples supplied or the supplies are found defective at any stage these goods shall immediately will be taken back by the supplier and will be replaced with the tender quality goods, without any delay.
- ii. The Purchase Committee reserves all right to reject the goods, if the same are not found in accordance with the required description / specifications and liquidates damages shall be charged.
- iii. Supply should be made from the latest batch of production with maximum life period & original packing.
- iv. Material shall be delivered at the AIIMS, Jodhpur with remaining ***Shelf-Life of at least 75% of the Stipulated Total Shelf-Life*** from the date of manufacturing of that product.

**39. INSPECTION:**

- i. AIIMS, Jodhpur shall have the right to inspect and / or to test the goods to check their conformity to the NIT Specifications at no extra cost to the AIIMS, Jodhpur.
- ii. AIIMS, Jodhpur right to inspect, test and, where necessary, reject the Goods after the goods arrival at the final destination shall in no way be limited or waived by reason of the Goods

having previously been inspected, tested and passed by AIIMS, Jodhpur prior to the goods shipment.

- iii. The Director, AIIMS Jodhpur shall be the final authority to reject full or any part of the supply which is not confirming to the specification and other terms and conditions.
- iv. No payment shall be made for rejected items. Rejected items must be removed by the bidders **within Two (02) Weeks** of the date of rejection at their own cost and replaced immediately. In case these are not removed, these will be auctioned at the risk and responsibility of the suppliers without any further notice.

#### 40. PAYMENT CLAUSE:

- i. The bill in triplicate may be sent to this office for settlement after satisfactorily delivery of the material. The bill should have full particulars of the items(s).
- ii. Payment shall be released after it is ensured that the items/quantity and quality of items supplied are to the entire satisfaction of this office and accepted. If any item is found to be defective, or not of the desired quality, the same shall be replaced by the supplier immediately, for which no extra payment shall be made by AIIMS, Jodhpur.
- iii. No payment shall be made in advance nor shall the loan from any bank or financial institutions be recommended on the basis of the order of award of work.
- iv. The contractor shall submit the bill only after supply of the material to the satisfaction of the AIIMS Jodhpur, on receipt of a pre-receipted bill invoice from the Contractor the case of issuing sanction and passing of bill for payment will be initiated. No payment will be made for goods rejected.
- v. The supplier shall not claim any interest on delay payment under the contract.
- vi. No revision in rate (on higher side) will be accepted during contract period.
- vii. The payment would be made for actual supply received and no claim in this regard should be entertained.

#### 41. FORCE MAJEURE:

- i. If, at any time during the subsistence of this contract, the performance in whole or in part by either party of any obligation under this contract is prevented or delayed by reasons of any war or hostility, act of public enemy, civil commotion, sabotage, fire, floods, explosion, epidemics, quarantine restriction, strikers lockout or act of God (hereinafter referred to as events) provided notice of happening of any such eventuality is given by party to other within 21 Days from the date of occurrence thereof, neither party shall by reason of such event be entitled to terminate this contract nor shall either party have any claim for damages against other in respect of such non-performance or delay in performance, and deliveries have been so resumed or not shall be final and conclusive.

- ii. Further, that if the performance in whole or in part of any obligation under this contract is prevented or delayed by reason of any such event for a period exceeding 60 days, either party may, at least option to terminate the contract.

42. The bidder must be a natural person, private entity, or public entity (State-owned enterprise or institution).

**43. SUBLETTING OF WORK:**

The firm shall not assign or sublet the work/job or any part of it to any other person or party without having first obtained permission in writing of AIIMS, Jodhpur, which will be at liberty to refuse if thinks fit. The tender is not transferable. Only one tender shall be submitted by one tenderer.

**44. RIGHT TO CALL UPON INFORMATION REGARDING STATUS OF WORK:**

The AIIMS, Jodhpur will have the right to call upon information regarding status of work / job at any point of time.

**45. FALL CLAUSE:**

- i. If at any time during the period of contract, the price of tendered items is reduced or brought down by any law or act of the Central or State Govt. or by the tenderer himself, the tenderer shall be morally and statutorily bound to inform AIIMS, Jodhpur immediately about such reduction in the contracted prices. The AIIMS, Jodhpur is empowered to unilaterally effect such reduction as is necessary in rates in case the tenderer fails to notify or fails to agree for such reduction of rates.

- ii. In case of any enhancement in TAXES due to statutory Act of the Govt. after the date of submission of the tenders and during the tender period, the additional TAXES so levied will be allowed to be charged extra as separate item without any change in price structure of the drugs approved under the tender. For claiming the additional cost on account of the increase in Taxes, the tenderer should produce letter from the concerned excise authorities indicating his commitment for the supply made to the AIIMS, Jodhpur on account of the increase in Taxes.

46. The tendering Firm / Agency / Company shall be bound by the details furnished by him / her to the All India Institute of Medical Sciences (AIIMS), Jodhpur while submitting the tender or at subsequent stage. Upon selection of the tendering Firm / Agency / Company, if at any stage, the documents furnished by him / her is found to be false or the quality of the articles or rates are found of poor quality / different specifications, it would be deemed to be a breach of terms of contract, the contract shall be cancelled at the discretion of competent authority and performance security shall be stand forfeited.

47. The AIIMS, Jodhpur reserves the right to place an order for supply of any items mentioned in the Financial Bid or otherwise, to any other firm(s) in emergency / unavoidable situation.

48. The AIIMS Jodhpur does not bind itself to accept the lowest bid or any bid and reserves the rights of accepting the whole or any part of the bid or portion of the job offered; and the bidder shall



provide the same at the rates quoted.

49. If a tendering Firm/Agency/Company decides to withdraw from the bidding before the financial bids are opened, the AIIMS, Jodhpur shall forfeit the EMD deposited with the technical bid.
50. The Institute reserves the right to accept in part or in full or reject any or more tender(s) without assigning any reasons or cancel the tendering process and reject all tender(s) at any time prior to award of contract, without incurring any liability, whatsoever to the affected bidder or bidder(s).
51. AIIMS Jodhpur reserves the right to conclude more than one rate contract for the same item.
52. AIIMS Jodhpur has the option to renegotiate the price with the rate contract holder.
53. The quantity of item given, if any, in the tender is tentative, which may be increased or decreased as per the institute's requirement.
54. Order will be placed as per requirement, irrespective of value of the order.
55. **CODE OF INTEGRITY:** No official of the bidder shall act in contravention of the codes which includes prohibition of:
  - i. Making offer, solicitation or acceptance of bribe, reward or gift or any material benefit, either directly or indirectly, in exchange for an unfair advantage in the procurement process or to other wise influence the procurement process.
  - ii. Any omission, or misrepresentation that may mislead or attempt to mislead so that financial or other benefit may be obtained or an obligation avoided.
  - iii. Any collusion, bid rigging or anti-competitive behavior that may impair the transparency, fairness and the progress of the procurement process.
  - iv. Improper use of information provided by the procuring entity to the bidder with an intent to gain unfair advantage in the procurement process or for personal gain.
  - v. Any financial or business transactions between the bidder and any official of the procuring entity related to tender or execution process of contract; which can affect the decision of the procuring entity directly or indirectly.
  - vi. Any coercion or any threat to impair or harm, directly or indirectly, any party or its property to influence the procurement process.
  - vii. Obstruction of any investigation or auditing of a procurement process.
  - viii. Making false declaration or providing false information for participation in a tender process or to secure a contract.
  - ix. Disclosure of conflict of interest.

- x. Disclosure by the bidder of any previous transgressions made in respect of the provisions of sub-clause with any entity in any country during the last three years or of being debarred by any other procuring entity.

**56. BREACH OF TERMS AND CONDITIONS:**

In case of breach of any terms and conditions as mentioned, the Competent Authority, AIIMS, Jodhpur will have the right to cancel the rate contract without assigning any reason thereof and nothing will be payable by AIIMS, Jodhpur. In that event, the security deposit shall also stand forfeited.

**57. INSOLVENCY ETC.:**

In the event of the firm being adjudged insolvent or having a receiver appointed for it by a court or any other order under the Insolvency Act made against them or in the case of a company the passing any resolution or making of any order for winding up, whether voluntary or otherwise, or in the event of the firm failing to comply with any of the conditions herein specified AIIMS, Jodhpur shall have the power to terminate the contract without any prior notice.

**58. ARBITRATION:**

- i. If any conflict or difference arises concerning this agreement, its interpretation on payment to made there-under, the same shall be settled out by mutual consultation and negotiation. If attempts for conciliation do not yield any result within a period of **30 Days**, either of the parties may make a request to the other party for submission of the dispute for decision by an Arbitral Tribunal containing Sole Arbitrator to be appointed by the Director, AIIMS Jodhpur. Such requests shall be accompanied with a panel of names of three persons to act as the sole arbitrator.
- ii. In case of such arbitrator refusing, unwilling or becoming incapable to act or his mandate having been terminated under law, another arbitrator shall be appointed in the same manner from among the panel of three persons to be submitted by the claimant. The provision of **Arbitration and Conciliation Act, 1996** and the rule framed there under and in force shall be applicable to such proceedings.

**59. DISCLAIMER:**

- i. The near relatives of employees of AIIMS, Jodhpur are prohibited from participation in this tender. The near relative for this purpose are defined as:
- ii. Members of a Hindu Undivided Family.
- iii. Their spouses
- iv. The one related to the other in the manner as father, son(s), Son's wife (daughter-in-law), daughter(s) and daughter's husband (sons-in-law) brother (s) and brother's wife, sister(s) and sister's husband, brother(s)-in-law.

**60. LEGAL JURISDICTION:**

The agreement shall be deemed to have been concluded in **Jodhpur, Rajasthan** and all obligations hereunder shall be deemed to be located at **Jodhpur, Rajasthan and Court within Jodhpur, Rajasthan** will have Jurisdiction to the exclusion of other courts.

**61. APPLICABLE LAW:**

- i. The contract shall be governed by the laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such Commercial dealings / processing.
- ii. Any disputes are subject to exclusive jurisdiction of Competent Court and Forum in Jodhpur, Rajasthan, India only.
- iii. The Arbitration shall be held in accordance with the provisions of the Arbitration and Conciliation Act, 1996 and the venue of arbitration shall be at Jodhpur. The decision of the Arbitrator shall be final and binding on both the parties.
- iv. Force Majeure: Any delay due to Force Majeure will not be attributable to the supplier. Deputy Director (Administration) AIIMS, Jodhpur.

**Deputy Director (Administration)**  
**AIIMS, Jodhpur**

**SPECIAL CONDITIONS:**

**ANNEXURE-I****TECHNICAL BID**

## TENDER FORM - 1 - TECHNICAL INFORMATION AND UNDERTAKING

(Tenderer may use separate sheet wherever required)

Sr.	Details of the Firm / Bidder	Page No.	Remarks
1	Name, Address, Mobile Number, E-mail ID of the Tenderer/ Concern.		
2	Name and Mobile Number of a Key person, who can be contacted at any time		
3	Whether the Firm is located in Jodhpur (Rajasthan). (Yes/No)		
4	State clearly whether it is Sole proprietor or Partnership firm or a company or a Government Department or a Public Sector Organization.		
5	<b>List of Quoted Items</b> with the Specification of the item mentioned with make and complete specification along with the Technical Bid (without indicating price) - <b>Annexure-IV</b>		
6	Manufacturer Authorization Certificate as per NIT format- <b>Annexure-III.</b>		
7	<b>Non Blacklisting Certificate</b> as per NIT format - <b>Annexure-V</b>		
8	Certificate for <b>No Deviation</b> as per NIT format - <b>Annexure-VI</b>		
9	Certificate for <b>Price Justification</b> as per NIT format - <b>Annexure-VII</b>		
10	Tender Acceptance Form as per NIT format – <b>Annexure-II</b>		
11	PAN No. (Enclose the copy of PAN Card).		
12	GSTIN Registration Number (Enclose copy)		
13	Detail of Income Tax Return for last 3 years i.e. (2018-19, 2019-20, 2020-21)		
14	Authenticated proof of turnover of the firm		
15	Authenticated proof of turnover of principal manufacturer		
16	Copies of authenticated balance sheet for the past three years		

17	Quality Assurance Certification (If applicable for any item) CE/USFDA/ISO/BSP/USP/WHO/GMP/BIS certificate as mentioned in the specification of tender items		
18	Import License, if applicable		
19	Experience Certificate and related documents, if any		
20	Have you previously supplied these items to any government / private organization? If yes, attach the relevant proof. List of Major Customer may be given on a sheet and proof of satisfactory supply, if any. (Also provide an affidavit that you have not quoted the price higher than previously supplied any government institute)		
21	Mandate Form		
23	Any other information, if necessary		

- Page number/serial number may be given to each and every page of Tender Documents and photocopies of the documents attached Mention Page number, wherever the copy(ies) of the document(s) are kept.
- In case of non-fulfilment of any of the above information/ document(s), the Tender will be summarily rejected without giving any notice.

Date : Name :

Place : Business Address :

Signature of Bidder :

Seal of the Bidder :

### **Undertaking**

1. That I/we have carefully studied all the terms & conditions of NIT and shall abide by it
2. That I/We shall supply the items of requisite quality
3. That I/We undertake that the information given in this tender are true and correct in all respect and I/We hold the responsibility for the same
4. That I/We undertake that sample of items will be kept ready for inspections by the AIIMS, Jodhpur I/We shall be responsible for the cancellation of tender if samples are not up to mark

Date : Name :

Place : Business Address :

Signature of Bidder :

Seal of the Bidder :

**ANNEXURE-II****TENDER ACCEPTANCE FORM***[To be submitted on letterhead of the Company/Firm]*

I/We have downloaded/obtained the Tender Enquiry Document(s) for the above mentioned 'Tender/Work' form the website(s) namely: - **NIT No. Admin/RC/08/2022-AIIMS.JDH** Dated: **12-Apr-2023 for Tender for Rate Contract for Supply of Consumables for Anaesthesiology & ICU Items at AIIMS Jodhpur.**

I/We hereby certify that I/we have read the entire terms and conditions of the tender documents (including all documents like annexure(s), schedule(s), etc.) which form part of the contract agreement and I/we shall abide hereby the terms/conditions/clauses contained therein. The corrigendum(s) issued from time to time by your Institute too have all been taken into consideration, while submitting this acceptance letter. I/we hereby unconditionally accept the tender conditions of above mentioned tender document(s)/corrigendum(s) in it's totally/entirely. We confirm that we fully agree to the terms and conditions specified in above mentioned Tender Enquiry Document, including amendment / corrigendum if any.

We now offer to supply and deliver in conformity with your above referred document for the sum as shown in the Price Schedules (BoQ) uploaded herewith and made part of this bid. If our bid is accepted, we undertake to supply the items for which Rate Contract has been concluded, in accordance with the delivery schedule specified in the Schedule specified in the schedule of requirements. We further confirm that, if our bid is accepted, we shall provide you with a Performance Security of required amount in an acceptable form as mentioned in your NIT, in terms of, read with modification.

We agree to keep our bid valid for acceptance as required in your NIT Document, read with modification, or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this bid up to the aforesaid period and this bid may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal Rate Contract is executed, this bid read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We further understand that you are not bound to accept the lowest or any bid you may receive against your above- referred advertised tender enquiry.

We confirm that we do not stand deregistered/banned/blacklisted by Central / State Govt. / Ministries / Departments.

We hereby certify that if at any time, any provision of this tender are found violated or any information furnished by us is proved to be false or incorrect, we are liable for any action as deemed fit by your Institute in addition to rejection of this tender/bid & the forfeiture of the earnest money deposit.

Date : Name :  
 Place : Business Address :  
 Signature of Bidder :  
 Seal of the Bidder :

**ANNEXURE-III**

**FORMAT FOR MANUFACTURER’S AUTHORISATION**

Dated: .....

To,  
The Director,  
All India Institute of Medical Sciences (AIIMS), Jodhpur(Raj.)

Reference: NIT No. *Admn/RC/08/2022-AIIMS.JDH*, Dated:. *12-Apr-2023* for Tender for Rate Contract for Supply of *Consumables for Anaesthesiology & ICU Items* at AIIMS, Jodhpur.

Subject: **Manufacturer Authorization Certificate**

Dear Sir,

Ref. Your NIT No. *Admn/RC/08/2022-AIIMS.JDH*, Dated:. *12-Apr-2023* for Tender for Rate Contract for Supply of *Consumables for Anaesthesiology & ICU Items* at AIIMS, Jodhpur, We, .....who are proven and reputable manufacturers of ..... (name and description of the Items / Category offered in the Quotation) having factories at ....., hereby authorize

Messrs. .... (name and address of the agent) to submit Bid/Quotation, process the same further, against your requirement as contained in the above referred Tender Form for the above items manufactured by us. We further confirm that no supplier or firm or individual other than Messrs..... (name and address of the above agent) is authorized to submit a tender, process the same further against your requirement as contained in the above referred Quotation form for the above items manufactured by us. We also hereby confirm that we would be responsible for the satisfactory execution of supply placed on the authorized agent. We also confirm that the price quoted by our agent shall not exceed than that which we would have quoted directly.

Yours faithfully,

[Signature with date, name and designation]

For and on behalf of Messrs. ....  
[Name, address & contact detail of the manufacturer]

**Note: -**

- 1. This letter of authorization should be on the letter head of the manufacturing firm and should be signed by a person competent and having the power of attorney to legally bind the manufacturer.
- 2. Original letter may be enclosed with Quotation Form during submission in the sealed cover.



**ANNEXURE-IV****LIST OF QUOTED ITEMS**

<b>S. No.</b>	<b>Tender Ref. No.:</b>	<b>Item Name</b>	<b>Specification</b>	<b>Whether complying with NIT's specs (Yes/No)</b>	<b>Make</b>
01					
02					
03					
04					
05					
06					
07					
08					
09					
10					
11					

Date : Name :  
Place : Business Address :  
Signature of Bidder :  
Seal of the Bidder :

**ANNEXURE-V**

**NON BLACKLISTING CERTIFICATE**

*[To be submitted on letterhead of the Company/Firm]*

I / We [Name of the company / firm] hereby certify that the has not been ever blacklisted / debarred by any Central / State Government / Public Undertaking / Institute on any account.

I / We also certify that firm will be supplied the item as per the specification given by AIIMS Jodhpur and also abide all the terms and conditions stipulated in Contract.

I / We also certify that the information given in bid is true and correct in all aspects and in any case at a later date it is found that any details provided are false and incorrect, contract given to the concern firm or participation may be summarily terminated at any stage, the firm will be blacklisted and AIIMS Jodhpur may impose any action as per NIT rules.

Date : Name :  
Place : Business Address :  
Signature of Bidder :  
Seal of the Bidder :

**ANNEXURE-VI**

**CERTIFICATE OF NO DEVIATION**

*[To be submitted on letterhead of the Company/Firm]*

**NIT No.:** .....

I/We, [Name of the company / firm] hereby certify that notwithstanding any contrary indication / conditions elsewhere in our offer documents, I / We have neither set any terms and conditions nor there is any deviation taken from the conditions of AIIMS Jodhpur's tender specification, either technical or commercial, and I / We agree to all the terms and conditions mentioned in AIIMS Jodhpur's tender specification with associated amendments & clarification.

Date : Name :  
Place : Business Address :  
Signature of Bidder :  
Seal of the Bidder :

**ANNEXURE-VII**

**CERTIFICATE OF PRICE JUSTIFICATION**

*[To be submitted on letterhead of the Company/Firm]*

**NIT No.:** .....

I / We, [Name of the company / firm] hereby certify that the rates provided are our best rates and we have not given these materials to any Government Department / PSU / Institution for lesser than these rates in last one year.

Date : Name :  
Place : Business Address :  
Signature of Bidder :  
Seal of the Bidder :



**ANNEXURE-VIII**

**BANK GUARANTEE FORM FOR PERFORMANCE SECURITY**

Whereas .....  
..... (Name and address of the Bidder) (*hereinafter called the "the Supplier"*) has undertaken, in pursuance of NIT No. ....  
..... dated ..... valid from ..... to ..... for supply of .....  
..... (*insert description of goods*), (*Hereinafter called "the Contract"*), to AIIMS Jodhpur (Hereinafter called "the Purchaser")

AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a scheduled commercial bank recognized by you for the sum specified therein as security for compliance with its obligations in accordance with the contract;

AND WHEREAS we have agreed to give the supplier such a bank guarantee;

NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of .....  
..... (*insert Amount of the Performance Security in words and figures*), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

This guarantee will remain in force upto ..... (*insert last date of currency of Contract plus Warrant Period (If applicable) plus additional 90 (Ninety) Days and any demand in respect thereof should reach the Bank not later than the above date.*

.....  
(Signature with date of the authorized officer of the Bank)

.....  
Name and designation of the officer  
.....

.....  
Seal, name & address of the Bank and address of the Branch

**ANNEXURE-IX**

The bidder should submit related undertaking for Restrictions on procurement from bidders from a county or countries, or a class of countries under Rule 144 (XI) of the General Financial Rules 2017 in compliance of office OM no. 6/18/2019-PPD dated 23rd July 2020. Ministry of Finance Department of Expenditure, Public Procurement Division on the basis of following Certificate given below, on the company letter head duly signed by authorized signatory for this tender.

**Certificate for Tender**

**Tender No.:-** \_\_\_\_\_

**NIT Name :-** \_\_\_\_\_

'We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; and solemnly certify that we are not from such a county or, if from such a country, we are registered with the Competent Authority (copy enclosed). We hereby certify that we fulfil' all requirement in this regard and are eligible to be considered."

AND

We have read the clause regarding restrictions on procurement from a bidder of a county which shares a land border with India and on sub-contracting to contractors from such a country; and solemnly certify that we are not from such a county or, if from such a country, we are registered with the Competent Authority (copy enclosed) and we shall not subcontract any work to a contractor from such countries unless such contractor is registered with the Comps eat Authority. We hereby certify that we fulfil all requirement in this regard and are eligible to be considered."

It is to declare that if, our bid/offer is accepted by the purchaser, as per undertaking given by us as per aforementioned points on the basis of certificate are found to be false, in such case this would be a ground for immediate termination of our bid/offer and further legal action in accordance with the law to be initiating on us by the procuring entity i.e. AIIMS, Jodhpur.

[Signature with date, name and designation]

For and on behalf of M/s \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_

[Name & address of the manufacturers]

**ANNEXURE-X**

**Format for Affidavit of Self Certification regarding Local Content  
(To be provided on ₹ 100/- Stamp Paper)**

I ..... S/o, D/o, W/o  
....., Resident of .....  
..... do hereby solemnly affirm and declare as under.

That I will agree to abide by the terms and conditions of the policy of Government of India issued vide **Order No. P-45021/2/2017-PP (BE-II) dated 16-Sep-2020 (revised)**.

That the information furnished hereinafter is correct to best of my knowledge and belief and I undertake to produce relevant records before the procuring entity or any authority so nominated by the Government of India for the purpose of assessing the local content.

That the local content for all inputs which constitute the said drugs has been verified by me and I am responsible for the correctness of the claims made therein.

That in the event of the domestic value addition of the product mentioned herein is found to be incorrect and not meeting the prescribed value-addition norms, based on Government of India for the purpose of assessing the local content, action will be taken against me as per **Order No. P-45021/2/2017-PP (BE-II) dated 16-Sep-2020 (revised)**.

I agree to maintain the following information in the Company's record for a period of 8 years and shall make this available for verification to any statutory authorities:

- i) Name and details of the Domestic Manufacturer (Registered Officer, Manufacturing unit location, nature of legal entity).
- ii) Date on which this certificate is issued.
- iii) Medicine for which the certificate is product.
- iv) Procuring entity to whom the certificate is furnished.
- v) Percentage of local content claimed.
- vi) Name and contact details of the unit of the manufacturer.
- vii) Sale Price of the product.
- viii) Ex-Factory Price of the product.
- ix) Freight, insurance and handling.
- x) Total Bill of Material.
- xi) List and total cost value of inputs used for manufacture of the medicine certificates from suppliers, if the input is not in-house to be attached.
- xii) List and cost of inputs which are imported, directly or indirectly.

For and on behalf of

(Name of firm/ entity)

Authorized signatory (To be duly authorized by the Board of Director)



**ANNEXURE-XI****Calculation of Local Content:***[To be submitted along with BoQ]*

Name of Manufacture	Calculation by Manufacturer (Cost per unit of product)			
Cost Component	Cost (Domestic Component) A	Cost (Imported Component) B	Total Cost (INR/ US \$) C=a+b	Percentage of Local Content D=(a/c)*100
I .....				
II. ....				
III. Total Cost (Excluding tax and duties)				

**Note: -**

1. Cost (Domestic Component): Sum of the costs of all inputs which go into the product (including duties and taxes levied on procurement of inputs except those for which credit/ set-off can be taken) which have not been imported directly or through a domestic trader or an intermediary.
2. Cost (Imported Component): Sum of the costs of all inputs which go into the product (including duties and taxes levied on procurement of inputs except those for which credit/ set-off can be taken).

**ANNEXURE-XII**

**FINANCIAL BID**

**BoQ** may be uploaded as per instructions given in **Tender Enquiry Document**.

**ANNEXURE-XIII****LIST OF ITEMS**

1	Laryngoscope: macintosh with four macintosh blade set: 1,2,3,4.	White Light & Matt finish
2	Laryngoscope with four miller blade set: 1,2,3,4.	White Light & Matt finish
3	Laryngoscope with Mac-coy blade set: 1,2,3,4.	White Light & Matt finish
4	Intubating Bougie with curved radiopaque tip with c.m. markings, connector & stiffening cannula (Pediatric)	8 fr * 35 cm
5	Intubating Bougie with curved radiopaque tip with c.m. markings, connector & stiffening cannula (Adult)	14 fr * 65 cm
6	Emergency Cricothyrotomy Catheter Complete Set Seldinger Technique	3.8, 4.2 7.5 cm length
7	Pediatric Breathing Circuit with two 0.5 and two 1 Litre Reservoir Bags	
8	Bains Circuit Adult with angle piece & 2 litre bag	
9	Nasopharyngeal airway (all sizes) with Colour Coded Swivel Connector	Sizes: 4,5,6,7,8
10	Oropharyngeal airway (all sizes)with Colour Coded oral bite	Sizes: 4,5,6,7,8
11	Laryngeal Tube Airway	Infant
12	Laryngeal Tube Airway	Children
13	Laryngeal Tube Airway	Adult (Small)
14	Laryngeal Tube Airway	Adult (Large)
15	ECG Electrodes	
16	Catheter mount	
17	The catheter mount with double swivel connector, collapsible flexible tubing with 360 degree rotation & suction port	

18	I gel - (Proprietary Intersurgical)	Size 1.0
19	I gel - (Proprietary Intersurgical)	Size 1.5
20	I gel - (Proprietary Intersurgical)	Size 2.0
21	I gel - (Proprietary Intersurgical)	Size 2.5
22	I gel - (Proprietary Intersurgical)	Size 3.0
23	I gel - (Proprietary Intersurgical)	Size 4.0
24	I gel - (Proprietary Intersurgical)	Size 5.0
25.1	LMA Classic with cuff defflator	Silicon, Autoclavable, Size: 1.0
25.2	LMA Classic with cuff defflator	Silicon, Autoclavable, Size: 1.5
25.3	LMA Classic with cuff defflator	Silicon, Autoclavable, Size: 2.0
25.4	LMA Classic with cuff defflator	Silicon, Autoclavable, Size: 2.5
25.5	LMA Classic with cuff defflator	Silicon, Autoclavable, Size: 3.0
25.6	LMA Classic with cuff defflator	Silicon, Autoclavable, Size: 4.0
25.7	LMA Classic with cuff defflator	Silicon, Autoclavable, Size: 5.0
26.1	LMA Flexible	Single Use, Size 1.0
26.2	LMA Flexible	Single Use, Size 1.5
26.3	LMA Flexible	Single Use, Size 2.0
26.4	LMA Flexible	Single Use, Size 2.5
26.5	LMA Flexible	Single Use, Size 3.0
26.6	LMA Flexible	Single Use, Size 4.0
26.7	LMA Flexible	Single Use, Size 5.0
26.8	LMA Flexible	Single Use, Size 6.0
27.1	LMA Unique	Size 1.0
27.2	LMA Unique	Size 1.5
27.3	LMA Unique	Size 2.0
27.4	LMA Unique	Size 2.5
27.5	LMA Unique	Size 3.0
27.6	LMA Unique	Size 4.0
27.7	LMA Unique	Size 5.0
28.1	LMA supreme	Size 1.0
28.2	LMA supreme	Size 1.5
28.3	LMA supreme	Size 2.0

28.4	LMA supreme	Size 2.5
28.5	LMA supreme	Size 3.0
28.6	LMA supreme	Size 4.0
28.7	LMA supreme	Size 5.0
29	LMA Gastro for Upper GI Endoscopy	Sterile, Phthalate free, Single use 100% Silicone material laryngeal mask airway having an integrated endoscope channel specifically designed to enable an endoscope with maximum OD of 14 mm to pass and facilitate direct endoscopic access. It has a dynamic curve and atraumatic cuff that creates an effective oropharyngeal seal.
30	LMA Gastro for Upper GI Manometry	Sterile, Phthalate free, Single use 100% Silicone material laryngeal mask airway having an integrated endoscope channel specifically designed to enable an endoscope with pilot cuff technology (in-built manometry).
31	LMA Fastrach Set Reusable	Complete intubating LMA set with dedicated intubating ET tube and stabilizer rod. ET tube having size ranging from 6,6.5, 7, 7.5, 8.
32	Intubating LMA for tube size 6.5 & 7.5	Protector - Sterile, Phthalate free, Single use 100% Silicone material laryngeal mask airway with dynamic curve and elongated cuff to facilitate the upper esophageal seal.
33	LMA Gastro for Upper GI Endoscopy	Sterile, Phthalate free, Single use 100% Silicone material laryngeal mask airway having an integrated endoscope channel specifically designed to enable an endoscope with maximum OD of 14 mm to pass and facilitate direct endoscopic access. It has a dynamic curve and atraumatic cuff that creates an effective oropharyngeal seal.
34	LMA Gastro for Upper GI Manometry	Sterile, Phthalate free, Single use 100% Silicone material laryngeal mask airway having an integrated endoscope channel specifically designed to enable an endoscope with pilot cuff technology (in-built manometry).
35	Endoscopy mask	Endoscopy Mask with Bite block with 12mm port
36	LMA Fastrach Set Reusable	Complete intubating LMA set with dedicated intubating ET tube and stabilizer rod. ET tube having size ranging from 6,6.5, 7, 7.5, 8.
37	LMA Proseal (Reusable) with introducer	Introducer

38	LMA Intubating (Fastrach-Full set with introducer and reinforced ET Tubes) Silicon, Reusable	3,4,5
39	LMA Intubating (Fastrach-Full set with introducer and reinforced ET Tubes) Silicon, Reusable	LMA E.T. Reusable
40	LMA Intubating (Fastrach-Full set with introducer and reinforced ET Tubes) Silicon, Reusable	LMA Stabilizer Rod
41	LMA Proseal (Reusable) with introducer	1, 1.5, 2, 2.5, 3, 4, 5
42	LMA Cuff deflator	
43	LMA Proseal (Reusable) with introducer	Introducer
44	LMA Cuff deflator	
45	LMA Block-Buster	Silicone LMA with four way connector with ET tube and Introducer , Size - 1.0#,1.5#,2.0#,2.5#,3#, 4#, 5# . Should have US FDA/CE Marked.
46	Air Q Silicon, (Reusable Intubating LMA with integrated bite block & removable connector)	All Sizes
47	Air Q Blocker (Disposable intubating LMA with a channel to pass NG Tube)	All Sizes
48	Ambu Aura Once (supraglottic airway device)	1,1.5,2,2.5,3,4,5,6 (with supraglottic)
49	Ambu Aura Gain (supraglottic airway device)	1,1.5,2,2.5,3,4,5,6
50.1	Air Q Silicon, (Reusable Intubating LMA with integrated bite block & removable connector)	Size 1.0
50.2	Air Q Silicon, (Reusable Intubating LMA with integrated bite block & removable connector)	Size 1.5
50.3	Air Q Silicon, (Reusable Intubating LMA with integrated bite block & removable connector)	Size 2.0

50.4	Air Q Silicon, (Reusable Intubating LMA with integrated bite block & removable connector)	Size 2.5
50.5	Air Q Silicon, (Reusable Intubating LMA with integrated bite block & removable connector)	Size 3.5
50.6	Air Q Silicon, (Reusable Intubating LMA with integrated bite block & removable connector)	Size 4.5
51.1	Air Q Blocker (Disposable intubating LMA with a channel to pass NG Tube)	Size 1.0
51.2	Air Q Blocker (Disposable intubating LMA with a channel to pass NG Tube)	Size 1.5
51.3	Air Q Blocker (Disposable intubating LMA with a channel to pass NG Tube)	Size 2.0
51.4	Air Q Blocker (Disposable intubating LMA with a channel to pass NG Tube)	Size 2.5
51.5	Air Q Blocker (Disposable intubating LMA with a channel to pass NG Tube)	Size 3.5
51.6	Air Q Blocker (Disposable intubating LMA with a channel to pass NG Tube)	Size 4.5
52.1	Buska Mask LMA	Sizes 3.0
52.2	Buska Mask LMA	Sizes 4.0
52.3	Buska Mask LMA	Sizes 5.0
53	Bronchial Blocker	5 fr * 50 cm + Kit
54	Bronchial Blocker	7 fr * 65 cm + Kit
55	Bronchial Blocker	9 fr * 78 cm + Kit
56	EZ Endobronchial blocker	
57	Face mask	Silicon, Autoclavable Size: 00
58	Face mask	Silicon, Autoclavable Size: 0
59	Face mask	Silicon, Autoclavable Size: 1
60	Face mask	Silicon, Autoclavable Size: 2
61	Face mask	Silicon, Autoclavable Size: 3
62	Face mask	Silicon, Autoclavable Size: 4
63	Face mask	Silicon, Autoclavable Size: 5
64	Transducer sets single	Transducer + Tubing + I.V Set
65	Transducer sets double	2 Single Transducer + Tubing + I.V Set

66	High pressure infusion bag	500 ml
67	High pressure infusion bag	1000 ml
68	Endotracheal tube Cuffed with subglottic suction	6.0,6.5,7.0, 7.5, 8.0, 8.5 Sizes for (subglottic) suction with yellow subglottic suction line having inverted and soft seal cuff.
69	Endotracheal tube Cuffed	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5,6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0
70	Endotracheal tube Uncuffed	ET Uncuff Size 2 to 6
71	Endotracheal reinforced tube	Reinforce tube with TPU cuffed, DEHP free Size- 2.5, 3, 3.5, 4, 4.5, 5, 5.5.
72	ET tube with Injection Port	ET tube with Injection Port Size: 6#, 6.5#, 7#, 7.5#, 8#, 8.5# . CE Marked.
73	ET tube with reinforced tube and stylet cuff	Reinforce tube with Stylet cuffed , DEHP free Size- DEHP free Size- 2.5#, 3#, 3.5#, 4#, 4.5#, 5#, 5.5, 6,6.5,7,7.5,8,8.5,
74	Microcuff Endotracheal Tubes	Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7
75	Microcuff Endotracheal Tubes Curved	Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7
76	Extended Length Tracheostomy Tube	Can be Lengthened for 2-2.5cm for Obese patients.
77	Intubaion ET stylet/Guide Stainless Steel	
78	Intubation stylet (Disposable)	Outer diameter 2.2 mm.
79	Intubation stylet (Disposable)	Outer diameter 4.2 mm.
80	Flexometallic Cuffed Endotracheal tube (Single Use, Sterile)	Size-3.0,3.5, 4.0,4.5,5.0,5.5,6.0,6.5,7.0,7.5,8.0,8.5,9.0
81	Endotracheal tubes for Micro Layngeal Surgery with tip X-Ray Line (Single Use, Sterile)	All Sizes-4,5,6
82.1	Double Lumen Tubes (DLT) for one lung ventilation with blue coloured cuff & X-Ray opaque mark at tip with all connections.	Left side. Sizes (Left 28 Fr.)
82.2	Double Lumen Tubes (DLT) for one lung ventilation with blue coloured cuff & X-Ray opaque mark at tip with all connections.	Left side. Sizes (Left 32 Fr.)



82.3	Double Lumen Tubes (DLT) for one lung ventilation with blue coloured cuff & X-Ray opaque mark at tip with all connections.	Left side. Sizes (Left 35 Fr.)
82.4	Double Lumen Tubes (DLT) for one lung ventilation with blue coloured cuff & X-Ray opaque mark at tip with all connections.	Left side. Sizes (Left 37 Fr.)
82.5	Double Lumen Tubes (DLT) for one lung ventilation with blue coloured cuff & X-Ray opaque mark at tip with all connections.	Left side. Sizes (Left 39 Fr.)
82.6	Double Lumen Tubes (DLT) for one lung ventilation with blue coloured cuff & X-Ray opaque mark at tip with all connections.	Left side. Sizes (Left 41 Fr.)
83.1	Double Lumen Tubes (DLT) for one lung ventilation with blue coloured cuff & X-Ray opaque mark at tip with all connections	Right side. Sizes (Right 35 Fr.)
83.2	Double Lumen Tubes (DLT) for one lung ventilation with blue coloured cuff & X-Ray opaque mark at tip with all connections	Right side. Sizes (Right 37 Fr.)
83.3	Double Lumen Tubes (DLT) for one lung ventilation with blue coloured cuff & X-Ray opaque mark at tip with all connections	Right side. Sizes (Right 39 Fr.)
83.4	Double Lumen Tubes (DLT) for one lung ventilation with blue coloured cuff & X-Ray opaque mark at tip with all connections	Right side. Sizes (Right 41 Fr.)
84	Preformed RAE Oral Cuffed Tubes	All-4.0,4.5,5.0,5.5,6.0,6.5,7.0,7.5,8.0,8.5
87	Preformed RAE Oral Uncuffed Tubes	All Sizes-3.0,3.5,4.0,4.5,5.0,5.5,6.0
88	Preformed RAE Nasal Cuffed Tubes	All Sizes-6.0,6.5,7.0,7.5,8.0
89	Preformed RAE Nasal Uncuffed Tubes	All Sizes-3,3.5,4,4.5,5,5.5,6

90	Tube Exchange Catheter with Jet Ventilation	8 fr * 45 cm * ID 1.6 mm
91	Tube Exchange Catheter with Jet Ventilation	11 fr * 83 cm * ID 2.3 mm
92	Tube Exchange Catheter with Jet Ventilation	14 fr * 83 cm * ID 3.0 mm
93	Tube Exchange Catheter with Jet Ventilation	19 fr * 83 cm * ID 3.4 mm
94	Nasal prongs with oxygen tubing	
95	Oxygen face mask with oxygen tubing	
96	Hi Flow O2 Mask with reservoir bag	
97	Oxygen Ventury Mask	All Sizes
98	Arterial line support/splint	
99	Heat & Moisture Exchanger (HME): Pediatric	Bacteria / viral filter plus HME, US F.D.A/CE. Approved with universal 22 male / 15 female connectors comply to BSEN ISO 5356 standards.
100	Heat & Moisture Exchanger (HME): Adult	Bacteria / viral filter plus HME, US F.D.A/CE. Approved with universal 22 male / 15 female connectors comply to BSEN ISO 5356 standards.
101	Bacterial Filter for ventilator expiratory port	Bacteria/viral filter US F.D.A/CE. Approved with universal 22 male / 15 female connectors comply to BSEN ISO 5356 standards.
102	Sterile Disposable double limb ventilator circuit with water trap in both limbs	Adult
103	Sterile Disposable double limb ventilator circuit with water trap in both limbs	Pediatric

104	Gravity Bags for enteral feeding	The feeding bag should be compatible with Fresenius Kabi Amika feeding pump. It should have volume capacity of 1.5 liters. It should have closable funnel for filling the feed. Should come with pre attached giving set. Giving set should have following features: a. Should be made up of polyurethane. Should have anti free flow system safety clamp. Should have additional threeway medication port. Should have EN-fit connectors. Should come with universal adapter to ensure connectivity with all enteral feeding disposables. Connectors design should comply to ISO 80369-3 standards which ensures prevention of accidental disconnection of enteral nutrition to non enteral delivery systems.
105	Pediatric Spinal Needle 22 to 27 gauge with all size from 1 to 3 inch.	All Sizes
106	Insulated non-echogenic needle with integrated extension tubing for nerve blocks	All Sizes, 20 to 24 gauge with all size (25 to 150 mm)
107	Polyurethane nasogastric feeding tube with guide wire	15 FR * 100 cm, 12 FR * 120 cm
108	Spinal Needles Pencil Tip	All Sizes
109	Spinal Needles Quincke (without introducer)	All Sizes (16g, 18g, 20g, 22g, 23g, 25g, 26g, 27g)
110	Spinal Needles Quincke (with introducer)	All Sizes
111.1	Spinal Long Needles Quincke	22 G; 120
111.2	Spinal Long Needles Quincke	22 G; 150

112	Epidural Kit with Epidural needle	Epidural needle marking starts from 3cm from the tip and catheter fixation device with Locking Mechanism 16/18G.
113	Insulated non-echogenic needle with integrated extension tubing for nerve blocks	All Sizes, 20 to 24 gauge with all size (25 to 150 mm)
114	Polyurethane nasogastric feeding tube with guide wire	15 FR * 100 cm, 12 FR * 120 cm
115	Tracheostomy Filter with inbuilt oxygen port and suction port	
116	Endotracheal Filter with inbuilt oxygen port and suction port	
117	T- Piece	
118	Nebulizer T- Piece	
119	Nebulizer T- Piece	
120	MDI Drug Delivery Device Spacer for Ventilator Circuit	
121	Sterile Disposable Ventilator Circuit with double water trap	
122	Sterile Disposable Ventilator circuit with detachable inspiratory limb near Y end with water trap in expiratory limb	
123.1	Mucous Extractor	10 fr * 25 ml
123.2	Mucous Extractor	16 fr * 25 ml
124.1	Antibiotic impregnated / coated (Minocycline and Rifampin) central venous catheter (triple Lumen) with hydrophilic coating.	7 fr * 15 cm
124.2	Antibiotic impregnated / coated (Minocycline and Rifampin) central venous catheter (triple Lumen) with hydrophilic coating.	7 fr * 20 cm
125.1	Antibiotic impregnated / coated (Minocycline and Rifampin) central venous catheter (triple Lumen) with hydrophilic coating.	7.5 fr* 16 cm

125.2	Antibiotic impregnated / coated (Minocycline and Rifampin) central venous catheter (triple Lumen) with hydrophilic coating.	7.5 fr * 20 cm
126.1	Silver Ion impregnated / coated central venous catheter [double & triple lumen].	Double Lumen 7.5 fr * 16 cm
126.2	Silver Ion impregnated / coated central venous catheter [double & triple lumen].	Double Lumen 7.5 fr * 20 cm
127.1	Silver Ion impregnated / coated central venous catheter [double & triple lumen].	Triple Lumen 7.5 fr * 16 cm
127.2	Silver Ion impregnated / coated central venous catheter [double & triple lumen].	Triple Lumen 7.5 fr * 20 cm
128	Cooled Radiofrequency set	
129.1	Radiofrequency Straight Needle	22 G, 5 CM
129.2	Radiofrequency Straight Needle	22 G, 10 CM
129.3	Radiofrequency Straight Needle	22 G, 15 CM
130.1	Long Spinal needles	22G- 10cm
130.2	Long Spinal needles	22G- 15cm
131	Arterial Cannula- Radial	Pediatric 22G
132	Arterial Cannula- Femoral	Pediatric
133	Soft silicone nasal tube(Endotracheal)	All sizes
134.1	Percutaneous Tracheostomy set with Griggs Forcep.	Size: 7.0
134.2	Percutaneous Tracheostomy set with Griggs Forcep.	Size: 8.0
134.3	Percutaneous Tracheostomy set with Griggs Forcep.	Size: 9.0
134.4	Percutaneous Tracheostomy set without Griggs Forcep.	Size: 7.0

134.5	Percutaneous Tracheostomy set without Griggs Forcep.	Size: 8.0
134.6	Percutaneous Tracheostomy set without Griggs Forcep.	Size: 9.0
135	Radial Arterial Catheter with guide wire.Should have anti kinking collar to prevent kinking of catheter.Should have PE material to prevent dampning.	22 G
136	Radial Arterial Catheter with guide wire.Should have anti kinking collar to prevent kinking of catheter.Should have PE material to prevent dampning.	18 G
137	Radial Arterial Catheter with guide wire.Should have anti kinking collar to prevent kinking of catheter.Should have PE material to prevent dampning.	16 G
138	Polyurethane femoral arterial catheter with guide wire, without integral extention to avoid dampning, 16G, 15cm	Pediatric size
139	Intravenous Cannula 18 G	Intravenous cannula with stainless steel safety clip and multi access blood septum without injection port
140	Intravenous Cannula 20 G	Intravenous cannula with stainless steel safety clip and multiaccess blood septum without injection port
141	Intravenous Cannula 22 G	Intravenous cannula with stainless steel safety clip and multiaccess blood septum without injection port
142	PVC and DEHP free advance infusion set	Advance infusion set with green ring in drip chamber and air stop
143.1	Paediatric CVC 5 Fr	Central Venus triple lumen 5 Fr catheter with 8 cm Length
143.2	Paediatric CVC 5 Fr	Central Venus triple lumen 5 Fr catheter with 10 cm Length

144.1	Paediatric CVC 5 Fr	Central Venus triple lumen 5 Fr catheter with 13 cm Length
144.2	Paediatric CVC 5 Fr	Central Venus triple lumen 5 Fr catheter with 15 cm Length
145	Peripherally inserted central venous catheter Single lumen 16 G catheter length 40 cm	Single packing single lumen catheter set for cauterization of vena cava with guide wire kink resistance made up of double distal Nickel -Titanium
146	Peripherally inserted central venous catheter Single lumen 16 G catheter length 60 cm	Single packing single lumen catheter set for cauterization of vena cava with guide wire kink resistance made up of double distal Nickel -Titanium
147	Peripherally inserted central venous catheter Single lumen 18 G catheter length 40 cm	Single packing single lumen catheter set for cauterization of vena cava with guide wire kink resistance made up of double distal Nickel -Titanium
148	Peripherally inserted central venous catheter Single lumen 18 G catheter length 60 cm	Single packing single lumen catheter set for cauterization of vena cava with guide wire kink resistance made up of double distal Nickel -Titanium
149	Pressure transducer closed loop kit with needleless sampling site	Angled based of the transducer for easy handling and zeroing Blue coloured base for easy visibility of micro bubble. Class VI implant tested tubing DEHP free
150	Invasive Pressure Monitoring Cable	Pressure transducer interface cable
151	Disposable pressure transducer	Transducer with 3cc
152	Disposable pressure transducer	Transducer with 30cc
153	Disposable pressure transducer	Transducer with No flush
154	Ventilator Circuit BRS – 10W	Sterile Ventilator circuit corrugated with detachable L port
155	Blood B-Ketone test Strips	Blood ketone test strip in foil with 8 Second test required 0.5uL sample
156	Blood Glucose test strip	Glucose strip compatible with Glucose- Ketone dual meter
157	Thin Foam dressing	Negative pressure wound therapy thin foam dressing: Pore Size – 40-50 ppi with drape ruler trac tubing 12*25*0.6
158	Cannister	Thin foam dressing cannister 300 ml
159	Cannister	Thin foam dressing cannister 1000 ml

160	OT Table Pad	Whole body cushioning prevents bed sores with perineal cut: width 500mm
161	Supine/ Contoured Head rest	Relieves skull compression head/calf in supine position by providing cross sectional stability. Contoured to match the shape of head by pressure redistribution in all directions
162	Prone Head Rest	Gel based bolster to support patients head in prone position during prolonged surgery. PHR – III provide see through area at its bottom. Size – Standard, Adult, Adolescent
163	Dome flat bottom chest roll	Multi utility bolster – Small 350x145x75
164	Dome flat bottom chest roll	Multi utility bolster – Medium 405x150x100
165	Dome flat bottom chest roll	Multi utility bolster – Large 510x155x125
166	Flat bottom chest roll	Gel based bolster – 510x 150x100
167	Gel based bolster universal Positioner	Unique curve structural line, has single phase continuous surface with complete pressure redistribution
168	Heel Support Pad	Gel based bolster to provide maximum protection to heel and ankle area
169	Eyelid Occlusion dressing	100% Polyurethane clear film layer, latex free, solvent based acrylic adhesive. Width 3.5 to 4 cm; length 9 cm to 10 with dual zone
170	Eye Pressure Shield	Made up of soft foam and rigid plastic shield, length of 178 to 185 mm, numbers of holes on nasal rib and either side of the shield to prevent condensation, weight not more than 50mg
171	Central Venous Catheter - Triple Lumen coated with chlorhexidine and silver sulfadiazine	TLR Catheter Radiopaque having chlorhexidine and silver sulfadiazine impregnated with ability to pass guide wire without detaching the syringe – 7 to 7.5 FR 16 CM
172	Central Venous Catheter - Triple Lumen coated with chlorhexidine and silver sulfadiazine	TLR Catheter Radiopaque having chlorhexidine and silver sulfadiazine impregnated with ability to pass guide wire without detaching the syringe – 7 to 7.5 FR 18 CM
173	Central Venous Catheter - Triple Lumen coated with chlorhexidine and silver sulfadiazine	TLR Catheter Radiopaque having chlorhexidine and silver sulfadiazine impregnated with ability to pass guide wire without detaching the syringe – 7 to 7.5 FR 21 CM
174	Latex free PICC line with blue flex tip	Pressure Injectable Radiopaque Polyurethane with in single and double Lumen. Length 40cm, 50 cm and 55cm.



175	Chest Drain with Suction Control, Tube Roller, High Negativity Vent(1000 ml)	Low-pressure negative suction regulator included with settings -5cmH <sub>2</sub> O to -40cmH <sub>2</sub> O pressure, and visual feedback system indicating actual suction applied (red bellow) to be connected to external wall suction. Length: 150cm.Contains a tube roller which facilitates tube stripping to prevent clot formation and maintains tube patency included Manual Suction bulb.Integral air-leak detection chamber in-built to check for Persistent Air-leak and BPF.
176	Chest Drain with Suction Control, Tube Roller, High Negativity Vent (400 ml)	Low-pressure negative suction regulator included with settings -5cmH <sub>2</sub> O to -40cmH <sub>2</sub> O pressure, and visual feedback system indicating actual suction applied (red bellow) to be connected to external wall suction. Length: 150cm. Contains a tube roller which facilitates tube stripping to prevent clot formation and maintains tube patency included Manual Suction bulb. Integral air-leak detection chamber in-built to check for Persistent Air-leak and BPF.
177	Chest Drain with Suction Control, Tube Roller (50 ml).	Low-pressure negative suction regulator included with settings -5cmH <sub>2</sub> O to -40cmH <sub>2</sub> O pressure, and visual feedback system indicating actual suction applied (red bellow) to be connected to external wall suction. Length: 150cm. Contains a tube roller which facilitates tube stripping to prevent clot formation and maintains tube patency included Manual Suction bulb. Integral air-leak detection chamber in-built to check for Persistent Air-leak and BPF.

178	NIV MASK – Non vented	<ul style="list-style-type: none"> <li>• Non vented large size suitable for use with ventilator dual circuit.</li> <li>• It should have dual wall silicone cushioning.</li> <li>• It should have three-point harness/headgear with click in clips.</li> <li>• No separate forehead support should be required.</li> <li>• It should have colour coding/writing on elbow piece for easy differentiation.</li> <li>• Quality parameter equivalent to USFDA / CE notified four digit.</li> </ul>
179	NIV MASK – Vented	<ul style="list-style-type: none"> <li>• Vented large size suitable for use with ventilator dual circuit.</li> <li>• It should have dual wall silicone cushioning.</li> <li>• It should have three-point harness/headgear with click in clips.</li> <li>• No separate forehead support should be required.</li> <li>• It should have colour coding/writing on elbow piece for easy differentiation.</li> <li>• Quality parameter equivalent to USFDA / CE notified four digit.</li> </ul>
180	NIV Mask	<p>Medical grade gel to protect head injuries &amp; to address common problem of nasal injuries.</p> <p>It is also made up of Medical grade gel pad.</p> <p>It should have special nasal technology for leakage prevention on high oxygen.</p>
181	Cooling gel pad set compatible with Therapeutic Temperature Monitoring Device.	Cooling gel pad should have thigh wrap and patient vest to cover thighs, subclavian vein, subclavian artery and superior vena cava
182	Bacterial/Viral Filters with HME;	Adult
183	Central venous line (PICC-Peripheral inserted central catheter) for adults	3, 4, 5 Fr
184	IV extension line	10 cms
185	Lipid Infusion line	Pediatric
186	100 cm Extension tubings	PMO Line
187	150 cm Extension tubings	PMO Line
188	200 cm Extension tubings	PMO Line
189	Venous Extension Line	100 cm
190	Venous Extension Line	200 cm

191	Venous Extension Line with inbuilt 3 way stop cock	10 cm
192	Venous Extension Line with inbuilt 3 way stop cock	100 cm
193	Venous Extension Line with inbuilt 3 way stop cock	150 cm
194	Venous Extension Line with in built 3 way stop cock	200 cm
195	ICU suction Brush with connector/handle to attach the suction tubing for oral Care	ICU Brush with handle
196	Mucous Extraxtor with double cap	Closing Top
197	LOR Syringe	10 ml
198	Continuous Epidural set with LOR syringe for Adults	20 G, Complete Set (LOR Syringe + Filter + New Catheter + Needle)
199	Continuous epidural set with LOR syringe for Pediatric patients	20 G with 24 G Catheter
200	Male to Male extension line for CADD pump with clamp and anti-siphon valve	More than 100 cm
201	Male to Male extension line for CADD pump with clamp and anti-siphon valve	100 cm
202	Male to Male extension line for CADD pump with clamp and anti-siphon valve	150 CM
203	Male to Male extension line for CADD pump with clamp and anti-siphon valve	200 CM
204	CADD Pump reservoirs	50 ml
205	CADD Pump reservoirs	100 ml
206	Male to Female extension tube (int-ext diameter 2.5-4 mm)	50 cm

207	Male to Female extension tube (int-ext diameter 2.5-4 mm)	100 cm
208	Male to Female extension tube (int-ext diameter 2.5-4 mm)	150 cm
209	Male to Female extension tube (int-ext diameter 2.5-4 mm)	200 cm
210	Male to Female extension tube (int-ext diameter 2.5-4 mm) with 3 way stop cock	25 cm
211	Male to Female extension tube (int-ext diameter 2.5-4 mm) with 3 way stop cock	50 cm
212	Male to Female extension tube (int-ext diameter 2.5-4 mm) with 3 way stop cock	100 cm
213	Continuous ultrasound guided plexus block set with ultrasound visible catheter	55 mm
214	Volume based incentive spirometer with oxygen port	
215	Vibratory positive expiratory therapy (PEP) device	
216	IV Drip Set	
217	Advanced IV set with autopriming	IV set having hydrophilic and hydrophobic membrane with 175- 185 cm
218	3 Way adaptors For IV Cannula	
219	Alcohol swabs (100 in Each)	
220	Chlorhexidine caps for i.v. canula	
221	Skin protectant barrier film: Hexamethyldisiloxane, isooctane, acrylate terpolymer, polyphenylmethylsiloxane.	

222	PEP Therapy Device	Vibratory PEP therapy device for Pead . Patients , deliver airflow vibrations to the patients from 5-30 Hz. Expiratory resistance/Frequency dial to allow therapy to be adjusted to patients's needs
223	Breathing Circuits with closed suction	breathing circuits kit:- breathing circuits kit with close suction kit 72hrs with mdi port
224	Preheparinised ABG Syringe 1ml with sfatey lock	The ABG syringe should be pre-heparinized with dry calcium based electrolyte -balanced lithium heparin.It should contain electrolyte - balanced heparin, coated on cellulose fiber.It should have preset mechanism with vented stopper to automatic aspiration of blood and minimize the air exposure.It should have a safety lock mechanism to lock the needle after use to prevent needle stick injury.
225	Preheparinised ABG Syringe 2 ml with safety lock	The ABG syringe should be pre-heparinized with dry calcium based electrolyte -balanced lithium heparin. It should contain electrolyte - balanced heparin, coated on cellulose fiber. It should have preset mechanism with vented stopper to automatic aspiration of blood and minimize the air exposure. It should have a safety lock mechanism to lock the needle after use to prevent needle stick injury.
226	Sleeves DVT Foot	Compatible to DVT, 13" to 16"
227	Sleeves DVT Calf	Compatible to DVT, 17" to 32"
228	Sleeves DVT Calf -Thigh	Compatible to DVT, 22" to 42"
229	Double cuff Tracheostomy Tube	Tracheostomy Tube with Double-Cuffed:-DEHP free, Should have Two cuffs that can be used alternatively, reduces damage and trauma to the airway mucos. Both cuffs should have different colour coding.
230	Fenestrated Tracheostomy Tube	Fenestrated Tracheostomy Kit:Should be Latex & DEHP-Free. Should have inner tubes which can be installed and disassembled inside the outer tube, convenient to exchange and disinfect, reduces infection risk. Should have patient end of obturator/stylet with Bullet-shape.
231	Extended Length Tracheostomy Tube	Extended Length Tracheostomy Tube: Can be Lengthened for 2-2.5cm,Can be used in Obese patients

232	Intravenous Canula	I.V. CANULLA WITH INJECTION PORT size14,16,18,20,22G-kink resistance FEP-Teflon cannula, Gently tapered catheter tip aligns with the stainless steel needle.
233	Neonatal Intravenous Canula	NEONATAL I .V. CANNULA WITHOUT INJUCTION PORT size 24 g ,26 g--kink resistance FEP-Teflon cannula, Gently tapered catheter tip aligns with the stainless steel needle.
234	Extension: one way	One way extension for multiple medications: easy rotating luer lock to reduce chance of kinking and pulling ,minimize potential drug incompatibility in the fluid path.
235	Extension: two way	Two way extension for multiple medications: easy rotating luer lock to reduce chance of kinking and pulling ,minimize potential drug incompatibility in the fluid path.
236	Extension three way	Three way extension for multiple medications: easy rotating luer lock to reduce chance of kinking and pulling ,minimize potential drug incompatibility in the fluid path.
237	Adult Disposable Dual heated ventilator circuits with humidification chamber	1. The breathing circuit should have 1.5 M inspiratory limb with spiral heating coil for uniform tubing.2. The expiratory limb should be made of moisture diffusing membrane without need of water trap.3. Auto-fill humidification chamber with dual float mechanism. 4. Maximum chamber operating pressure 8 kPA5. It should be suitable for Invasive ventilation, Non-Invasive ventilation and oxygen therapy.6. Integrated MDI port for improved drug delivery.7. . Individual packing8. It should be sterile.9. CE Certified
238.1	Peripherally Inserted central Catheters Size 16 G X 30 cm	1. It should be sterile. 2. Single packing. 3. Single lumen catheter sets for catheterization of the vena cava according to the catheter through cannula technique 4. Length should be 30 Cm.
238.2	Peripherally Inserted central Catheters Size 16 G X 45 cm	1. It should be sterile. 2. Single packing. 3. Single lumen catheter sets for catheterization of the vena cava according to the catheter through cannula technique 4. Length should be 45 Cm.

238.3	Peripherally Inserted central Catheters Size 16 G X 60 cm	<ol style="list-style-type: none"> <li>1. It should be sterile.</li> <li>2. Single packing.</li> <li>3. Single lumen catheter sets for catheterization of the vena cava according to the catheter through cannula technique</li> <li>4. Length should be 60 Cm.</li> </ol>
239	Urometer with inbuilt urine Sampling port	<ol style="list-style-type: none"> <li>1. It should be Sterile</li> <li>2. Measuring capacity of Bottle is 250 ml to 300 ml</li> <li>3. Measuring capacity of Bag is 2000 ml to 3000 ml</li> <li>4. It should have silicon sampling port for collection urine sample.</li> </ol>
240	Sterile Disposable Ventilator circuit (Adult) with detachable Inspiratory limb near Y end.	<ol style="list-style-type: none"> <li>1. It should be sterile.</li> <li>2. Double limb with Detachable Inspiratory limb near Y end.</li> <li>3. It should not leak at detachable part.</li> <li>4. It should be individual pack.</li> <li>5. It should be flexible to make long or short.</li> </ol>
241.1	Reusable Pressure Infusion Bag 1000 ML	<ol style="list-style-type: none"> <li>1. It should have 1000 ML capacity.</li> <li>2. It should have pressure up to 400 mm/Hg.</li> <li>3. It should have clear material enhances visibility of the fluid transfer/flow.</li> <li>4. Easy to use hook and loop fastener enables easy replacement of infusion bag without removal of pressure cuff from drip stand.</li> <li>5. squeeze bulb provided is supple and easy to operate for fast inflation</li> </ol>
241.2	Reusable Pressure Infusion Bag 500 ML	<ol style="list-style-type: none"> <li>1. It should have 500 ML capacity.</li> <li>2. It should have pressure up to 400 mm/Hg.</li> <li>3. It should have clear material enhances visibility of the fluid transfer/flow.</li> <li>4. Easy to use hook and loop fastener enables easy replacement of infusion bag without removal of pressure cuff from drip stand.</li> <li>5. squeeze bulb provided is supple and easy to operate for fast inflation</li> </ol>

242	Disposable Non-Rebreathing Bag & Mask With Head Strap	1. Non-Rebreathing Bag prevents rebreathing of the exhausted air. 2. It should have a low resistance, latex free check valve that allows exhaled gas to escape, helping patient receive better quality air. 3. It should have adjustable nose clip helps ensure a snug, comfortable fit. 4. Masks should come with a 750 ML reservoir bag and in a standard or safety vented style.5. It should have adjustable head strap.6. It should have Star tubing Line & have Length Three Meter Long.7. It should have PE Non-Woven Material.8. It should have Individually & Sterile Packed.
243.1	Tracheostomy Tube with Reusable Fenestrated Inner Cannula with Cuff Size 6.5	1. It should be sterile & individual pack 2. It should have soft seal cuff. 3. It should have 2 Reusable Fenestrated inner cannula. 4. CE Certified
243.2	Tracheostomy Tube with Reusable Fenestrated Inner Cannula with Cuff Size 7.0	1. It should be sterile & individual pack 2. It should have soft seal cuff. 3. It should have 2 Reusable Fenestrated inner cannula. 4. CE Certified
243.3	Tracheostomy Tube with Reusable Fenestrated Inner Cannula with Cuff Size 7.5	1. It should be sterile & individual pack 2. It should have soft seal cuff. 3. It should have 2 Reusable Fenestrated inner cannula. 4. CE Certified
243.4	Tracheostomy Tube with Reusable Fenestrated Inner Cannula with Cuff Size 8.0	1. It should be sterile & individual pack 2. It should have soft seal cuff. 3. It should have 2 Reusable Fenestrated inner cannula. 4. CE Certified
243.5	Tracheostomy Tube with Reusable Fenestrated Inner Cannula with Cuff Size 8.5	1. It should be sterile & individual pack 2. It should have soft seal cuff. 3. It should have 2 Reusable Fenestrated inner cannula. 4. CE Certified
244	Disposable Skin Prep. Razor	1. It Should be Single Packing. 2. It Should be Stainless Steel Blade.



245	Disposable needle free valve with 3 extension lines	<ol style="list-style-type: none"> <li>1. It should be sterile.</li> <li>2. Single packing.</li> <li>3. Length should be 10 To 15 Cm.</li> <li>4. It should have Trifurcated extension set with 3 micro clave and 3 slide clamps.</li> <li>5. It should have rotating luer lock &amp; no disconnecting part.</li> <li>6. It should be PU (Polyurethane) material and DHEP free</li> <li>7. It should have rotating male luer approx.</li> <li>8. inner Diameter to be 1.25 mm to 1.5 mm.</li> </ol>
246	Disposable needleless valve with 2 extension lines	<ol style="list-style-type: none"> <li>1. It should be sterile.</li> <li>2. Single packing.</li> <li>3. Length should be 10 To 15 Cm.</li> <li>4. It should have bifurcated extension set with 2 micro clave and 2 slide clamps.</li> <li>5. It should have rotating luer lock &amp; no disconnecting part.</li> <li>6. It should be PU (Polyurethane) material and DHEP free.</li> <li>7. It should have rotating male luer approx.</li> <li>8. inner Diameter to be 1.25 mm to 2.0 mm.</li> </ol>
247	Disposable needleless valve with single extension lines	<ol style="list-style-type: none"> <li>1. It should be sterile.</li> <li>2. Single packing.</li> <li>3. Length should be 10 To 15 Cm.</li> <li>4. It should have single furcated extension set with 1 micro clave and 1 slide clamps.</li> <li>5. It should have rotating luer lock</li> <li>6. It should be PU (Polyurethane) material and DHEP free.</li> <li>7. It should have rotating male luer approx.</li> <li>8. inner Diameter to be 1.25 mm to 2.0 mm.</li> </ol>
248	Leak Valve of Bipap for Invasive patient / Non re-breathing valve	<ol style="list-style-type: none"> <li>1. It should be providing leak ventilation during therapy with a positive airway pressure device.</li> <li>2. It should be designed with an anti-asphyxia valve to allow for spontaneous breathing and prevent CO2 rebreathing in the event of ventilator failure.</li> <li>3. It should be also allowing continuous airflow through the vent holes.</li> </ol>

249	Disposable Disinfecting cap for needleless valve	IV Disinfected cap are 70 % alcohol impregnated that twist on to ports for disinfection and protection. They have passive disinfection to protect hubs/ ports by acting as a physical barrier to contamination between accesses. The cap should disinfect the needleless connector in one minute after application and protect from contamination between accesses for up to seven days if not removed.It should be in strip and size for compatible central line and IV canula.
250.1	Double Lock closed suction set for tracheostomy 12 Fr.	<ol style="list-style-type: none"> <li>1. It should have two lock systems at end of catheter to prevent accidental air sucking from circuit &amp; tube.</li> <li>2. It should have Double lumen closed suction set for tracheostomy tube .</li> <li>3. It should have adjustable Cather mount.</li> <li>4. It should not be any disconnection part in close suction onces attech to patient.</li> <li>5. Its should have cleaning syringe port at end of catcher point to prevent direct pressure on tube.</li> <li>6. Cathter length to be 300 MM</li> <li>7. Must have MDI adapter, trach wedge for cleaning and freely movable swivel connector with inside of pack and for optional use.</li> <li>8. CE Certified</li> </ol>
250.2	Double Lock closed suction set for tracheostomy 14 Fr.	<ol style="list-style-type: none"> <li>1. It should have two lock systems at end of catheter to prevent accidental air sucking from circuit &amp; tube.</li> <li>2. It should have Double lumen closed suction set for tracheostomy tube .</li> <li>3. It should have adjustable Cather mount.</li> <li>4. It should not be any disconnection part in close suction onces attech to patient.</li> <li>5. Its should have cleaning syringe port at end of catcher point to prevent direct pressure on tube.</li> <li>6. Cathter length to be 300 MM</li> <li>7. Must have MDI adapter, trach wedge for cleaning and freely movable swivel connector with inside of pack and for optional use.</li> <li>8. CE Certified</li> </ol>

251.1	Double Lock closed suction set for endotracheal tube 12 Fr	<ol style="list-style-type: none"> <li>1. It should have two lock systems at end of catheter to prevent accidental air sucking from circuit &amp; tube.</li> <li>2. It should have Double lumen closed suction set for endotracheal tube.</li> <li>3. It should have adjustable Catheter mount.</li> <li>4. It should not be any disconnection part in close suction except swivel connector &amp; catheter mount.</li> <li>5. It should have cleaning syringe port at end of catheter point to prevent direct pressure on tube.</li> <li>6. Catheter length to be 570 MM</li> <li>7. Must have MDI adapter, trach wedge for cleaning and freely movable swivel connector with inside of pack and for optional use.</li> <li>8. CE Certified</li> </ol>
251.2	Double Lock closed suction set for endotracheal tube 14 Fr	<ol style="list-style-type: none"> <li>1. It should have two lock systems at end of catheter to prevent accidental air sucking from circuit &amp; tube.</li> <li>2. It should have Double lumen closed suction set for endotracheal tube.</li> <li>3. It should have adjustable Catheter mount.</li> <li>4. It should not be any disconnection part in close suction except swivel connector &amp; catheter mount.</li> <li>5. It should have cleaning syringe port at end of catheter point to prevent direct pressure on tube.</li> <li>6. Catheter length to be 570 MM</li> <li>7. Must have MDI adapter, trach wedge for cleaning and freely movable swivel connector with inside of pack and for optional use.</li> <li>8. CE Certified</li> </ol>

251.3	Double Lock closed suction set for endotracheal tube 16 Fr	<ol style="list-style-type: none"> <li>1. It should have two lock systems at end of catheter to prevent accidental air sucking from circuit &amp; tube.</li> <li>2. It should have Double lumen closed suction set for endotracheal tube.</li> <li>3. It should have adjustable Cather mount.</li> <li>4. It should not be any disconnection part in close suction except swivel connector &amp; catheter mount.</li> <li>5. Its should have cleaning syringe port at end of catcher point to prevent direct pressure on tube.</li> <li>6. Cathter length to be 570 MM</li> <li>7. Must have MDI adapter, trach wedge for cleaning and freely movable swivel connector with inside of pack and for optional use.</li> <li>8. CE Certified</li> </ol>
252	Water Weight traction Bag	<ol style="list-style-type: none"> <li>1. It should be Disposable.</li> <li>2. It should have Minimum 10 Litter water weight baring capacity.</li> <li>3. It should have larger filling port with bold &amp; clear markings ensures quicker, accurate and easy filling.</li> <li>4. No leakage/ slippage on prolonged use</li> </ol>
253	I. V. Infusion set for photosensitive drugs	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; individual packing.</li> <li>2. It should be useful for photosensitive drugs.</li> </ol>
254	Tracheostomy Tube holder (Strap)	<ol style="list-style-type: none"> <li>1. It should be fit up to 55 CM neck (UNIVERSAL SIZE).</li> <li>2. It should be adjustable (FIT CHILD TO ADULT) Universal size</li> <li>3. It should be latex free</li> <li>4. It should be single packing</li> <li>5. It should have absorbent pad.</li> <li>6. It should have soft and good quality</li> </ol>
255.1	Urinary Catheter Silicone with 3 Noble metals alloy coating 2 way 06 FR	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. Urinary Catheter Silicone with 3 Noble metals alloy coating consisting of gold, silver and palladium (Coated internally and externally).</li> <li>3. Should be EC Approved.</li> </ol>

255.2	Urinary Catheter Silicone with 3 Noble metals alloy coating 2 way 08 FR	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. Urinary Catheter Silicone with 3 Noble metals alloy coating consisting of gold, silver and palladium (Coated internally and externally).</li> <li>3. Should be EC Approved.</li> </ol>
255.3	Urinary Catheter Silicone with 3 Noble metals alloy coating 2 way 10 FR	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. Urinary Catheter Silicone with 3 Noble metals alloy coating consisting of gold, silver and palladium (Coated internally and externally).</li> <li>3. Should be EC Approved.</li> </ol>
255.4	Urinary Catheter Silicone with 3 Noble metals alloy coating 2 way 14 FR	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. Urinary Catheter Silicone with 3 Noble metals alloy coating consisting of gold, silver and palladium (Coated internally and externally).</li> <li>3. Should be EC Approved.</li> </ol>
255.5	Urinary Catheter Silicone with 3 Noble metals alloy coating 2 way 16 FR	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. Urinary Catheter Silicone with 3 Noble metals alloy coating consisting of gold, silver and palladium (Coated internally and externally).</li> <li>3. Should be EC Approved.</li> </ol>
255.6	Urinary Catheter Silicone with 3 Noble metals alloy coating 2 way 18 FR	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. Urinary Catheter Silicone with 3 Noble metals alloy coating consisting of gold, silver and palladium (Coated internally and externally).</li> <li>3. Should be EC Approved.</li> </ol>
255.7	Urinary Catheter Silicone with 3 Noble metals alloy coating 2 way 20 FR	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. Urinary Catheter Silicone with 3 Noble metals alloy coating consisting of gold, silver and palladium (Coated internally and externally).</li> <li>3. Should be EC Approved.</li> </ol>

256.1	Urinary Catheter latex with 3 Noble metals alloy coating (2 way) 06 FR	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. Urinary Catheter latex with 3 Noble metals alloy coating (2 way) consisting of gold, silver and palladium.</li> <li>3. The catheters are approved for transurethral and suprapubic use for up to 90 days.</li> <li>4. Presence of Hydrophilic coating internally and externally in addition.</li> <li>5. Should be EC Approved.</li> </ol>
256.2	Urinary Catheter latex with 3 Noble metals alloy coating (2 way) 08 FR	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. Urinary Catheter latex with 3 Noble metals alloy coating (2 way) consisting of gold, silver and palladium.</li> <li>3. The catheters are approved for transurethral and suprapubic use for up to 90 days.</li> <li>4. Presence of Hydrophilic coating internally and externally in addition.</li> <li>5. Should be EC Approved.</li> </ol>
256.3	Urinary Catheter latex with 3 Noble metals alloy coating (2 way) 10 FR	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. Urinary Catheter latex with 3 Noble metals alloy coating (2 way) consisting of gold, silver and palladium.</li> <li>3. The catheters are approved for transurethral and suprapubic use for up to 90 days.</li> <li>4. Presence of Hydrophilic coating internally and externally in addition.</li> <li>5. Should be EC Approved.</li> </ol>
256.4	Urinary Catheter latex with 3 Noble metals alloy coating (2 way) 14 FR	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. Urinary Catheter latex with 3 Noble metals alloy coating (2 way) consisting of gold, silver and palladium.</li> <li>3. The catheters are approved for transurethral and suprapubic use for up to 90 days.</li> <li>4. Presence of Hydrophilic coating internally and externally in addition.</li> <li>5. Should be EC Approved.</li> </ol>

256.5	Urinary Catheter latex with 3 Noble metals alloy coating (2 way) 16 FR	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. Urinary Catheter latex with 3 Noble metals alloy coating (2 way) consisting of gold, silver and palladium.</li> <li>3. The catheters are approved for transurethral and suprapubic use for up to 90 days.</li> <li>4. Presence of Hydrophilic coating internally and externally in addition.</li> <li>5. Should be EC Approved.</li> </ol>
256.6	Urinary Catheter latex with 3 Noble metals alloy coating (2 way) 18 FR	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. Urinary Catheter latex with 3 Noble metals alloy coating (2 way) consisting of gold, silver and palladium.</li> <li>3. The catheters are approved for transurethral and suprapubic use for up to 90 days.</li> <li>4. Presence of Hydrophilic coating internally and externally in addition.</li> <li>5. Should be EC Approved.</li> </ol>
256.7	Urinary Catheter latex with 3 Noble metals alloy coating (2 way) 20 FR	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. Urinary Catheter latex with 3 Noble metals alloy coating (2 way) consisting of gold, silver and palladium.</li> <li>3. The catheters are approved for transurethral and suprapubic use for up to 90 days.</li> <li>4. Presence of Hydrophilic coating internally and externally in addition.</li> <li>5. Should be EC Approved.</li> </ol>
257.1	Endotracheal tube with subglottic suction 3 Noble metals Au, Ag & Pd non releasing coating 7.0 Fr.	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. It should have subglottic suction port.</li> <li>3. ET tubes with 3 Noble metals Au, Ag &amp; Pd non releasing coating (coated internally and externally) The technology is based on a very thin noble metal alloy coating, consisting of gold, silver and palladium.</li> <li>4. Should be EC Approved.</li> </ol>

257.2	Endotracheal tube with subglottic suction 3 Noble metals Au, Ag & Pd non releasing coating 7.5 Fr.	<ol style="list-style-type: none"> <li>1. It should be sterile &amp; single packing.</li> <li>2. It should have subglottic suction port.</li> <li>3. ET tubes with 3 Noble metals Au, Ag &amp; Pd non releasing coating (coated internally and externally) The technology is based on a very thin noble metal alloy coating, consisting of gold, silver and palladium.</li> <li>4. Should be EC Approved.</li> </ol>
258	Triple Lumen Central Venous Catheter with very thin noble metal alloy coating, consisting of gold, silver and palladium 7 Fr. 3 Lumen 16cm	<p>It should have a very thin noble metal alloy coating, consisting of gold, silver and palladium. Radiopaque, Biocompatible Polyurethane tubing with Blue flex tip &amp; J-Guidewire (Nitinol),</p>
259	Four Lumen Central Venous Catheter with very thin noble metal alloy coating, consisting of gold, silver and palladium 8.5Fr. 4 Lumen 16cm	<p>It should have a very thin noble metal alloy coating, consisting of gold, silver and palladium. Radiopaque, Biocompatible Polyurethane tubing with Blue flex tip &amp; J-Guidewire (Nitinol),</p>
260	Close Transducer sets single	<p>One Disposable pressure transducer with flush device &amp; vent stopcock, IV set, 1 shutoff valve, 60" patient pressure tubing along with inbuilt inline 12 cc reservoir &amp; 2 self-sealing Z-site sampling ports located 13" and 55" from patient for closed blood sampling; pole mountable. It should have a flow rate of 3 +/- 1 ml/hr under 300 mm Hg IV bag pressure</p>
261	Suction jar set 600 ML for MGPS supply	<ol style="list-style-type: none"> <li>1. it should have 600 ML jar With cap and connector , washer, holder and holding clip</li> <li>2. Suction jar should be autoclavable</li> </ol>
262	Suction jar set 2000 ML for MGPS Supply	<ol style="list-style-type: none"> <li>1. it should have 2000 ML jar With cap and connector , washer, holder and holding clip</li> <li>2. Suction jar should be autoclavable</li> </ol>
263	Suction jar MGPS supply	<ol style="list-style-type: none"> <li>1. suction jar 600 ml and 2000 ml for MGPS supply</li> <li>2. suction jar should be autoclavable.</li> <li>3. Compatible with existing MGPS Suction.</li> </ol>
264	Suction Jar washer for MGPS supply	<ol style="list-style-type: none"> <li>1. Suction Jar washer for 600 ML &amp; 2000 ML for MGPS Supply</li> <li>2. Compatible with existing MGPS Suction.</li> </ol>



265	Bacterial filter for suction unit for MGPS supply	Bacterial filter for suction unit for MGPS supply
266	Oxygen flow meter (set ) for MGPS supply	1. oxygen flow meter for MGPS compitable. 2. humidifier bottle should be autoclavable.
267	Oxygen Humidifier Bottel for MGPS supply	1. oxygen Humidifier Bottel for MGPS compitable. 2. humidifier bottle should be autoclavable.
268	Oxygen flow meter Washer for MGPS supply	Oxygen flow meter Washer for MGPS supply
269	Double gauze Oxygen Mox Connector with compatible ventilator knob	<ol style="list-style-type: none"> <li>1. Transport Connector Single Stage and Twin dial</li> <li>2. Maximum Outlet Pressure: 4-6 Bar</li> <li>3. Minimum Inlet Pressure: 150-250 Bar</li> <li>4. Grooved Push Fit Rotating Release Lock Mechanism, Zero Leakage, and Relief Valve.</li> <li>5. Main Body Outer diameter 59mm, Brass, Chrome Plated 100 microns.</li> <li>6. Outlet OD 32mm</li> <li>7. Outlet ID 12 mm</li> <li>8. Total weight : Heavy Duty &gt; 1.7 kg</li> <li>9. Pressure needle knob should have SS 316 screw</li> <li>10. Both Dails should be caged with SS 316 for protection from fall from height of 2 m.</li> <li>11. Distance between Cylinder to Knob should be 90 mm</li> </ol>
270	Sterile Bacterial & viral HME Filter for Adult/Paediatric/Neonatal	<ol style="list-style-type: none"> <li>1. It should be sterile.</li> <li>2. It should have heat moist filter with 99.99% viral and bacterial filter efficiency.</li> <li>3. It should have DEHP free Material.</li> <li>4. It should be have Co2 sampling Port.</li> <li>5. It should not have more than 35 ML dead space.</li> </ol>
271	Blood Ketone test strips	<ol style="list-style-type: none"> <li>1. Blood Ketone test strips.</li> <li>2. Blood ketone Meter should be supply free of cost as per need of institute</li> </ol>
272	Pediatric Drip Set	Pediatric Drip Set
273	Disposable Full Body Patient Warming Blanket-Adult & paedtric	<ol style="list-style-type: none"> <li>1. Disposable Full body blanket warmer sheet.</li> <li>2. Single packing.</li> <li>3. Should be Waterproof.</li> <li>4. Compatible to all company</li> </ol>

274	Disposable Laryngoscopes	<ol style="list-style-type: none"> <li>1. Disposables Single use both Macintosh /Miller type fiber optic blade for easy atraumatic insertion .</li> <li>2. Extra bright light for easy insertion</li> <li>3. No Electrical Contact in the Blade thus More Reliable.</li> <li>4. Ultra light weight handle and blades for easy handling and effective for difficult anatomical curvatures .</li> <li>5. Large diameter fiber optic bundle can be removed to simplify cleaning - no crevices or hard to reach areas.</li> <li>6. Unique snap-on fit mechanism eliminates screws that can be misplaced.</li> <li>7. Blade Sizes Available :- 75 , 95 , 120 ,140 and 160 mm</li> </ol>
275.1	Non WovenTape Size 25mm x 250 cm	<p>A) It is highly comfortable &amp; coated with skin friendly , moisture vapour permeable , hypo allergenic acrylic adhesive</p> <p>B) It is non wovan cloth band with adhesive.</p> <p>C) It will take shape of area where applied. It also posses some stretchability in both directions.</p> <p>D) It should be covered in plastic container eighther square /round and sizes with finger shaped release liner for easy removal of release liner.</p>
275.2	Non WovenTape 50mm x 250cm	<p>A) It is highly comfortable &amp; coated with skin friendly , moisture vapour permeable , hypo allergenic acrylic adhesive</p> <p>B) It is non wovan cloth band with adhesive.</p> <p>C) It will take shape of area where applied. It also posses some stretchability in both directions.</p> <p>D) It should be covered in plastic container eighther square /round and sizes with finger shaped release liner for easy removal of release liner.</p>

275.3	Non WovenTape 75mm X 250 cm	<p>A) It is highly comfortable &amp; coated with skin friendly , moisture vapour permeable , hypo allergenic acrylic adhesive</p> <p>B) It is non wovan cloth band with adhesive.</p> <p>C) It will take shape of area where applied. It also posses some stretchability in both directions.</p> <p>D) It should be covered in plastic container eighth square /round and sizes with finger shaped release liner for easy removal of release liner.</p>
275.4	Non WovenTape 100mm x 250 cm	<p>A) It is highly comfortable &amp; coated with skin friendly , moisture vapour permeable , hypo allergenic acrylic adhesive</p> <p>B) It is non wovan cloth band with adhesive.</p> <p>C) It will take shape of area where applied. It also posses some stretchability in both directions.</p> <p>D) It should be covered in plastic container eighth square /round and sizes with finger shaped release liner for easy removal of release liner.</p>
276.1	Water resistant pad Size 6 x 5cm	<p>A) It is made of SMS NW,middle layer of this NW fabric resists passage of fluid.B) Regular breathing of skin &amp; passage of water vapour is not prevented. Bathing will not be spoil the dressingC) It should be covered with non stick lining. It will prevent sticking of pad with woundD) It should not be stretchable &amp; coated with skin friendly</p>
276.2	Water resistant pad Size 8.5 x 6.5 cm	<p>A) It is made of SMS NW,middle layer of this NW fabric resists passage of fluid.</p> <p>B) Regular breathing of skin &amp; passage of water vapour is not prevented. Bathing will not be spoil the dressing</p> <p>C) It should be covered with non stick lining. It will prevent sticking of pad with wound</p> <p>D) It should not be stretchable &amp; coated with skin friendly</p>

276.3	Water resistant pad Size 14x 7cm	<p>A) It is made of SMS NW, middle layer of this NW fabric resists passage of fluid.</p> <p>B) Regular breathing of skin &amp; passage of water vapour is not prevented. Bathing will not be spoil the dressing</p> <p>C) It should be covered with non stick lining. It will prevent sticking of pad with wound</p> <p>D) It should not be stretchable &amp; coated with skin friendly</p>
276.4	Water resistant pad Size 20 x 10.5cm	<p>A) It is made of SMS NW, middle layer of this NW fabric resists passage of fluid.</p> <p>B) Regular breathing of skin &amp; passage of water vapour is not prevented. Bathing will not be spoil the dressing</p> <p>C) It should be covered with non stick lining. It will prevent sticking of pad with wound</p> <p>D) It should not be stretchable &amp; coated with skin friendly</p>
276.5	Water resistant pad Size 25 x 10.5cm	<p>A) It is made of SMS NW, middle layer of this NW fabric resists passage of fluid.</p> <p>B) Regular breathing of skin &amp; passage of water vapour is not prevented. Bathing will not be spoil the dressing</p> <p>C) It should be covered with non stick lining. It will prevent sticking of pad with wound</p> <p>D) It should not be stretchable &amp; coated with skin friendly</p>
276.6	Water resistant pad Size 30x 10.5cm	<p>A) It is made of SMS NW, middle layer of this NW fabric resists passage of fluid.</p> <p>B) Regular breathing of skin &amp; passage of water vapour is not prevented. Bathing will not be spoil the dressing</p> <p>C) It should be covered with non stick lining. It will prevent sticking of pad with wound</p> <p>D) It should not be stretchable &amp; coated with skin friendly</p>
277.1	Colloid contact layer Size 10x10cm	Sterile Non-occlusive wound contact layer composed of a polyester mesh impregnated with hydrocolloid particles (CMC), cohesion,
277.2	Colloid contact layer Size 15x20cm	Sterile Non-occlusive wound contact layer composed of a polyester mesh impregnated with hydrocolloid particles (CMC), cohesion,

278.1	Lipido-Colloid contact layer impregnated with silver salts Size 10x12cm	Sterile non-occlusive wound contact layer consists of silver healing Matrix made of polyester mesh impregnated with hydrocolloid particles( CMC ),petroleum jelly, polymers and silver salts with demonstrated in vitro antibacterial activity upto 7 days, using patented Lipido- colloid technology (TLC)
278.2	Lipido-Colloid contact layer impregnated with silver salts Size 15x20cm	Sterile non-occlusive wound contact layer consists of silver healing Matrix made of polyester mesh impregnated with hydrocolloid particles( CMC ),petroleum jelly, polymers and silver salts with demonstrated in vitro antibacterial activity upto 7 days, using patented Lipido- colloid technology (TLC)
279.1	Silicone sheet Size 5x5cm	Pure Poly Siloxane based silicone scar management product in sheet form.
279.2	Silicone sheet Size 10x10cm	Pure Poly Siloxane based silicone scar management product in sheet form.
280	Lysil Gel 10gms	Pure Ploy siloxane based scar management product in gel form
281.1	Lipido-Colloid foam dressing with adhesive border Sizes: 8x8cm	sterile self -adherent patented TLC matrix (lipido colloid technology) wound contact layer combined with absorbent polyurethane foam pad , a superabsorbent layer ,a vapour permeable waterproof outer film with soft silicone adhesive border on the edges for atraumatic removal and repositioning of dressing.
281.2	Lipido-Colloid foam dressing with adhesive border Sizes: 13x13cm	sterile self -adherent patented TLC matrix (lipido colloid technology) wound contact layer combined with absorbent polyurethane foam pad , a superabsorbent layer ,a vapour permeable waterproof outer film with soft silicone adhesive border on the edges for atraumatic removal and repositioning of dressing.
281.3	Lipido-Colloid foam dressing with adhesive border Sizes: 15x20cm	sterile self -adherent patented TLC matrix (lipido colloid technology) wound contact layer combined with absorbent polyurethane foam pad , a superabsorbent layer ,a vapour permeable waterproof outer film with soft silicone adhesive border on the edges for atraumatic removal and repositioning of dressing.

281.4	Lipido-Colloid foam dressing with adhesive border Sizes: 20x20cm	sterile self -adherent patented TLC matrix (lipido colloid technology) wound contact layer combined with absorbent polyurethane foam pad , a superabsorbent layer ,a vapour permeable waterproof outer film with soft silicone adhesive border on the edges for atraumatic removal and repositioning of dressing.
281.5	Lipido-Colloid foam dressing with adhesive border Sizes: 6.5x10cm	sterile self -adherent patented TLC matrix (lipido colloid technology) wound contact layer combined with absorbent polyurethane foam pad , a superabsorbent layer ,a vapour permeable waterproof outer film with soft silicone adhesive border on the edges for atraumatic removal and repositioning of dressing.
281.6	Lipido-Colloid foam dressing with adhesive border Sizes: 8 x15cm	sterile self -adherent patented TLC matrix (lipido colloid technology) wound contact layer combined with absorbent polyurethane foam pad , a superabsorbent layer ,a vapour permeable waterproof outer film with soft silicone adhesive border on the edges for atraumatic removal and repositioning of dressing.
281.7	Lipido-Colloid foam dressing with adhesive border Sizes: 10x25cm	sterile self -adherent patented TLC matrix (lipido colloid technology) wound contact layer combined with absorbent polyurethane foam pad , a superabsorbent layer ,a vapour permeable waterproof outer film with soft silicone adhesive border on the edges for atraumatic removal and repositioning of dressing.
282.1	Dressing with poly-absorbent fibres (polyacrylate) coated with carboxymethylcellulose particles, lipophilic substances and silver salts size 6x6cm	sterile non-woven absorbent pad made of polyacrylate fibres with an acrylic core, coated with a softadherent healing matrix impregnated with silver (TLC-Ag: Technology Lipido-Colloid, composed of carboxymethylcellulose particles, lipophilic substances and silver salts). Silver concentration: 11 300 ppm (1.13%).

282.2	Dressing with poly-absorbent fibres (polyacrylate) coated with carboxymethylcellulose particles, lipophilic substances and silver salts size 10x10cm	sterile non-woven absorbent pad made of polyacrylate fibres with an acrylic core, coated with a softadherent healing matrix impregnated with silver (TLC-Ag: Technology Lipido-Colloid, composed of carboxymethylcellulose particles, lipophilic substances and silver salts). Silver concentration: 11 300 ppm (1.13%).
282.3	Dressing with poly-absorbent fibres (polyacrylate) coated with carboxymethylcellulose particles, lipophilic substances and silver salts size 15x20cm	sterile non-woven absorbent pad made of polyacrylate fibres with an acrylic core, coated with a softadherent healing matrix impregnated with silver (TLC-Ag: Technology Lipido-Colloid, composed of carboxymethylcellulose particles, lipophilic substances and silver salts). Silver concentration: 11 300 ppm (1.13%).
283	Tracheostomy double filter with inbuilt oxygen port and suction port.	<ol style="list-style-type: none"> <li>1. It should be single packing.</li> <li>2. It Should be sterile.</li> <li>3. It should have double filter and middle suction port.</li> <li>4. It should have oxygen port.</li> <li>5. Self-sealing Suction Port and Integral Cough Vent</li> </ol> <p>The airway can be cleared by inserting a suction catheter through the integrated self-sealing suction port. The port also acts as a vent that can open during vigorous coughing to allow thick mucosal secretions to be expelled, avoiding blocking of the airway.</p>
284	Disposable Non-Woven fabric shoe cover.	<ol style="list-style-type: none"> <li>1. It should be non-woven fabric &amp; for Hospital use.</li> <li>2. It should be Eco-Friendly, Biodegradation. High-quality elastic, durable double elastic band bundle, tear-resistant, not easy to break More breathable and anti-skid.</li> </ol>
285	Disposable Plastic Shoe cover	Disposable Plastic Shoe cover
286	Hydrophilic polyurethane absorptive foam with Chlorhexidine Gluconate for central line	It should be Protective Disk with CHG is a hydrophilic polyurethane absorptive foam with Chlorhexidine Gluconate (CHG). The foam material should absorbs up to eight times its own weight in fluid, while the CHG incorporated into the dressing inhibits bacterial growth under the dressing.

287	I.V. Set With Needle Free Y connector and Anti Syphon Valve (Vented)	I.V. Set With Needle Free Y connector and Anti Syphon Valve (Vented)
288.1	Inotropes line	200 cm PMO line with one Needle Free connector and at end of line Anti Syphon Valve. Inner Diameter to be 1.25 mm
288.2	Inotropes line	200 cm PMO line with one Needle Free connector and at end of line Anti Syphon Valve. Inner Diameter to be 1.50 mm
289	valve connector for male connector	valve connector for male connector
290	Dual needle free extension line with one sampling port	Duo (Needle Free Extention line with Two needle free connector (One Sampling Port) Dehp free PU material & It should have rotating luer lock Length:- 10cm OD:-2.3mm ID:- 1.3mm
291	Triple needle free extension line with one sampling port	Trio (Needle Free Extention line with Three needle free connector (One Sampling Port) Dehp free PU material & It should have rotating luer lockLength:- 15cm OD:-2.3mm ID:- 1.3mm
292	IV set photo sensitive with needle free connector.	I.V. Set With photo sensitive infusion set having air stop filter & one Needle Free Y connector and Anti Syphon Valve.
293	Disposable under pads	<ol style="list-style-type: none"> <li>1. Size should be 60*90 Cm.</li> <li>2. Packing should be 10 Pcs.</li> <li>3. Tear and slip resistant with waterproof polyethylene back sheet prevents leakage.</li> <li>4. Heavy duty absorbency.</li> <li>5. Soft cloth like top sheet keeps the user dry.</li> <li>6. Self-releasing silicone adhesive on the edges for proper fixation.</li> </ol>
294	Catheter Mount (Extendable)	<ol style="list-style-type: none"> <li>1. It Should be sterile &amp; single packing.</li> <li>2. It should be extendable, 180 degree rotatable &amp; must having suction and bronchoscopy port.</li> </ol>
295.1	Colostomy/Ileostomy bag	Colostomy/Ileostomy bag, with Lock 'n Roll micro-seal closure & inbuilt AF 300 filter to reduce odor, ballooning size 45 mm
295.2	Colostomy/Ileostomy bag	Colostomy/Ileostomy bag, with Lock 'n Roll micro-seal closure & inbuilt AF 300 filter to reduce odor, ballooning size 55 mm
295.3	Colostomy/Ileostomy bag	Colostomy/Ileostomy bag, with Lock 'n Roll micro-seal closure & inbuilt AF 300 filter to reduce odor, ballooning size 70 mm



296	Colostomy/Ileostomy Adapt Paste	Colostomy/Ileostomy Adapt Paste , 60 gm. soft easy to Squeeze Tube for filling the uneven peristomal area, low in alcohol to minimize stinging ,improve the fit of skin barrier.
297	Stoma Powder	Stoma Powder , 28 gm. Is use to absorb extra moisture from Broken peristomal area which allows for better barrier adhesion & help to reduce itchiness and excoriation. after applying skin barrier.
298	Colostomy Skin conditioning cream	Colostomy Skin conditioning cream Soothes irritated dry skin, improving tolerance To repeated tape and barrier use. contains Aloe Vit.A,D & E.
299.1	Colostomy Adapt Belt	Colostomy Adapt Belt , Small
299.2	Colostomy Adapt Belt	Colostomy Adapt Belt , Medium
299.3	Colostomy Adapt Belt	Colostomy Adapt Belt , Large
300	Colostomy Skin Gel Wipes Remover	Skin Gel Wipes Remover , Alcohol Free No Sting; Removes Tapes Barriers, cements and their adhesive residue from the skin. In Sachet Form.
301	Medical Adhesive Remover Spray	Medical Adhesive Remover Spray No Sting 50ml
302	Feeding tube attachment device	F – Tad, feeding tube attachment device Unique clamping Mechanism & attached Skin barrier for NG tube, size.5-18 FG.
303	Flow Through Housing for cardiac output monitoring	Compatible with swan gang catheter
304	E-Z blocker 7.5 F	For one lung ventilation
305	LMA protector	
306	LMA Block buster	1. Size from 1 to 5, able to intubate through this 2. Single only
307	Cooled RF kit for knee genicular nerves	75 mm, 7 mm active tip needle
309	PVC and DEHP free advance infusion set	Advance infusion set with green ring in drip chamber and air stop
311.1	Disposable NIV mask Vented Size Small	NIV Mask should have Anti Asphyxia Valve technology in vented mask and Angular forehead support with oxygen inlet port and should have facility of removing the silicion cushion for cleaning purpose, must have head strap with good sticking divice ISO certified.

311.2	Disposable NIV mask Vented Size Medium	NIV Mask should have Anti Asphyxia Valve technology in vented mask and Angular forehead support with oxygen inlet port and should have facility of removing the silicion cushion for cleaning purpose, must have head strap with good sticking divice ISO certified.
311.3	Disposable NIV mask Vented Size Large	NIV Mask should have Anti Asphyxia Valve technology in vented mask and Angular forehead support with oxygen inlet port and should have facility of removing the silicion cushion for cleaning purpose, must have head strap with good sticking divice ISO certified.
312.1	Disposable NIV mask Non Vented Size Small	NIV Mask should have angular forehead support with oxygen inlet port and should have facility of removing the silicion cushion for cleaning purpose, must have head strap with good sticking divice ISO certified.
312.2	Disposable NIV mask Non Vented Size Medium	NIV Mask should have angular forehead support with oxygen inlet port and should have facility of removing the silicion cushion for cleaning purpose, must have head strap with good sticking divice ISO certified.
312.3	Disposable NIV mask Non Vented Size Large	NIV Mask should have angular forehead support with oxygen inlet port and should have facility of removing the silicion cushion for cleaning purpose, must have head strap with good sticking divice ISO certified.
313.1	Reusable NIV mask Vented Size Small	NIV Mask should have Anti Asphyxia Valve technology in vented mask and Angular forehead support with oxygen inlet port and should have silicion cushion, must have head strap with good sticking divice.
313.2	Reusable NIV mask Vented Size Medium	NIV Mask should have Anti Asphyxia Valve technology in vented mask and Angular forehead support with oxygen inlet port and should have silicion cushion, must have head strap with good sticking divice.
313.3	Reusable NIV mask Vented Size Large	NIV Mask should have Anti Asphyxia Valve technology in vented mask and Angular forehead support with oxygen inlet port and should have silicion cushion, must have head strap with good sticking divice.

314.1	Disposable NIV mask Non Vented Size Small	NIV Mask should have angular forehead support with oxygen inlet port and should have the silicon cushion, must have head strap with good sticking device.
314.2	Disposable NIV mask Non Vented Size Medium	NIV Mask should have angular forehead support with oxygen inlet port and should have the silicon cushion, must have head strap with good sticking device.
314.3	Disposable NIV mask Non Vented Size Large	NIV Mask should have angular forehead support with oxygen inlet port and should have the silicon cushion, must have head strap with good sticking device.
315.1	PMO Line Male to Male 100 CM	1. single packing & sterile. 2. should have male to male connector.
315.2	PMO Line Male to Male 150 CM	1. single packing & sterile. 2. should have male to male connector.
315.3	PMO Line Male to Male 200 CM	1. single packing & sterile. 2. should have male to male connector.
316.1	PMO Line Female to Female 100 CM	1. single packing & sterile. 2. should have male to male connector.
316.2	PMO Line Female to Female 150 CM	1. single packing & sterile. 2. should have male to male connector.
316.3	PMO Line Female to Female 200 CM	1. single packing & sterile. 2. should have male to male connector.
317.1	PMO Line Male to Female 100 CM	1. single packing & sterile. 2. should have male to male connector.
317.2	PMO Line Male to Female 150 CM	1. single packing & sterile. 2. should have male to male connector.
317.3	PMO Line Male to Female 200 CM	1. single packing & sterile. 2. should have male to male connector.
318	Single Arterial & CVP pressure transducer	One Disposable pressure transducer having Gold Plated Connector Tip for best signal quality with flush device & vent stopcock, IV set, 2 three way stopcocks It should have special hood to reduce contamination risk. Gold-plated connector wires for high-fidelity signal transmission. Available with a Snap-Tab flush device that can be easily gripped and stretched 360° to quickly and easily flush the system and generate a square-wave test pattern. It should have a flow rate of 3 +/- 1 ml/hr under 300 mm Hg IV bag pressure.

319	Double Arterial & CVP pressure transducer	<p>Double Disposable pressure transducer having Gold Plated Connector Tip for best signal quality with flush device &amp; vent stopcock, IV set, 2 three way stopcocks It should have special hood to reduce contamination risk. Gold-plated connector wires for high-fidelity signal transmission. Should have colour coding for arterial &amp; CVP monitoring on the tubings, Available with a Snap-Tab flush device that can be easily gripped and stretched 360° to quickly and easily flush the system and generate a square-wave test pattern. It should have a flow rate of 3 +/- 1 ml/hr under 300 mm Hg IV bag pressure.</p>
320	PA CATHETER	<p>Flow directed 5 lumen pulmonary artery catheter. 7.5 F in diameter &amp; 110 cm in length with guide wire &amp; single handed insertion device. Should be able to give PA pressures.</p>
321	THERMODILUTION PA CATHETER	<p>Flow directed 5 lumen pulmonary artery catheter. 7.5 F in diameter &amp; 110 cm in length with guide wire &amp; single handed insertion device.. Should be able to give Cardiac output using Thermo dilution method. Should be able to give PA pressure, PAWP &amp; RA Pressure when transduced. Should have proximal infusion &amp; proximal injectate ports at 31 cm &amp; 30 cm respectively.</p>
322	Single Pressure Transducer with CLOSED BLOOD SAMPLING SYSTEM - ADULT	<p>One Disposable pressure transducer having Gold Plated Connector Tip for best signal quality with flush device &amp; vent stopcock, IV set, 1 shutoff valve, 60'' patient pressure tubing along with inbuilt inline 12 cc reservoir &amp; 2 self-sealing Z-site sampling ports located 13'' and 55'' from patient for closed blood sampling; pole mountable. It should have special hood to reduce contamination risk. Gold-plated connector wires for high-fidelity signal transmission. Available with a Snap-Tab flush device that can be easily gripped and stretched 360° to quickly and easily flush the system and generate a square-wave test pattern It should have a flow rate of 3 +/- 1 ml/hr under 300 mm Hg IV bag pressure.</p>

323	Double Pressure Transducer with CLOSED BLOOD SAMPLING SYSTEM - ADULT	<p>Double Disposable pressure transducer having Gold Plated Connector Tip for best signal quality with flush device &amp; vent stopcock, IV set, 1 shutoff valve, 60" patient pressure tubing along with inbuilt inline 12 cc reservoir &amp; 2 self-sealing Z-site sampling ports located 13" and 55" from patient for closed blood sampling; pole mountable. It should have special hood to reduce contamination risk. Gold-plated connector wires for high-fidelity signal transmission. Available with a Snap-Tab flush device that can be easily gripped and stretched 360° to quickly and easily flush the system and generate a square-wave test pattern</p> <p>It should have a flow rate of 3 +/- 1 ml/hr under 300 mm Hg IV bag pressure.</p>
324	CLOSED BLOOD SAMPLING SYSTEM - PEDIATRIC	<p>One Disposable pressure transducer with flush device without IV-set tubing, 48" patient tubing length for pediatric application with graduated 3cc marking reservoir and 1 self-sealing Z-site sampling port to reduce patient blood loss and optimize clearing volume. It should have special hood to reduce contamination risk. Gold-plated connector wires for high-fidelity signal transmission. Available with a Snap-Tab flush device that can be easily gripped and stretched 360° to quickly and easily flush the system and generate a square-wave test pattern. Fluid-resistant cable connector.</p>
325.1	Embolectomy Catheter	Should be Available in Sizes 2Fr to be used for clot embolisation and should be USFDA approved.
325.2	Embolectomy Catheter	Should be Available in Sizes 3Fr to be used for clot embolisation and should be USFDA approved.
325.3	Embolectomy Catheter	Should be Available in Sizes 4Fr to be used for clot embolisation and should be USFDA approved.
325.4	Embolectomy Catheter	Should be Available in Sizes 5Fr to be used for clot embolisation and should be USFDA approved.
325.5	Embolectomy Catheter	Should be Available in Sizes 6Fr to be used for clot embolisation and should be USFDA approved.
325.6	Embolectomy Catheter	Should be Available in Sizes 7Fr to be used for clot embolisation and should be USFDA approved.

326	Nebulizer Mask Kit (Adult and Paediatrics)	Aerosol Mask/ MP Tee connector Kit with HP chamber to deliver mist of 2 to 2.5 $\mu\text{m}$ at all angles up to 90°, must be with channeled star inner lumen, crush & kink resistant tubing with Clear Connect Secure Connector for rate of >20 mL/min. US FDA registered & if applicable 510K. Must be US FDA/ BIS/ AUS/ EU CE Certified with ICMED 13485 or ISO13485 Certification.
327	Intro-Flex Introducer Sheath	Sterile polyurethane percutaneous sheath introducers for access of venous system, to facilitate catheter insertion (PA or IC). Insertion Adjustable locking device, V shaped sidearm, AMC Thromboshield Coating, improved taper, kink resistant sheath with catheter guide, Size 8.5FR, Locking contamination shield to prevent catheter migration.US FDA registered & if applicable 510K. Must be US FDA/ BIS/ CE Certified with ICMED 13485 or ISO13485 Certification.
328	Drypad	Dry pad for moisture management, 58.4x90cm, with breathable layer, super absorbent core, aqua shield film and air permeable back sheet, Absorbency of 1800-2300gm, USFDA/CE/BIS compliant, ISO13485 compliant
329.1	Spiral Pressure monitoring line	Made of polyurethan, 100 CM length
329.2	Spiral Pressure monitoring line	Made of polyurethan, 150 CM length
329.3	Spiral Pressure monitoring line	Made of polyurethan, 200 CM length
330	Pulmonary artery catheter with using thermodilution technique	7.5 Fr, 110cm, 3 lumen
331	Pulmonary artery catheter with using thermodilution technique	7.5 Fr, 110cm, 5 lumen
332	Continous cardiac output PA catheter with using thermodilution technique	7 lumen with ability to give continous mixed venus oxygen saturation

333	Tripple Lumen Freka Tube	<p>1 "The tube should have 3 lumens  a) Feeding (for jejunal feeding)  b) Decompression (for simultaneous decompression)  c) Ventilation (for ventilation during active suction)"  2 Total length of the tube should be 150 cms.  3 Feeding Lumen should be 150 cm (Jejunal Feeding) in length with size of 9FR with 2 lateral openings  4 Decompression lumen should be 95 cms in length with size of 16FR with universal funnel adapter  5 Ventilation lumen should be 95 cms in length  6 The tube should have teflon coated introducer for easy insertion  7 Should be made up of polyurethane  8 Should come with: lure lock connector for Feeding Lumen  Funnel Connector for Decompression &amp; Ventilation Lumen"  9 Should have radio-opaque strip for good X-ray visibility.</p>
334	Freka Tube (120 cm)	<p>1 Tube should be 120 cm (Jejunal Feeding) in length with size of 12FR with lateral opening at the tip of the tube  2 The tube should have teflon coated introducer for easy insertion  3 Should be made up of polyurethane  4 Should have lure lock connector for leakage free feeding  5 Should have radio opaque markings every 10 cm to offer convenient X-ray detection during checking the placement of tube  6 Mean lifetime should be upto 6 weeks.</p>
335	Freka Tube (100 cm)	<p>1 Tube should be 100 cm (Jejunal Feeding) in length with size of 15FR with lateral opening at the tip of the tube  2 The tube should have teflon coated introducer for easy insertion  3 Should be made up of polyurethane  4 Should have lure lock connector for leakage free feeding  5 Should have radio opaque markings every 10 cm to offer convenient X-ray detection during checking the placement of tube  6 Mean lifetime should be upto 6 weeks.</p>
336	Bain Circuit Paediatric	<p>*Provided with 15 mm and 10 mm corrugated tube of length 1.6 m  *0.5 L Antistatic Re-breathing bag</p>

337	Catheters and Tubing Securement device - Medium	<ul style="list-style-type: none"> <li>*Double Securement device with adhesive in the middle to secure catheters &amp; tubing's.</li> <li>*Waterproof, hypoallergenic &amp; non-strechable to retain the shape size: Medium (Lines &amp; Tubes sized 3-8 mm)</li> </ul>
338	Catheters and Tubing Securement device - Large	<ul style="list-style-type: none"> <li>*Double Securement device with adhesive in the middle to secure catheters &amp; tubing's.</li> <li>*Waterproof, hypoallergenic &amp; non-strechable to retain the shape size: Large (Lines &amp; Tubes sized 6- 13 mm)</li> </ul>
339	Chlorhexidine and Sliver Sufadiazine impregnated triple lumen radiopaque (TLR) catheters	<ul style="list-style-type: none"> <li>*Radiopaque TLR Catheter having chlorhexidine and silver sulfadiazine impregnated with ability to pass guide wire without detaching the syringe.</li> <li>*Non-kinking spring coated guidewire.</li> <li>*Size: 6.5-7.0 Fr (16 cms)</li> </ul>
340	Chlorhexidine and Sliver Sufadiazine impregnated triple lumen radiopaque (TLR) catheters	<ul style="list-style-type: none"> <li>*Radiopaque TLR Catheter having chlorhexidine and silver sulfadiazine impregnated with ability to pass guide wire without detaching the syringe.</li> <li>*Non-kinking spring coated guidewire.</li> <li>*Size: 7.0 -7.5 Fr (16 cms)</li> </ul>
341	Crocs	Size: 06
342	Crocs	Size: 07
343	Crocs	Size: 08
344	Crocs	Size: 09
345	Crocs	Size: 10
346	Crocs	Size: 11
347	Crocs	Size: 12
348	Disposable Under Pads	<ul style="list-style-type: none"> <li>*It should be 10 Pcs. Packing</li> <li>*Size: 60 x 90 cm.</li> <li>*Heavy duty absorbency leakage &amp; waterproof.</li> <li>*Soft, Breathable skin friendly cloth.</li> <li>*Self-releasing skin adhesive on the edges for proper fixation or non-slip material.</li> </ul>
349.1	Disposable Polyurethane DHEP Free needle free valve with 3 extension lines	<ul style="list-style-type: none"> <li>*It should be sterile.</li> <li>*Single packing</li> <li>*Length should be 10</li> <li>*It should have Trifurcated extension set with 3 micro clave and 3 slide clamps.</li> <li>*It should have rotating luer lock &amp; no disconnecting part.</li> <li>*It should be PU (Polyurethane) material and DHEP free.</li> <li>*It should have rotating male luer approx.</li> <li>*Inner Diameter to be 1.25 mm to 1.5 mm.</li> </ul>



349.2	Disposable Polyurethane DHEP Free needle free valve with 3 extension lines	<ul style="list-style-type: none"> <li>*It should be sterile. *Single packing *Length should be 15 cm. *It should have Trifurcated extension set with 3 micro clave and 3 slide clamps. *It should have rotating luer lock &amp; no disconnecting part. *It should be PU (Polyurethane) material and DHEP free. *It should have rotating male luer approx. *Inner Diameter to be 1.25 mm to 1.5 mm.</li> </ul>
350	Disposable Tracheal Cuff Pressure Indicator	<ul style="list-style-type: none"> <li>*Continuous visual display combined with graduations eliminates the need for constant spot-checking.</li> <li>*Display negative pressure graduation to indicate cuff is fully deflated to reduce the risk of tranuma during extubation.</li> <li>*Lightweight design to avoid drag and potential tube displacement.</li> <li>*Suitable for use on a wide range of airway devices.</li> <li>*Disposable and shows reading both as colour coded and numerical values.</li> <li>*Possible to quickly and easily adjust pressure to avoid excessive cuff inflation.</li> <li>*It should be sterile.</li> <li>*It should be single packing.</li> </ul>
351	Disposable Video Laryngoscope Blade	<ul style="list-style-type: none"> <li>*Blade should be disposable.</li> <li>*Material of blade should be Polycarbonate blades.</li> <li>*Disposable blade suitable for various patients.</li> <li>*Should come with Anti-Fogging blade.</li> <li>*Blade should be compatible with Tuoren Video Laryngoscope(Model:VLHM5A &amp; VLHM5B)</li> </ul>

352	Laryngeal Mask Airway Multifunction type	<ul style="list-style-type: none"> <li>*Fourway connector makes it easy to fix after placement.</li> <li>*Integrated bite block prevents airway occlusion</li> <li>*Airway tube is more than 95 degree angulated short airway tube provide easy insertion and matches oropharyngeal curve.</li> <li>*Inlet and outlet of gastric access channel design for easy insertion of gastric tube.</li> <li>*Sputum collection device can collect small quantity of sputum.</li> <li>*Guidance device allows the ET Tube to direct towards laryngeal opening of 30-degree angle, which enhances success rate of endotracheal intubation.</li> <li>*Better flexibility and biocompatibility with silicone material.</li> <li>*TM gastric tube can be inserted into blockbuster to prevent gastric reflux risk of aspiration.</li> <li>*The design of ventilation tube and guidance device makes it easy to exchange to ETT tube.</li> <li>*TM equipped with a special blockbuster ET tube and exchange guide can enhance success rate of intubation.</li> </ul>
353	Tracheostomy Tube Cuffed with Subglottic suction & Compatible for percutaneous tracheostomy	<ul style="list-style-type: none"> <li>*Size: 6.0</li> <li>*Sterile.</li> <li>*Single Packing.</li> <li>*Latex free.</li> <li>*Soft seal cuff with Cap.</li> <li>*Subglottic suction port with Cap.</li> <li>*Compatible for percutaneous tracheostomy.</li> </ul>
354	Tracheostomy Tube Cuffed with Subglottic suction & Compatible for percutaneous tracheostomy	<ul style="list-style-type: none"> <li>*Size: 6.5*Sterile. *Single Packing. *Latex free. *Soft seal cuff with Cap. *Subglottic suction port with Cap.</li> <li>*Compatible for percutaneous tracheostomy.</li> </ul>
355	Tracheostomy Tube Cuffed with Subglottic suction & Compatible for percutaneous tracheostomy	<ul style="list-style-type: none"> <li>*Size: 7.0</li> <li>*Sterile.</li> <li>*Single Packing.</li> <li>*Latex free.</li> <li>*Soft seal cuff with Cap.</li> <li>*Subglottic suction port with Cap.</li> <li>*Compatible for percutaneous tracheostomy.</li> </ul>

356	Tracheostomy Tube Cuffed with Subglottic suction & Compatible for percutaneous tracheostomy	<ul style="list-style-type: none"> <li>*Size: 7.5</li> <li>*Sterile.</li> <li>*Single Packing.</li> <li>*Latex free.</li> <li>*Soft seal cuff with Cap.</li> <li>*Subglottic suction port with Cap.</li> <li>*Compatible for percutaneous tracheostomy.</li> </ul>
357	Tracheostomy Tube Cuffed with Subglottic suction & Compatible for percutaneous tracheostomy	<ul style="list-style-type: none"> <li>*Size: 8.0</li> <li>*Sterile.</li> <li>*Single Packing.</li> <li>*Latex free.</li> <li>*Soft seal cuff with Cap.</li> <li>*Subglottic suction port with Cap.</li> <li>*Compatible for percutaneous tracheostomy.</li> </ul>
358	Tracheostomy Tube Cuffed with Subglottic suction & Compatible for percutaneous tracheostomy	<ul style="list-style-type: none"> <li>*Size: 8.5</li> <li>*Sterile.</li> <li>*Single Packing.</li> <li>*Latex free.</li> <li>*Soft seal cuff with Cap.</li> <li>*Subglottic suction port with Cap.</li> <li>*Compatible for percutaneous tracheostomy.</li> </ul>
359	Wrist Restrainer	<ul style="list-style-type: none"> <li>*Restrainer should be stretchable fabric</li> <li>*It should be secure Velcro based fastners, universal size 100% adjustable clamp length with a single pull.</li> <li>*It can be very fast disconnection at the ankle and the bed rail.</li> <li>*It should be able to hold physically hold patient Wrist.</li> </ul>
360	Ankle Restrainer	<ul style="list-style-type: none"> <li>*Restrainer should be stretchable fabric</li> <li>*It should be secure Velcro based fastners, universal size 100% adjustable clamp length with a single pull.</li> <li>*It can be very fast disconnection at the ankle and the bed rail.</li> <li>*It should be able to hold physically hold patient ankle.</li> </ul>
361	CVC Single Lumen (22 G)	Polyurethene Central venous catheter set single lumen 22G with 8cm catheter length and should have nitinol guidewire
362	CVC Single Lumen (24 G)	Polyurethene Central venous catheter set single lumen 24G with 30cm catheter length and should have nitinol guidewire

363	CVC Double Lumen (7 Fr, More than 15 cms)	Polyurethane central venous catheter double lumen 7Fr, length more than 15 cms with anti blood flow connector with Y type needle. It should have anti kink resistance J shaped nitinol guide wire.
364	CVC Tripple Lumen (4.5 Fr)	Polyurethane central venous catheter triple lumen 4.5Fr, 6cm length with nitonol guidewire with anti blood flow connector on introducer needle.
365	CVC Tripple Lumen (5.5 Fr)	Polyurethane central venous catheter triple lumen 5.5Fr, 8cm length with nitonol guidewire with anti blood flow connector on introducer needle.
366	CVC Tripple Lumen (7 Fr, Less than 15 cm)	Polyurethane central venous catheter triple lumen 7Fr, length less than 15 cms with anti blood flow connector with Y type needle. It should have anti kink resistance J shaped nitinol guide wire.
367	CVC Tripple Lumen (7 Fr, More than 15 cms)	Polyurethane central venous catheter triple lumen 7Fr, length more than 15 cms with anti blood flow connector with Y type needle. It should have anti kink resistance J shaped nitinol guide wire.
368	CVC Tripple Lumen Antimicrobial Coated (7 Fr)	Adult Antimicrobial Triple lumen Central venous catheter Size 7 french. It Should have a catheter material made up of Cholorohexidine free non eluting with the antimicrobial polyhexamethyl biguanide material to provide superior antimicrobial effect. Should have color coded lumens with integrated leur safe connectors to avoid air embolism and infection. All components in sterile pack , should have certifications CE.
369	CVC Quad Lumen (8.5 Fr)	Polyurethane central venous catheter four lumen 8.5Fr, 13cm length with anti blood flow connector on introducer needle. It should have anti kink resistance J shaped nitinol guide wire.
370	Arterial Canula (16 G)	Polyurethane Catheter for Artirial pressure monitoring 16G with 16cm length should have nitonol J guidewire and Dilator

371	Arterial Canula (20 G)	Polyurethane Catheter for arterial pressure monitoring, 8cm in length should have nitonel guidewire length 35cm and introducer needle should be atleast 4cm in length for easy insertion.
372	Arterial Canula (20 G) with flow switch	It should <b>have a on/off flow-switch</b> to prevent the backflow and to minimise the risk of air emboli entering the blood stream.